

# Safety Data Sheet

Issue Date: 25-Nov-2019 Revision Date: 06-Jun-2022 Version 2

# 1. IDENTIFICATION

**Product identifier** 

Product Name Smart 'n Easy™ Smooth Surface Graffiti Remover

Other means of identification

**SDS #** DCI-075

UN/ID No NA1993

Recommended use of the chemical and restrictions on use

**Recommended Use** Removes Graffiti from Smooth Surfaces.

Details of the supplier of the safety data sheet

Supplier Address Dumond, Inc. 253 S. Bailey Rd. Downingtown, PA 19335

Emergency telephone number

**Company Phone Number** 1-609-655-7700

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance: Thick, milky white liquid Physical State: Liquid Odor: Green Apple

### Classification

The classification and labeling information in this Safety Data Sheet should be viewed as provisional, as physical test data has not been performed. This SDS was created using the criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and is compliant with the Globally Harmonized System of Labeling and Classification of Chemicals (GHS).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 4

# Signal Word Warning

### **Hazard statements**

Causes skin irritation.
Causes serious eye irritation.
Combustible liquid.



Revision Date: 06-Jun-2022

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. — No smoking

### <u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse In case of fire: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Butoxypropanol	5131-66-8	40-50
Colloidal silica	7631-86-9	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

### Description of first aid measures

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If eye irritation persists: Get medical

advice/attention.

**Skin Contact** Wash thoroughly with soap and water until no traces of the chemical remain. Remove

contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin

irritation occurs: Get medical advice/attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything

by mouth to an unconscious person. Call a poison center or doctor/physician if you feel

unwell.

# Most important symptoms and effects, both acute and delayed

Symptoms Causes eye and skin irritation. May be harmful if swallowed. May be harmful in contact with

skin.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

Revision Date: 06-Jun-2022

### **Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical or CO2.

Unsuitable Extinguishing Media Do not use water jet as an extinguisher, as this will spread the fire.

# Specific Hazards Arising from the Chemical

Combustible liquid and vapor. Sealed containers may rupture when heated. Cool containers exposed to flames with water until well after the fire is out.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear appropriate protective clothing and equipment to prevent contact. Remove all sources

of ignition.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information. Do not allow into any sewer, on the

ground or into any body of water.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Use only non-sparking tools. Use explosion proof equipment. Scoop up and collect with an

inert absorbent and place into closable containers for disposal.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Remove Personal Protective Equipment immediately after handling this product. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Protect container from physical damage. Follow all SDS/label precautions even after container is emptied, because it may retain product residues. Contaminated work clothing must not be allowed out of the workplace. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Avoid breathing vapors or mists. Do not eat, drink or smoke when using this

product.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep in a dry, cool and well-ventilated place.

**Incompatible Materials** Strong oxidizers and reducing agents. Strong acids. Halogens.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Colloidal silica	-	TWA: 50 µg/m³ excludes	IDLH: 3000 mg/m <sup>3</sup>
7631-86-9		construction work, agricultural	TWA: 6 mg/m <sup>3</sup>
		operations, and exposures that	
		result from the processing of	
		sorptive clays	
		(vacated) TWA: 6 mg/m <sup>3</sup> <1%	
		Crystalline silica	
		TWA: 20 mppcf	
		: (80)/(% SiO2) mg/m³ TWA	

### Appropriate engineering controls

Engineering Controls For operations where contact can occur, a safety shower and an eye wash facility should

be available. Good general room ventilation (equivalent to outdoors) should be adequate

Revision Date: 06-Jun-2022

under normal conditions.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

**Skin and Body Protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body

protection.

**Respiratory Protection** If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for

respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid

AppearanceThick, milky white liquidOdorGreen appleColorMilky whiteOdor Threshold.001 ppm

Property Properties listed below are for 2- Remarks • Method

butoxyethanol

pH 7.58

Melting point / freezing point

Boiling point / boiling range 171 °C / 340 °F

Flash point 67 °C / 153 °F

Evaporation Rate Not determined

Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive 10.6

limits

Lower flammability or explosive 1.3

limits

Vapor Pressure Not determined Vapor Density Not determined

Relative Density 1.062

Water Solubility Moderately soluble in water

·

Revision Date: 06-Jun-2022

Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

### **Other information**

# 10. STABILITY AND REACTIVITY

# Reactivity

Not reactive under normal conditions.

# **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### **Conditions to Avoid**

Keep away from heat, sparks and open flame.

# Incompatible materials

Strong oxidizers and reducing agents. Strong acids. Halogens.

# **Hazardous decomposition products**

Carbon monoxide. Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** May be harmful in contact with skin.

**Inhalation** May cause irritation if inhaled.

**Ingestion** May be harmful if swallowed. May cause nausea, vomiting, stomach ache, and diarrhea.

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Butoxypropanol 5131-66-8	= 1900 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Colloidal silica 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg(Rabbit)	> 2.08 mg/L (Rat) 4 h
Alcohols, C9-11 ethoxylated 68439-46-3	= 1400 mg/kg (Rat)	-	-

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

Revision Date: 06-Jun-2022

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical name	ACGIH	IARC	NTP	OSHA
Colloidal silica		Group 3	Known	X
7631-86-9		·		

Legend

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 2,009.30 mg/kg **Dermal LD50** 2,231.20 mg/kg ATEmix (inhalation-dust/mist) 22.30 mg/L

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol		1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 static	EC50
		2950: 96 h Lepomis macrochirus	
		mg/L LC50	

### Persistence/Degradability

Readily biodegradable.

# **Bioaccumulation**

Low potential for bioaccumulation.

### **Mobility**

Not determined

### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

DCI-075 - Smart 'n Easy Smooth Surface Graffiti Remover

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

Revision Date: 06-Jun-2022

exemptions and special circumstances.

**DOT** Not regulated (If shipped in NON BULK packaging by ground transport)

**UN/ID No** NA1993

Proper Shipping Name Combustible liquid, n.o.s. (Ethylene Glycol Monobutyl Ether)

Hazard class Comb liq
Packing Group III

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

# 15. REGULATORY INFORMATION

# **International Inventories**

Chemical name	TSCA	TSCA Inventory	DSL/NDSL		ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Soy methyl ester	Х	ACTIVE	Х	X		Х	Х		Х
Butoxypropanol	Х	ACTIVE	X	X	Х	X	Х	X	Х
Colloidal silica	Х	ACTIVE	X	X	Х	X	Χ	X	Χ
Alcohols, C9-11 ethoxylated	X	ACTIVE	X		Х	Х	Χ	Χ	Χ

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	40-50	1.0

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

•

Revision Date: 06-Jun-2022

### **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Colloidal silica - 7631-86-9	Carcinogen

# **U.S. State Right-to-Know Regulations**

Chemical na	me N	lew Jersey	Massachusetts	Pennsylvania
Colloidal sili	ca		X	X
7631-86-9	)			

# **16. OTHER INFORMATION**

NFPA Health Hazards Flammability Instability Special Hazards
2 0 Not determined

HMISHealth HazardsFlammabilityPhysical hazardsPersonal ProtectionNot determinedNot determinedNot determinedNot determined

Issue Date:25-Nov-2019Revision Date:06-Jun-2022Revision Note:Reformulation

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**