

1. IDENTIFICATION

Product identifier

Product Name Watch Dog Smooth Surface Graffiti Remover

Other means of identification

SDS # DCI-075

UN/ID No NA1993

Recommended use of the chemical and restrictions on use

Recommended Use Removes Graffiti from Smooth Surfaces.

Details of the supplier of the safety data sheet

Supplier Address

Dumond Chemicals
83 General Warren Blvd
Suite 190
Malvern, PA 19355

Emergency telephone number

Company Phone Number 1-609-655-7700
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Thick, milky white liquid **Physical state** Liquid **Odor** Green apple

Classification

The classification and labeling information in this Safety Data Sheet should be viewed as provisional, as physical test data has not been performed. This SDS was created using the criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and is compliant with the Globally Harmonized System of Labeling and Classification of Chemicals (GHS).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 4

Signal Word

Warning

Hazard statements

Causes skin irritation
Causes serious eye irritation
Combustible liquid



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of water and soap
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse
 In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Butoxypropanol	5131-66-8	40-50
Colloidal silica	7631-86-9	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash thoroughly with soap and water until no traces of the chemical remain. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist.
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Call a poison center or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms	Causes eye and skin irritation. May be harmful if swallowed. May be harmful in contact with skin.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical or CO2.

Unsuitable Extinguishing Media Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising from the Chemical

Combustible liquid and vapor. Sealed containers may rupture when heated. Cool containers exposed to flames with water until well after the fire is out.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear appropriate protective clothing and equipment to prevent contact. Remove all sources of ignition.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Do not allow into any sewer, on the ground or into any body of water.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Use only non-sparking tools. Use explosion proof equipment. Scoop up and collect with an inert absorbent and place into closable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Remove Personal Protective Equipment immediately after handling this product. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Protect container from physical damage. Follow all SDS/label precautions even after container is emptied, because it may retain product residues. Contaminated work clothing must not be allowed out of the workplace. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Avoid breathing vapors or mists. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizers and reducing agents. Strong acids. Halogens.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Colloidal silica 7631-86-9	-	TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 6 mg/m ³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO ₂) mg/m ³ TWA	IDLH: 3000 mg/m ³ TWA: 6 mg/m ³

Appropriate engineering controls

Engineering Controls

For operations where contact can occur, a safety shower and an eye wash facility should be available. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection

If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Green apple
Appearance	Thick, milky white liquid	Odor Threshold	.001 ppm
Color	Milky white		

Property

Properties listed below are for 2-butoxyethanol

Remarks • Method

pH	7.58	
Melting point / freezing point	-75 °C / -103 °F	
Boiling point / boiling range	171 °C / 340 °F	
Flash point	67 °C / 153 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper flammability or explosive limits	10.6	
Lower flammability or explosive limits	1.3	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Relative Density	1.062	
Water Solubility	Moderately soluble in water	

Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

Other information

VOC Content (%) 90%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep away from heat, sparks and open flame.

Incompatible materials

Strong oxidizers and reducing agents. Strong acids. Halogens.

Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin.
Inhalation	May cause irritation if inhaled.
Ingestion	May be harmful if swallowed. May cause nausea, vomiting, stomach ache, and diarrhea.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Butoxypropanol 5131-66-8	= 1900 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Colloidal silica 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2.08 mg/L (Rat) 4 h
Alcohols, C9-11 ethoxylated 68439-46-3	= 1400 mg/kg (Rat)	-	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical name	ACGIH	IARC	NTP	OSHA
Colloidal silica 7631-86-9		Group 3	Known	X

Legend

IARC (International Agency for Research on Cancer)
 Group 3 - Not Classifiable as to Carcinogenicity in Humans
NTP (National Toxicology Program)
 Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	2,009.30 mg/kg
Dermal LD50	2,231.20 mg/kg
ATEmix (inhalation-dust/mist)	22.30 mg/L

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Readily biodegradable.

Bioaccumulation

Low potential for bioaccumulation.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated (If shipped in NON BULK packaging by ground transport)
UN/ID No	NA1993
Proper Shipping Name	Combustible liquid, n.o.s. (Ethylene Glycol Monobutyl Ether)
Hazard class	Comb liq
Packing Group	III
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Soy methyl ester	X	ACTIVE	X	X		X	X		X
Butoxypropanol	X	ACTIVE	X	X	X	X	X	X	X
Colloidal silica	X	ACTIVE	X	X	X	X	X	X	X
Alcohols, C9-11 ethoxylated	X	ACTIVE	X		X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	40-50	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Colloidal silica - 7631-86-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Colloidal silica 7631-86-9		X	X

16. OTHER INFORMATION**NFPA****Health Hazards**

2

Flammability

2

Instability

0

Special Hazards

Not determined

HMIS**Health Hazards**

Not determined

Flammability

Not determined

Physical hazards

Not determined

Personal Protection

Not determined

Issue Date:

25-Nov-2019

Revision Date:

06-Jun-2022

Revision Note:

Reformulation

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet