

PRODUCT DESCRIPTION:

Smart 'n Easy Ultimate Stone & Masonry Cleaner is a ready-to-use, non-drip gel formula designed to cling to masonry surfaces to remove dirt, grime, and carbon build-up on stone and masonry surfaces like brick, concrete, natural/man-made stone, marble, granite, limestone, and more. Penetrates deeper into the masonry substrate.

Smart 'n Easy Ultimate Stone & Masonry Cleaner can be applied by pump sprayer, brush, or roller. Ideal for masonry preservation and restoration projects. This product cleans without pitting, frosting, or altering the surface texture and restores the substrate to its natural appearance. Perfect for fireplaces, sidewalks, garage floors, driveways, stone walls, patios, and more.

MAIN FEATURES & BENEFITS:

- Formulated for cleaning severe dirt, grime, carbon build-up and staining.
- Ready-to-use, non-drip gel formulation for better surface cling.
- Perfect for brick, concrete, marble, granite, man-made and natural stone and more!
- User-friendly; can be applied by pump sprayer, brush, or roller.
- Ideal for masonry preservation and restoration projects.
- Cleans without pitting, frosting, or altering the surface texture.
- Restores masonry substrates to its natural appearance.



TECHNICAL DATA:

- Form: Clear Gel
- Weight/Gal: 10 lbs.
- pH: 1.5
- Freezing Point: 32° F / 0° C
- Shelf Life: 3 years in a tightly sealed container kept in a room temperature, clean, and dry environment.

RECOMMENDED SUBSTRATES:

Smart 'n Easy™ Ultimate Stone & Masonry Cleaner can be used on the following masonry surfaces: brick, masonry, limestone, sandstone, flagstone, concrete pavers, travertine, and most other non-polished masonry surfaces. Not recommended for the use on copper, zinc, aluminum, drywall, plywood, wood surfaces, gypsum, veneer, and most plastics. Always perform a test before beginning a full project.

TESTING:

Always perform a small, inconspicuous test on each type of surface before use. Testing ensures product suitability and efficacy, as well as teaching the user how to handle the product, gauge how to apply, and determine how long it must remain in place before removing (dwell time). Applying incorrectly, or, removing too quickly, may result in the need for more than one application, increasing your labor and material costs.

SURFACE & AIR TEMPERATURE:

To avoid the product freezing and reducing effectiveness do not use below 40° F. For the best results, use this product in temperatures between 40° F and 90° F. Product effectiveness is increased in warmer temperatures, but may dry out before it finishes working.

PREPARATION:

Cover and protect areas where cleaning is not desired, including adjoining surfaces where overspray may travel; keep protection in place during removal process. Polyethylene plastic and masking tape create an effective barrier. Nearby plants and other foliage should be covered during application and removal. On hot and humid days, or when working in direct sunlight, dampen the surfaces with water prior to applying to keep the product from evaporating too quickly.

APPLICATION:

Apply with a brush, roller, pump-up sprayer, or trigger spray bottle. It is important to apply bottom to top to avoid any streaking. Leave on for a minimum of 15 – 30 minutes or the time determined during testing. Depending on the contaminants present, agitate with a nylon bristle brush if necessary. Smart 'n Easy™ Ultimate Stone & Masonry Cleaner provides an average spread rate of about 200 - 250 sq. ft. per gallon; results may vary. It is recommended to work in smaller, manageable areas that can be rinsed before the product can dry to the surface.

REMOVAL & CLEAN-UP:

Remove by high pressure washing with a minimum of 1500 PSI or using a scrub brush to agitate the surface then rinsing with a hose. Thoroughly wash the surface until the foaming action stops. Rinse from top to bottom to avoid any streaking and to remove all remaining product. Collect material removed and dispose of in compliance with Federal, State and local regulations. Allow surface to dry completely before re-coating.

AVAILABILITY & COST:

Smart 'n Easy® Ultimate Stone & Masonry Cleaner comes in 1 gallon and 5 gallon containers. Dumond® products are available through a nationwide network of paint stores, hardware stores, safety supply distributors, and only. For an outlet nearest you please visit www.dumondglobal.com. Once on the website, type your zip or postal code into the dealer locator to find addresses and phone numbers of your nearest dealer.

HEALTH & SAFETY REQUIREMENT:

The full Safety Data Sheet (SDS) for **Smart 'n Easy Ultimate Stone & Masonry Cleaner** can be found online at www.dumondglobal.com. View the SDS **BEFORE** product use for required safety information.

DANGER: Causes Serious Skin Burns & Eye Irritation.
Contains: Butoxy-Propanol and Ammonium Bifluoride

Avoid contact with skin, eyes, or clothing. Use personal protective equipment (PPE), including eye and face protection as required. Remove PPE immediately after handling this product. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Protect the container from physical damage. Follow all SDS/label precautions even after container is emptied because it may retain product residues. Do not breathe product vapors or spray mists. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

For additional emergency assistance, please call **1-800-535-5053** in the United States. International assistance is available at **1-325-323-3500**. Both numbers are available **24/7/365**.

TECHNICAL SERVICES:

Dumond's expert staff is available to answer technical questions and provide product-specific information. On-site assistance is also available, time permitting, at no additional cost. Call (610) 383-6061, email support@dumondglobal.com, or visit www.dumondglobal.com with any questions.

DUMOND®
253 S. Bailey Rd.
Downingtown, PA 19335
(610) 383 - 6061
support@dumondglobal.com
www.dumondglobal.com