



Watch Dog® Adhesive Remover Technical Data Sheet

PRODUCT DESCRIPTION:

Watch Dog® Adhesive Remover is an all-purpose, commercial use adhesive remover and cleaner engineered for tough commercial surfaces. Eliminates adhesives, glues, markers, gum, grease, tar, wax, sap, inks, and nasty goo from public and private spaces. It excels commercially in government buildings, shopping centers, stadiums, hotels, train stations, parking garages, airports, bus stations, schools, and hospitals.

A must for use by cleaning professionals as well as homeowners and teachers to clean up sticky residues left by kids. Works on almost all surfaces: wood, metal, concrete, glass, brick, stone, plaster, fiberglass, masonry, tile, porcelain, and even all kinds of sealed stone, without harming the surface.

MAIN FEATURES & BENEFITS:

- Removes adhesives from most surfaces in minutes!
- Easy to use - Apply, gently agitate, and wipe clean. It's that simple!
- Removes a variety of adhesive types: Glue, gum, stickers, marker, sticky residue, grease, sap, ink, goo, wax, tar, and much more.
- An all purpose, commercial friendly cleaner for most surface types.

TECHNICAL DATA:

Form:	Clear, Colorless Liquid
Odor:	Mild Aromatic
Weight/Gal:	10 lbs.
pH:	6
Flash Point:	>140°F />60°C
Shelf Life:	Approximately 3 years when stored tightly sealed in a clean, dry environment at room temperature.

RECOMMENDED SUBSTRATES:

Recommended for use on smooth, unpainted surfaces, and cured, impervious surfaces, such as filing cabinets, lockers, bathroom stalls, walls, benches, classroom desks, etc. This product is not recommended for use on porous or previously stained surfaces. Always perform a small test first to ensure product is compatible with your surface before full use. See "**Testing**" below.



TESTING:

Performing a small, inconspicuous test area on each type of substrate and coating prior to full application will ensure product effectiveness. Failure to do a test patch can result in possible surface damage, or the need for more than one application, increasing labor and material costs.

To perform a test, follow the directions below.

PREPERATION:

Make sure the surface is clean, dry, and free from any loose debris.

APPLICATION:

Apply product liberally using a trigger spray bottle directly to the adhesive. Allow product to remain on the sticky surface for about 2-10 minutes. It will usually be visually clear the product is working, depending on the adhesive.

REMOVAL & CLEAN-UP:

Gentle agitation with a nylon bristled brush or abrasive pad may sometimes be required to loosen adhesive from surface. Abrasives pads may damage surface. Gentle agitation should be sufficient.

Wipe the surface clean with a rag or sponge and rinse the product and any remaining residue from the surface with water. Dispose of waste and water according to any federal, state, and local regulations in your area that may apply.

Some surface or adhesive types may require a second application. Repeat directions above if necessary.

COVERAGE:

Approximately 200 - 250 sq. ft./gallon.

Results may vary based on the substrate texture and porosity.

This product is sold in 22oz. trigger spray bottles. To spray larger quantities, use a pump-up garden sprayer.



AVAILABILITY & COST:

Watch Dog® Adhesive Remover is available in 22oz spray bottles, 1 gallon refills, and 5 gallon containers. **Dumond®** products are available through a nationwide network of paint and hardware stores, safety supply distributors, or online. For an in-person outlet nearest you, please visit www.dumondglobal.com. Once on the website, type your postal/zip code into the dealer locator to find addresses and phone numbers of your nearest dealers.

HEALTH & SAFETY REQUIREMENTS:

The full Safety Data Sheet (SDS) for **Watch Dog® Adhesive Remover** can be found online at www.dumondglobal.com. View the SDS **BEFORE** product use for required safety information.

CAUTION: CAUSES SKIN & SERIOUS EYE IRRITATION. COMBUSTIBLE LIQUID

Contains: 1-Butoxy-2-Propanol

Wear protective gloves and clothing, including eye and face protection. Wash face, hands, and any exposed skin thoroughly after handling. Keep away from open flames. No smoking.

For additional emergency assistance, please call **1-800-535-5053** in the United States. International assistance is available at **1-325-323-3500**. Both numbers are available **24/7/365**.

WARRANTY:

Dumond Inc. warrants all its products to be free from defects and makes no other warranties with respect to its products, express or implied, including without limitation the implied warranties of MERCHANTABILITY OF FITNESS FOR PURPOSE. **Dumond Inc.'s** liability shall be limited in all events to supplying sufficient products to re-treat the specific areas to which defective product(s) have been applied. **Dumond Inc.** shall have no other liability, including liability for incidental, consequential, or resultant damages whether due to breach of warranty or negligence. This warranty may not be modified or extended by representatives of **Dumond Inc.** or its distributors and dealers.

TECHNICAL SERVICES:

Dumond Inc.'s expert staff is available to answer technical questions and provide product-specific information. For business hours, see our website for more information.

Address: 253 S. Bailey Road
Downingtown, PA 19335
Phone: (610)383-6061
Email: info@dumondglobal.com
Website: www.dumondglobal.com