

1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY UNDERTAKING

Product Name: **VANISH Graffiti & Paint Remover / Bare Brick Green**

Company: Urban Restoration Group US Inc.
5439 San Fernando Rd. W
Los Angeles CA 90039

24-Hour Emergency Telephone Number:
(PERS) Professional Emergency
Resource Services: USA 1-800-633-8253 (Int'l 1-801-629-0667)
Contract number: 8400


Phone Number: 1- 818- 247- 2555
Fax: 1- 818- 247- 2515

Intended Use: For the removal of thicker graffiti from brick, stone and masonry surfaces, as well as acrylic paint, paint bombs and spills.

2 HAZARDS IDENTIFICATION

Signal Word: Skin irritation, Category 2 (Skin Irrit. 2, H315).
WARNING

Hazard Statement: Harmful if swallowed or if inhaled.
H315 Causes skin irritation.



Precautionary Statements: Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN: Remove contaminated clothing and wash affected area with plenty of water.

3 COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS Number	Percentage Range
Ethyl Alcohol	64-17-5	10 <= x % < 25
Balance – Trade Secret	The complete specific chemical identity has been withheld as a trade secret	

4 FIRST-AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.
NEVER induce swallowing by an unconscious person.

Description of first aid measures

In the event of splashes or contact with eyes :
Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.
Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :
Remove any soiled or splashed clothing immediately. Watch out for any remaining product between skin and clothing, watches, shoes, etc. If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :
Do not give the patient anything orally. Seek medical attention immediately, showing the label.

Most important symptoms and effects, both acute and delayed
No data available.

Indication of any immediate medical attention and special treatment needed
No data available.

5 FIRE-FIGHTING MEASURES

Non – flammable:	
Extinguishing:	Carbon dioxide, foam.
Exposure Hazards:	A fire may produce thick black smoke. Do not breathe smoke. Fumes may include carbon monoxide.
Protective Equipment for firefighting:	Self-Contained Breathing Apparatus.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear gloves, chemical goggles;
Environmental Precautions:	Prevent entry into drains and waterways
Methods for Cleaning Up:	If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material dispose of in accordance with Federal, State and Local regulations. Wash the contaminated area in plenty of water. Clean preferably with a detergent, do not use solvents.

7 HANDLING AND STORAGE

Handling:	Use in well-ventilated area. Atmospheric levels should be controlled in compliance with occupational exposure limit. Do not breathe vapors and avoid contact with eyes, skin and clothing. Avoid contact with open flames and hot surfaces or welding in the presence of vapors. The usual precautions for handling chemicals should be observed.
Storage:	Keep container dry. Keep in a cool, well-ventilated place and away from sources of ignition.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION					
Occupational Exposure Limits:					
ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :					
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm	-	-	-	-
Personal Protective Equipment:			Wear protective clothing and chemical goggles. Wear PVC or rubber gloves for short-term exposure or PVA or Viton gloves for prolonged exposure.		
			Respiratory equipment approved for organic vapors and mists if there is a risk of exposure to vapor in enclosed areas.		

9 PHYSICAL AND CHEMICAL PROPERTIES	
Typical values – does not constitute a specification	
Appearance / Physical State	Clear to amber liquid
Odor	Organic Solvent
Boiling point/range	158 – 392°F (70 – 200°C)
Flash Point (Abel closed cup)	194°F (90°C)
PH	Not relevant
Flammability auto ignition temp.	No data available
Melting point / Freezing point:	Not specified
Explosive properties	None
Oxidizing properties	None
Vapor pressure (mbar @ 20°C)	No data available
Relative Density (@15.5°C)	1.0
Solubility in water	Disperses
Solubility in fat / solvent	Miscible
Partition coefficient (log Pow)	No data available
Auto – Ignition temperature	No data available
Decomposition temperature	Not specified
Viscosity (mPa.s @ 20°C)	No data available
Evaporation rate	No data available

10 STABILITY AND REACTIVITY	
Reactivity:	Not applicable.
Stability:	This mixture is stable under normal handling and storage conditions.
Conditions to avoid:	
Materials to avoid:	
Hazardous decomposition products:	May release or form carbon monoxide

11 TOXICOLOGICAL INFORMATION	
Acute Toxicity:	
-oral	Harmful if swallowed.
-inhalation	Harmful by inhalation – note occupational exposure limits in section 8 – inhalation of concentrations above the OEL may lead to light headedness, nausea and headache. Inhalation may lead to light-headedness, nausea and headache.
-dermal	Can be absorbed through the skin
Corrosivity / Irritation:	
-eye	Irritating to eyes
-skin	Irritating to skin
-respiratory tract	May cause irritation
Sensitization:	
-skin	No evidence of skin sensitization effects
-respiratory	No evidence of sensitization effects
Monograph(s) from the IARC (International Agency for Research on Cancer) : CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.	

12 ECOLOGICAL INFORMATION	
Toxicity	
Mixtures	No aquatic toxicity data available for the mixture.
Persistence and degradability	No data available.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Results of PBT and vPvB assessment	No data available.
Other adverse effects	No data available.

13 DISPOSAL CONSIDERATIONS	
Waste treatment methods:	Do not pour into drains, sewers or waterways.
Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals. Recycle or dispose of waste in compliance with Federal, State, and Local regulations.	
Appropriate packaging:	Dispose of in original packaging or over pack in larger container such as an appropriate 55 gal drum. Give to a certified licensed disposal contractor.

14 TRANSPORT INFORMATION	
Exempt from transport classification and labeling.	
For Air Transport reference the ICAO / IATA Regulations.	
For Ocean Transport reference the IMO / IMDG Regulations.	

15 REGULATORY INFORMATION**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65)**

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

Any waste generated must comply with Federal EPA and California DTSC regulations pertaining to proper hazardous waste disposal. Additionally comply with all Federal, State and Local regulations.

16 OTHER INFORMATION

This product safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations.

The information identified in this Safety Data Sheet is true and correct based on best knowledge of information available.

Revision Date 4/26/18