





Everbond WBP Primer - Adheseal

A waterborne, polymer based primer commonly used on internal wet areas. WBP Primer is designed to penetrate porous surfaces and promote adhesion to substrates prior to the application of waterborne waterproofing membranes. It has very low VOCs and meets criteria Green Star standards.

Applications

- Internal wet areas
- Adhesion promoter for:
- Masonry surfaces
- Fibre-cement sheeting
- Plasterboard
- Brick

Compatible Membranes Include

- Everflex UTM
- Everflex WPM
- Everflex WPUV

 Code	Size	Colour
PRIMEWBP/4	4L	Clear
PRIMEWBP/v15	15L	Clear
	132	



WB Primer - Duram

A water based, concrete compatible, polymer emulsion commonly used in internal wet areas. WB primer is designed to enhance the adhesion of Duram membranes such as Durabit EF, Durabit Reo and Azcothane.

Colour	Size	Code
Clear	4L	PRIMEWBD/4
Clear	15L	PRIMEWBD/15



Primer G - Mapei

Synthetic resin based primer in water dispersion that improves bonding to porous surfaces such as cement and gypsum prior to installing ceramic tiles and stone materials with cementitious adhesives or levelling compounds.

Colour	Size	Code
Light Blue	5kg	PRIMEG/5
Light Blue	10kg	PRIMEG/10
Light Blue	25kg	PRIMEG/10



Eco Prim T Plus - Mapei

An acrylic bonding primer suitable for interior applications to improve adhesion of levelling compounds on porous and non-porous surfaces.

Colour	Size	Code
White	5kg	PRIMEECOT/5
White	20kg	PRIMEECOT/20

Water Based Primers (One Part)



Multi-Purpose Bonding Primer





- Multi-purpose internal/external rough coat bonding primer
- **One part**, ready-to-use and contains no solvents
- One (1) coat application ready to cover in approx. 30 minutes
- Provides rough mechanical key prior to the application of renders, levelling compounds and adhesives on existing non-porous surfaces
- Ideal for installing tile or levelling compounds over existing tiles
- Suitable for use on floors and walls

Available in 5kg and 10kg buckets

ECO PRIM GRIP	
Pot life	ready-mixed
Drying time	15 - 60 minutes
Application temperature	from +5°C - +35°C
Application types	brush or roller
Colour	grey
Shelf life	12 months
Packaging	5kg and 10kg buckets
Consumption	0.20 - 0.30 kg/m ²
VOC content	0 g/l





Eco Prim Grip - Mapei

A multi-purpose, ready-to-use internal / external rough coat bonding primer that provides a mechanical key prior to the application of renders, levelling compounds and adhesives on existing non-porous surfaces floors. It is ideal for use on existing tiles and is suitable for both floor and wall applications.

Colour	Size	Code
Grey	5kg	PRIMEECOG/5
Grey	20kg	PRIMEECOG/20



ARW - Durotech

A water based primer used to prime concrete, masonry and fibre cement sheeting surfaces. When dry, it forms a pink sealed surface suitable for the application of water based membranes.

Colour	Size	Code
Pink or Clear	4L	PRIMEARW/4
Pink or Clear	20L	PRIMEARW/20



Special Surface Primer - Durotech

A waterborne primer designed to promote adhesion of waterproofing membranes and coatings to previously tiled or other difficult surfaces such as glazed tile, glass, sandstone, non-ferrous metals, galvanised steel, aluminium and mineral surfaces etc.

Colour	Size	Code
Pink	4L	PRIMESSP/4
Pink	20L	PRIMESSP/15



Multiprime - ASA

General purpose primer designed for use on porous surfaces. Compatible with ASA tile adhesives and most Bostik waterproofing membranes. Suitable for interior and exterior applications.

Pink 20L PRIMEMULTI/20	

Water Based Primers (One Part)



Everbond SBP Primer - Adheseal

A solvent based, penetrative acrylic primer for water based and polyurethane waterproofing membranes and coatings on to porous substrates. SBP is suitable for use on concrete, cement, cement render, FC and CFC sheeting, blue board, block work, bricks, cement pavers and masonry surfaces.

Compatible Membranes Include:

- Everflex UTM
- Everflex WPM
- Everflex WPUV

Colour	Size	Code
Clear	4L	PRIMESBP/4
Clear	15L	PRIMESBP/15



50a Primer - Adheseal

A clear solvent based primer/cleaner designed to promote the adhesion of polyurethane MS polymer sealants to non-porous substrates such as rigid plastics and most metals.

Colour	Size	Code
Clear	250ml	PRIME50A/250
Clear	1L	PRIME50A/1



2001 Primer - Adheseal

A primer designed to enhance adhesion of polyurethane and MS polymer sealants to porous substrates such as concrete & masonry.

Colour	Size	Code
Clear	250ml	PRIME2001/250
Clear	1L	PRIME2001/1



Azcoseal - Duram

A premium clear acrylic solvent based solution capable of deep penetration into a wide range of substrates. It is suitable as a primer for water based and polyurethane waterproofing membranes and high build paints and coatings and is particularly useful in high density and low-porosity surfaces such as tilt-up slabs. Suitable for use on concrete, cement, cement render, FC and CFC sheeting, blue board, block work, bricks, cement pavers, sandstone, concrete stencil and masonry surfaces.

Colour	Size	Code
Clear	4L	PRIMEAZCO/4
Clear	15L	PRIMEAZCO/15



Superprime 711 - Duram

Polyurethane based, bonding agent and adhesion promoter for various Duram coatings and membranes on to PVC, fibre-glass and various composite boards. It can also be used to bond water-based membrane to polyurethane based membranes.

Colour	Size	Code
Clear	4L	PRIMESUP/4
	•	



N40 Primer - Bostik

A clear solvent based primer/cleaner for promoting the adhesion of polyurethane and acrylic sealants and waterproof membrane systems to non-porous substrates such as rigid plastics and most metals.

Colour	Size	Code
Clear	1L	PRIMEN40/1
•	•	•



N49 Primer - Bostik

Bostik N49 Primer is designed for use with the Bostik Polyurethane sealant range to ensure adhesion to porous substrates.

Colour	Size	Code
Clear	1L	PRIMEN49/1
Clear	4L	PRIMEN49/4



Fast Cure Sealant for Fillet Joints Under Waterproofing & Coatings



Everbond VBS Primer - Adheseal

A high performance two-part, waterborne epoxy primer and sealer with outstanding bonding properties to porous and semi-porous surfaces.

Features/Applications:

- General primer for waterproofing membranes and coatings
- Vapour barrier for rising damp minimising the risk of bubbles forming underneath membranes Priming and sealing of concrete, cement, cement render, timber, brick, block work, FC sheeting, CFC sheeting, plasterboard and bituminous surfaces
- · Provides good resistance to positive and negative hydrostatic pressure

Colour	Size	Code
Clear	4L Kit	PRIMEVBS/4
Clear	20L Kit	PRIMEVBS/20



154 Ероху - Медароху

A premium high solids two-part, water based epoxy commonly used as a primer and sealer with outstanding bonding properties to porous surfaces.

Features/Applications:

- Commonly used as a primer / vapour barrier for membranes and coatings on decks and balconies - minimising the risk of bubbles forming underneath membranes
- Priming and sealing of many common construction surfaces such as concrete, cement, cement render, timber, brick, block work, FC sheeting, CFC sheeting, plasterboard.
- Provides outstanding resistance to positive and negative hydrostatic pressure
- Excellent adhesion to wet or dry surfaces including freshly poured concrete
- Non-flammable / non-toxic
- Cleans up with water

Colour	Size	Code
Grey	20L Kit	MP154/20



Primeseal - Duram

A two-part, water based coating suitable for most types of porous and semiporous surfaces. Primeseal can be used as a primer and a sealer and is suitable for all Duram waterproofing membranes, anti-slip coatings, paints and coatings. It has excellent bonding properties to most substrates and assists in the prevention of water vapour transmission from the substrate thereby minimising the risk of bubbles forming underneath membranes.

Features/Applications:

- A general and universal primer for most types of substrates
- A vapour transmission barrier
- Priming and sealing of concrete, cement, cement render, timber, brick, block work, FC sheeting, CFC sheeting, plasterboard and bituminous surfaces
- Provides good hydrostatic resistance to both positive and negative waterproofing

Colour	Size	Code
Clear	4L Kit	PRIMESEAL/4
Clear	20L Kit	PRIMESEAL/20



Bostik Moisture Seal

A two component, high performance, water-based epoxy. Moisture Seal will provide a waterproof vapour barrier membrane for most common porous surfaces.

Colour	Size	Code
Green	10L	PRIMEMOIS/10
-	-	-

Primers