


TANK M1 DUMBBELL CRADLE ASSEMBLY GUIDE

VERSION: XTM1-DC-101




COMPATIBLE WITH XTTM1-RPH-102, XTTM1-RPH-103
XTTM1-RPH-101 REQUIRES PUSH/PULL BAR REPLACEMENT KIT.

TORQUE USA


DUMBBELL CRADLE ATTACHMENT

Loosen and remove bolts (4).
Hardware will be reused in next
step.



DUMBBELL CRADLE ATTACHMENT

Reuse bolts (4) from previous step.
Securely tighten all bolts in this step.
Repeat for both Left and Right sides.




NOTE

Match "R" AND "L" LABEL on DUMBBELL CRADLE
with "R" AND "L" LABEL on REAR FRAME


DUMBBELL CRADLE ATTACHMENT

NOTE: MAX DUMBBELL SIZE 25 LB

Carefully place dumbbell into cradle



Latch will engage when dumbbells are placed in the cradle.




To remove Dumbbells Press latch in direction shown. Lift dumbbell straight out of the cradle.

DUMBBELL CRADLE ATTACHMENT


Dumbbells may be stored in the Dumbbell Cradles while using the TANK. Stored dumbbells may reduce tire slippage and skidding depending on the surface the TANK is used on.


WARNING!

DO NOT ADJUST THE PUSH/PULL BAR WITH DUMBBELLS STORED IN THE DUMBBELL CRADLE. ALWAYS REMOVE DUMBBELLS BEFORE ADJUSTING



DUMBBELLS CAN NOT BE STORED IN THE CRADLE WHEN THE PUSH/PULL BAR IS IN THE PARK POSITION





Torque Fitness
11201 Xeon Street NW Ste 101
Coon Rapids, MN USA 55448

www.torquefitness.com
763-754-7533 (8:30 am – 5:00 CST).

For sales: sales@torquefitness.com
For service: service@torquefitness.com