



Certificate of Analysis

R&D

Client Information:

3 TALL PINES LLC
W6326 COUNTY ROAD Z
PLYMOUTH
PLYMOUTH, WI 53073

Batch # D9o-FL-021522-01
Batch Date: 2023-02-15
Extracted From: Hemp

Test Reg State: Florida

Order # 3TA230302-130001
Order Date: 2023-03-02
Sample # AAEE039

Sampling Date: 2023-03-08
Lab Batch Date: 2023-03-08
Completion Date: 2023-03-13

Initial Gross Weight: 22.230 g



Product Image



Potency
Tested



HHCP
Tested

Potency 23 (LCUV) ***
Specimen Weight: 196.840 mg

Tested

SOP13.002 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	Result (%)
CBD	150.000	1.00E-5	0.0015	20.9300	2.0930
CBN	15.000	1.40E-5	0.0015	7.0150	0.7015
CBGA	15.000	1.07E-4	0.0015	6.4760	0.6476
CBG	15.000	2.48E-4	0.0015	6.1120	0.6112
CBVA	15.000	8.00E-5	0.0015	3.4760	0.3476
THCA-A	15.000	3.20E-5	0.0015	3.2580	0.3258
CBC	150.000	1.80E-5	0.0015	1.7700	0.1770
CBNA	15.000	9.50E-5	0.0015	1.3250	0.1325
CBDVA	15.000	1.40E-5	0.0015	1.1090	0.1109
CBT	15.000	2.00E-4	0.0015	0.8680	0.0868
CBDV	15.000	6.50E-5	0.0015	<LOQ	<LOQ
CBL	15.000	3.50E-5	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	15.000	4.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC	150.000	1.30E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	15.000	7.70E-5	0.003	<LOQ	<LOQ
Delta8-THCP	15.000	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP	15.000	1.17E-5	0.0012	<LOQ	<LOQ
Exo-THC	15.000	2.30E-4	0.0015	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.0015	<LOQ	<LOQ
THCVA	15.000	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	1500.000			<LOQ	13.976
Total Active THC	1500.000			<LOQ	0.286

Potency Summary

Total HHC 2.772% <LOQ	Total Active THC 0.286% <LOQ
Total Active CBD 13.976% <LOQ	Total CBG 0.916% <LOQ
Total CBN 0.819% <LOQ	Other Cannabinoids 6.226% <LOQ
Total Cannabinoids 24.995% <LOQ	

Summary results above show the dry weight concentration

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram, Passed - Analyte/microbe is non-detected or at the level below the action limit, Failed - Analyte/microbe is at the level that equal or above the action limit, *Measurement of Uncertainty = +/- 10%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "****" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

R&D

Client Information:

3 TALL PINES LLC
W6326 COUNTY ROAD Z
PLYMOUTH
PLYMOUTH, WI 53073

Batch # D9o-FL-021522-01
Batch Date: 2023-02-15
Extracted From: Hemp

Test Reg State: Florida

Order # 3TA230302-130001
Order Date: 2023-03-02
Sample # AAEE039

Sampling Date: 2023-03-08
Lab Batch Date: 2023-03-08
Completion Date: 2023-03-13

Initial Gross Weight: 22.230 g

HHCP

Specimen Weight: 196.840 mg

Dilution Factor: 7500.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)	Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.1100E-7	7.5E-5	15.7000	1.57	9(S)-HHCP	2.5500E-6	7.5E-5	<LOQ	<LOQ
(9S)-HHC	8.7400E-7	7.5E-5	9.0500	0.905	Delta-9 THC	2.8000E-5	7.5E-5	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	4.5800E-7	7.5E-5	2.9700	0.297	Total HHC			27.7200	2.772
9(R)-HHCP	3.0900E-6	7.5E-5	<LOQ	<LOQ					

Tested

SOP13.050 (LCMS)

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram, Passed - Analyte/microbe is non-detected or at the level below the action limit, Failed - Analyte/microbe is at the level that equal or above the action limit, *Measurement of Uncertainty = +/- 10%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "****" are not ISO/IEC 17025:2017 accredited test results.