SECTION 1: Identification

1.1 Product identifier

Trade name

Other means of identification

Product code(s): 1622

1.2 Relevant identified uses

Relevant identified uses

1.3 Details of the supplier of the safety data sheet Master Blend Indiana LLC• 4345 W 96th St. • Indianapolis, IN 46268 • United States • Telephone: 800.525.9644• e-mail: info@masterblend.net • Website: masterblend.net

1.4 Emergency telephone number

Chem-Tel 1.800.255.3924 (USA & Canada)

1.813.248.0585 (International)

CottonEase Shampoo

Formula code: 05-100223

General use

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Annex	 Hazard class and category 	-	Hazard statement	code(s)
B.6	flammable liquid	Cat. 3	(Flam. Liq. 3)	H226
A.3	serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318

Remarks

For full text of H-phrases: see SECTION 16.

Hazards not otherwise classified

Contact with acids liberates toxic gas.

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word DANGER

Pictograms

GHS02, GHS05



Hazard statements

H226 H318 Flammable liquid and vapor. Causes serious eye damage.

Precautionary statements

Precautionary statements - prevention



Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautionary statements - response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

Precautionary statements - storage

Store in a well-ventilated place. Keep cool.

Precautionary statements - disposal

Dispose of contents/container to industrial combustion plant.

Hazardous ingredients for labelling

Sodium metabisulfite, sodium (C14-16) olefin sulfonate

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

3.2.1

Name of substance	Identifier	Wt%
Deionized Water	CAS No 7732-18-5	75 - < 90
Sodium metabisulfite	CAS No 7681-57-4	1 - < 5
Sodium (C14-16) olefin sulfonate	CAS No 68439-57-6	1 - < 5
Sodium gluconate	CAS No 527-07-1	1 - < 5
Isopropyl alcohol	CAS No 67-63-0	<1

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of firs- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools.

Warning

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

• Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

• Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Incompatible substances or mixtures

Observe compatible storage of chemicals.

Control of the effects

Protect against external exposure, such as

frost

Consideration of other advice

Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to DOT) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
US	isopropyl alcohol	67-63-0	PEL	400	980			29 CFR OSHA

notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified.

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average.

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	liquid
Color	different
Odor	characteristic
Other physical and chemical parameters	
pH (value)	6 (ready to use (4:1))
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	51.1 °C
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapor pressure	0.00000587 Pa at 25 °C
Density	not determined
Relative density	not determined
Solubility(ies)	not determined
Auto-ignition temperature	372.9 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): risk of ignition

if heated

risk of ignition

10.2 Chemical stability See below "Conditions to avoid".

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

10.5 Incompatible materials

There is no additional information.

Release of toxic materials with acids

acids

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Sodium metabisulfite	7681-57-4	oral	1,420

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

• National Toxicology Program (United States):

none of the ingredients are listed

Safety Data Sheet

Revision date: 01/16/2020

IARC Monographs					
Name of substance	Name acc. to inventory	CAS No	wt%	Classifica- tion	Number
isopropyl alcohol	Isopropyl alcohol	67-63-0	0.7	3	Volume 15, Sup 7, 71
Sodium metabisulfite	Bisulfites		4	3	Volume 54

legend 3

Not classifiable as to carcinogenicity in humans.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium metabisulfite	7681-57-4	EC50	89 ^{mg} / _l	aquatic inverteb- rates	48 hours
Sodium metabisulfite	7681-57-4	ErC50	43.8 ^{mg} / _l	algae	72 hours
sodium (C14-16) olefin sulfonate	68439-57-6	LC50	4.2 ^{mg} / _l	fish	96 hours
sodium (C14-16) olefin sulfonate	68439-57-6	EC50	4.53 ^{mg} / _l	aquatic inverteb- rates	48 hours
sodium (C14-16) olefin sulfonate	68439-57-6	ErC50	5.2 ^{mg} / _l	algae	72 hours
isopropyl alcohol	67-63-0	LC50	10,000 ^{mg} / _l	fish	96 hours

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium (C14-16) olefin sulfonate	68439-57-6	EC50	230 ^{mg} / _l	microorganisms	3 h
isopropyl alcohol	67-63-0	LC50	>10,000 ^{mg} / _l	aquatic inverteb- rates	24 h

Biodegradation

The relevant substances of the mixture are readily biodegradable.

12.2 Persistence and degradability

Data are not available.

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
sodium (C14-16) olefin sulfonate	68439-57-6	carbon dioxide genera- tion	80 %	28 d
sodium (C14-16) olefin sulfonate	68439-57-6	DOC removal	96 %	28 d
isopropyl alcohol	67-63-0	oxygen depletion	53 %	5 d

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
sodium (C14-16) olefin sulfonate	68439-57-6	70.8	-1.3	

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Other adverse effects** Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



SEC	FION 14: Transport information	
14.1	UN number	1993
14.2	UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user There is no additional information.	
14.7	Transport in bulk according to Annex II of MARPOL and The cargo is not intended to be carried in bulk.	d the IBC Code
	Information for each of the UN Model Regulations	3
	Transport of dangerous goods by road or rail (4)	9 CFR US DOT)
	Index number	1993
	Proper shipping name	Flammable liquid, n.o.s.
	Class	3
	Packing group	III
	Danger label(s)	3
	Special provisions (SP)	B1, B52, IB3, T4, TP1, TP29
	ERG No	128
	International Maritime Dangerous Goods Code (IMDG)
	UN number	1993
	Proper shipping name	FLAMMABLE LIQUID, N.O.S.
	Class	3
	Packing group	III
	Danger label(s)	3
	Special provisions (SP)	223, 274, 955
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	EmS	F-E, S-E
	Stowage category	E

 International Civil Aviation Organization (ICAO-IATA/DGR) 		
UN number	1993	
Proper shipping name	Flammable liquid, n.o.s.	
Class	3	
Packing group	III	
Danger label(s)	3	
Special provisions (SP)	A3, 274	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	10 L	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question <u>National regulations (United States)</u>

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

Category	Rating	Description
Chronic	/	None.
Health	3	Major injury likely unless prompt action is taken and medical treatment is given.
Flammability	2	Material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur.
Physical hazard	1	Material that is normally stable but can become unstable (self-react) at high temperatures and pressures. Material may react non-violently with water or undergo hazardous polymer- ization in the absence of inhibitors.
Personal protective equipment	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)

Category	Degree of hazard	Description
Flammability	2	Material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur.
Health	3	Material that, under emergency conditions, can cause serious or permanent injury.
Instability	0	Material that is normally stable, even under fire conditions.
Special hazard		

Relevant European Union (EU) safety, health and environmental provisions

Classification according to GHS (1272/2008/EC, CLP)

Hazard class

flammable liquid

serious eye damage/eye irritation

Category Hazard class and category

3 (Flam. Liq. 3) 1 (Eye Dam. 1)

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

29 CFR OSHA 29 CFR §1910.1001 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits) 49 CFR US 49 CFR § 40 U.S. Department of Transportation ATE Acute Toxicity Estimate BCF BioConcentration Factor BOD BioConcentration Factor BCD BioConcentration Factor BOD BioConcentration Factor CAS Chemical Oxygen Demand CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) CLP Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures CMR Carcinogenic, Mutagenic or toxic for Reproduction COD chemical oxygen demand DMEL Derived Minimal Effect Level DNEL Derived MoleFifect Level DNEL Derived Nor-Fifect Level DNEL Emergency Response Guidebook - Number GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations HMIS Hazardous Materials Identification System LARC Mono; International Corel Institution of Garcinopenic Risks to Humans <td< th=""><th>Abbr.</th><th>Descriptions of used abbreviations</th></td<>	Abbr.	Descriptions of used abbreviations
DOTArteATEAcute Toxicity EstimateBCFBioConcentration FactorBODBiochemical Oxygen DemandCASChemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)CLPRegulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixturesCMRCarcinogenic, Mutagenic or toxic for ReproductionCODchemical oxygen demandDMELDerived Minimal Effect LevelDNELDerived No-Effect LevelDNELDerived No-Effect LevelDOTDepartment of Transportation (USA)EmSEmergency ScheduleERG NoEmergency ScheduleERG NoEmergency ScheduleIANCMaterials Identification SystemHMISHazardous Materials Identification SystemIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARD International Civil Aviation OrganizationIMBGInternational Civil Aviation OrganizationIMARDLInternational Civil Aviation OrganizationIMARDLInternational Civil Association: Hazardous Materials Identification System or Marine Pollutant)NFPA@704National Prine Protection Association: Standard System for the Identification or the Hazards of Materials for Emer- gency Response (United States)NPCA-HMIS®National Prine Protection Association: Hazardous Materials Identification System - HMISØ III, Third EditionNPCA-HMIS®National Prine Protection Association: Hazardous Materials Identification Syst	29 CFR OSHA	
BCF BioConcentration Factor BOD Biochemical Oxygen Demand CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) CLP Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures CMR Carcinogenic, Mutagenic or toxic for Reproduction COD chemical oxygen demand DMEL Derived Minimal Effect Level DNEL Derived No-Effect Level DOT Department of Transportation (USA) Ems Emergency Schedule ERG No Emergency Response Guidebook - Number GHS 'Globally Harmonized System of Classification and Labelling of Chemicals' developed by the United Nations HMIS Hazcardous Materials Identification System IARC Mono- graphs IARC Monographs on the Evaluation of Carcinogenic Risks to Humans IATA/DCR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAD International Civil Aviation Organization IMBG International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant) NFPA@704 National Fire Protection Association: Standard System for the Identification System - HMIS@ HI, Third Edition		49 CFR § 40 U.S. Department of Transportation
BOD Biochemical Oxygen Demand CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) CLP Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures CMR Carcinogenic, Mutagenic or toxic for Reproduction COD chemical oxygen demand DMEL Derived Minimal Effect Level DNE Derived No-Effect Level DOT Department of Transportation (USA) Ems Emergency Schedule ERG No Emergency Response Guidebook - Number GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations HMIS Hazardous Materials Identification System IARC Mono- graphs LARC Monographs on the Evaluation of Carcinogenic Risks to Humans ITA/DCR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Airtime Dangerous Goods Code log KOW n-octanol/water MARPOL International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant) NFPA® 704 National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition	ATE	Acute Toxicity Estimate
CASChemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)CLPRegulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixturesCMRCarcinogenic, Mutagenic or toxic for ReproductionCODchemical oxygen demandDMELDerived Minimal Effect LevelDNELDerived No-Effect LevelDOTDepartment of Transportation (USA)EmsEmergency ScheduleERG NoEmergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemLARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIMAGInternational Civil Aviation OrganizationIMDGInternational Civil Aviation OrganizationIMDGInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA@ 704National Fire Protection Association: Hazardous Materials Identification System for the Identification System - HMIS@ III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	BCF	BioConcentration Factor
CLPRegulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixturesCMRCarcinogenic, Mutagenic or toxic for ReproductionCODchemical oxygen demandDMELDerived Minimal Effect LevelDNELDerived No-Effect LevelOOTDepartment of Transportation (USA)EmsEmergency ScheduleERG NoEmergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermisible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	BOD	Biochemical Oxygen Demand
CMRCarcinogenic, Mutagenic or toxic for ReproductionCODchemical oxygen demandDMELDerived Minimal Effect LevelDNELDerived No-Effect LevelDOTDepartment of Transportation (USA)EmSEmergency ScheduleERG NoEmergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Mono- graphsIARC Mono- graphsInternational Civil Aviation (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NPPA@ 704National Fire Protection Association: Standard System of the Identification System - HMISØNPCA-HMISØNational Paint and Coatings Association: Hazardous Materials Identification System - HMISØ III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CODchemical oxygen demandDMELDerived Minimal Effect LevelDNELDerived No-Effect LevelDOTDepartment of Transportation (USA)EmsEmergency ScheduleERG NoErnergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Civil Aviation OrganizationIMDGInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	CLP	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures
DMELDerived Minimal Effect LevelDNELDerived No-Effect LevelDOTDepartment of Transportation (USA)EmSEmergency ScheduleERG NoEmergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Civil Aviation OrganizationIMDGInternational Civil Aviation of the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of Materials for Emer- gency Response (United States)NPCA-HMIS®National Pient and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DNELDerived No-Effect LevelDNTDepartment of Transportation (USA)EmSEmergency ScheduleERG NoEmergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Civil Aviation OrganizationIMDGInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA@ 704National Fire Protection Association: Standard System for the Identification System - HMIS@ III, Third EditionIIIOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	COD	chemical oxygen demand
DOTDepartment of Transportation (USA)EmSEmergency ScheduleERG NoEmergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA@ 704National Fire Protection Association: Standard System for the Identification System - HMIS® III, Third EditionIIIOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	DMEL	Derived Minimal Effect Level
EmSEmergency Network (Ser A)EmSEmergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARA Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA@ 704National Fire Protection Association: Standard System for the Identification System - HMIS@ III, Third EditionIIIOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	DNEL	Derived No-Effect Level
ERG NoEmergency Response Guidebook - NumberGHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARD Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARD Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARD Mono- graphsInternational Civil Aviation OrganizationICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emer- gency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	DOT	Department of Transportation (USA)
GHS"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United NationsHMISHazardous Materials Identification SystemIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARC Mono- graphsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emer- gency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionIIIOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	EmS	Emergency Schedule
HMISHazardous Materials Identification SystemIARC Mono- graphsIARC Mono- graphs on the Evaluation of Carcinogenic Risks to HumansIARC Mono- graphsIARC Mono- graphs on the Evaluation of Carcinogenic Risks to HumansIATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	ERG No	Emergency Response Guidebook - Number
IARC MonographsIARC Monographs on the Evaluation of Carcinogenic Risks to HumansIARC/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
graphsInternational Control of the air transport (IATA)IATA/DGRDangerous Goods Regulations (DGR) for the air transport (IATA)ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionIIIOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	HMIS	Hazardous Materials Identification System
ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emer- gency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million		IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IMDGInternational Maritime Dangerous Goods Codelog KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emer- gency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition IIIOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
Indext ConstructionIng KOWn-octanol/waterMARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionIIIOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	ICAO	International Civil Aviation Organization
MARPOLInternational Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emer- gency Response (United States)NPCA-HMIS® IIINational Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition OSHAOCcupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	IMDG	International Maritime Dangerous Goods Code
NFPA® 704National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	log KOW	n-octanol/water
gency Response (United States)NPCA-HMIS®National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third EditionOSHAOccupational Safety and Health Administration (United States)PBTPersistent, Bioaccumulative and ToxicPELpermissible exposure limitPNECPredicted No-Effect Concentrationppmparts per million	MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
III Occupational Safety and Health Administration (United States) OSHA Occupational Safety and Health Administration (United States) PBT Persistent, Bioaccumulative and Toxic PEL permissible exposure limit PNEC Predicted No-Effect Concentration ppm parts per million	NFPA® 704	National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emer- gency Response (United States)
PBT Persistent, Bioaccumulative and Toxic PEL permissible exposure limit PNEC Predicted No-Effect Concentration ppm parts per million		National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
PEL permissible exposure limit PNEC Predicted No-Effect Concentration ppm parts per million	OSHA	Occupational Safety and Health Administration (United States)
PNEC Predicted No-Effect Concentration ppm parts per million	РВТ	Persistent, Bioaccumulative and Toxic
ppm parts per million	PEL	permissible exposure limit
	PNEC	Predicted No-Effect Concentration
STEL short-term exposure limit	ppm	parts per million
	STEL	short-term exposure limit

Safety Data Sheet

CottonEase Shampoo

MasterBlend®

Revision date: 01/16/2020

Abbr.	Descriptions of used abbreviations
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200
- 49 CFR § 172.101 Hazardous Materials Table (DOT)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	flammable liquid and vapor
H318	causes serious eye damage

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.