

BATA

BA

non locking

BT


locking

Unique design. The double locking system of the slider on the chain allows for high traction resistance, at 180°, without breaking (detaching or moving the tooth).

Initially designed for the footwear industry, it can also be used for clothing and leatherwear.



DIMENSIONS



CHAIN TABLE

chain dimensions	chain type							
	METAL	SIMMETRICA	ELOXAL	TOP/TOPSTAR	SOLID/STAR	DECOR	DECOR E	AQUAzip®
4	✓	✓						
6	✓	✓	✓	✓	✓	✓	✓	✓
8	✓	✓	✓	✓	✓			

AVAILABLE PULLERS



ANELLO



ASCOT



AUR

BELL



BELT

CUP



DRAHT

FLACH



FLACH21

FLAT



FLAT21

FLIP



GEBOG



GOLF

GERADE



H7



KETTE



KTA



KUKE



L6



LANG



LANG31



LCP



LOOP

LINEA



NET



P1



P8



RING



RIRI92



S6



S8



SNODO2



SNODO3



SNODO7



SPIN



SPITZ



STAB



STAFFA A1



STAFFA G



STAFFA W2



STAFFA X4



STARRE



SWAR



T1



TROPF



TROPF19



ZUFF

* assembly to be verified