


Product and Technical Sheet

Description: **Robinhood Vetro Wall Canopy**
Model Numbers: **RHCV9G**

Typical design



All dimensions in mm

Due to manufacturing tolerances the dimensions of the curved glass panel can be + or - 3mm

Features and benefits

- Curved tempered tinted glass design
- High performance motor
- Three speed motor
- Electronic switch controls with LED display & sound confirmation
- Delay timer
- 2 x 10 watt halogen lights
- Separate light switch
- Oil capture cup
- Dishwasher safe micromesh filters
- 150mm outlet
- Ducted or recirculated
- Stainless steel
- 2 piece adjustable stainless steel flue
- Unbranded
- Contemporary look
- Exceptional performance with a net air flow of 7003/h tested to IEC61591
- Allows excellent control of motor providing the most efficient extraction for numerous cooking styles.
- Indication and verification of function selected
- Turns off automatically after 15 mins, clearing away all residual cooking odours and steam
- Ensures perfect light dispersion over the entire cooking Area
- Allows light to be on independent from motor
- For oil capture from high flavour cooking
- Captures oil and grease particles, easy to clean
- The larger outlet ensures greater volumes of air are expelled from the kitchen
- If recirculated, charcoal filters remove grease and odours before recycling air back into your kitchen
- Creates a superb finish
- Can be fitted to most kitchen ceiling heights
- Fit seamlessly into any kitchen

Specifications

Technical data:


- 2 x 10 watt halogen lights
- Centrifugal fan motor
- 230 / 240 Volt / 50 Hertz / 200 W
- Tested & Approved to EMC AS/CISPR14.1.2003 (radio frequency interference)
- Tested & Approved Electrical AS/NZS60335.2.31-2004
- Tested & Approved Performance to IEC61591 (Airflow)

Gross weight (kg): 21

Carton volume (m³): 0.159

Carton dimensions (mm): X=330, Y=420, Z=1100

530 (h)



Performance data:

| | |
|---------------|-----------------------|
| Fan speed 1 | 400m ³ /hr |
| Fan speed 2 | 550m ³ /hr |
| Fan speed 3 | 700m ³ /hr |
| Noise speed 1 | 53dB(A) |
| Noise speed 2 | 58dB(A) |
| Noise speed 3 | 62dB(A) |

New Zealand

Robinhood Ltd
Telephone: 0800 760 667
Facsimile: 0800 276 246
Email: enquiries@robinhood.co.nz
www.robinhood.co.nz

Australia

Robinhood PTY Ltd
Telephone: 1800 648 556
Facsimile: 1800 628 577
Email: enquiries@robinhood.com.au
www.robinhood.com.au