

## Description

ROBINHOOD 60CM WALL CANOPY WHITE  
**RHWCAN60WKOHC**



## Key Features


**Max Motor Performance**  
 550 m<sup>3</sup>/hr or 153 L/sec

**Power Levels**  
 3

**Control Type**  
 Push Buttons

**Lighting**  
 1 x 2W LED

**Venting Type**  
 Ducted or recirculated



Dated: 29/03/2022

## Specifications

<b>Voltage</b>	220~240v
<b>Frequency</b>	50~60Hz
<b>Motor / Power</b>	550m <sup>3</sup> /h / 100W
<b>Motor Housing &amp; Blower</b>	Plastic motor housing with plastic blower
<b>Lighting</b>	1x2W square LED light
<b>Total power</b>	102W
<b>Controls</b>	Push buttons
<b>Speed levels</b>	3
<b>Filters</b>	2 x Aluminium filters
<b>Carbon Filters</b>	Optional (RHCF120)
<b>No Return Valve</b>	Included
<b>Ducting Outlet</b>	Ø150mm
<b>Power Cord Length</b>	1.5M
<b>Chimney (Upper + Lower)</b>	400+400mm
<b>Product Dimensions (WxDxH)</b>	600 x 482 x (638-1000)mm
<b>Packaging Dimensions (WxDxH)</b>	650 x 315 x 540mm
<b>Gross/Net weight</b>	9.5/8.3kg

Air Flow & Noise Level *		
Power Level	Air Flow (IEC 61591)	Noise Level (dB) (IEC 60704-2-13)
1	290 m <sup>3</sup> /hr (81 L/S)	58
2	375 m <sup>3</sup> /hr (104 L/S)	62
3	460 m <sup>3</sup> /hr (128 L/S)	65

\*Air Flow & Noise Level testing is conducted in a controlled lab environment as per the IEC standards.