


Description: **ROBINHOOD 60CM WALL CANOPY RANGEHOOD, STAINLESS STEEL**

Model Number: **RWD3CL6SS**

## Typical Design



## Features and benefits

### ○ High performance extraction fan

High performance 700 M<sup>3</sup>/H extraction fan rapidly removes steam, smoke and cooking smells from your kitchen. Three-speed switch lets you select the fan strength you need – half strength for steamed vegetables; full strength for stir fries.

### ○ LED Lamps

2x 2 watt LED lamps efficiently illuminate the entire cooking surface. Lamps are quick and easy to replace, and readily available from hardware stores.

### ○ Multi-layered micromesh filters

Multi-layered micromesh filters effectively trap grease. They're simple to remove and are easily maintained with a regular clean in the dishwasher.

### ○ Rectilinear low profile design

Simple styling makes cleaning easy. High quality stainless steel and the fingertip controls are easy to clean with a damp cloth.

### ○ Thermal overload switch

Thermal overload function that senses extreme heat and disconnects power to the motor temporarily. If you have a cooking disaster, and something catches fire, the rangehood automatically switches off to prevent flames and sparks being sucked into the ducting or ceiling.

### ○ Recirculation option

In situations where ducting isn't possible, your rangehood can be fitted with charcoal filters that effectively cleanse the air before returning it to the kitchen.

## Specifications

### Technical data:

#### AESTHETICS

SWITCH

PUSH BUTTONS

RANGEHOOD TYPE

STAINLESS STEEL WALL CANOPY

FILTERS

2 PCS MULI LAYERED ALUMINIUM MESH

GAUGE OF STEEL

0.6MM

TYPE OF STEEL

430 STAINLESS STEEL

FINISH OF STEEL

BRUSH #4

LED LIGHTS POWER

2 \* 2W LED

#### FUNCTIONALITY

POWER LEVELS

3

DUCTED MODE

YES

RECIRCULATED MODE

YES

DUCTING DIAMETER

150MM

WARRANTY PERIOD

2 YEARS

#### MOTOR/ELECTRICAL

MOTOR TYPE

3 SPEED CENTRIFUGAL MOTOR

VOLTAGE & FREQUENCY

240V/50Hz

MOTOR WATTAGE

190 Watt

PLUG FITTED

YES 10AMP

LENGTH OF POWER CORD

1500MM

#### DIMENSIONS

CHIMNEY SIZE

272\*312\*(490-970)MM

PRODUCT SIZE

600\*500\*(585-1055)MM

CARTON SIZE

690 x 385 x 630MM

CARTON VOLUME

0.17 M<sup>3</sup>

GROSS WEIGHT/NET WEIGHT

13KG/11KG

### Performance data:

<b>Power Level 1</b>	440 m <sup>3</sup> /hr	<b>Noise Level 1</b>	50 dB
<b>Power Level 2</b>	517 m <sup>3</sup> /hr	<b>Noise Level 2</b>	54 dB
<b>Power Level 3</b>	654 m <sup>3</sup> /hr	<b>Noise Level 3</b>	57 dB

#### New Zealand

Monaco Corporation Ltd  
Telephone: (09) 415 6000  
Facsimile: (09) 415 7400  
Email: [enquiries@robinhood.co.nz](mailto:enquiries@robinhood.co.nz)  
[www.robinhood.co.nz](http://www.robinhood.co.nz)

#### Australia

Shriro Australia Pty Ltd  
ABN 28 002 386 129  
Telephone: 1800 648 556  
Facsimile: 1800 628 577  
Email: [enquiries@robinhood.com.au](mailto:enquiries@robinhood.com.au)  
[www.robinhood.com.au](http://www.robinhood.com.au)