

INSTALLATION INSTRUCTIONS FOR

SVNTY OFFROAD BARN DOOR TABLES

SKU COMPATIBILITY

LC70RDT / LC70RDT-E Toyota LandCruiser 76 Series Wagon & 78 Series Troopcarrier



SUPPLIED		REQUIRED
1	Fully assembled Barn Door Table	Drill
10	M6 nutserts	9mm drill bit
10	M6 button head bolts	4mm allen key
		Nutsert tool

RECOMMENDED

Cotton tips / small brush

Touch up paint

Vacuum cleaner





PREPARING THE REAR BARN DOOR

- 1. Unclip the large barn door card from the right hand side using a plastic trim tool.
- Using a 9mm drill bit, drill out the existing 10 holes; 4 across the top and bottom, and 1 in the middle on each side. These holes need to be made larger to accommodate the nutserts.
- 3. Recommended: Remove metal filings with a vacuum.
- 4. Recommended: treat raw metal around drill holes with touch up paint







INSTALLING THE NUTSERTS

- 5. Using a nutsert rivet gun, carefully insert 10 nutserts into the drilled holes.
- Using a supplied M6 bolt, screw into each nutsert to ensure each one has been installed correctly.










INSTALLING THE TABLE

- 7. Leaving the table closed, hold it in place whilst finger tightening the bottom 4 bolts.
- 8. Open the table and finger tighten the top 4 bolts.
- 9. Lastly screw the 2 side bolts into place.
- 10. Once all bolts have been finger tightened, use the 4mm allen key to gently tighten each bolt. Do not overtighten!

ADJUSTING YOUR NEW TABLE

- 11. Hinge bolts are deliberately set tight to eliminate rattles and improve table functionality. These will require silicone spray on occasion to keep hinges operating smoothly.
- 12. Retainer cord will give a little over time. The cord is easily adjusted by leveling the table to the desired angle and adjusting the cord on each side of the table top.



Disclaimer: SVNTY OFFROAD will not be liable for any damages arising out of the use or misuse of its products. It is the sole responsibility of the customer to ensure the products are properly installed and safely used. SVNTY OFFROAD is continuously developing its products and reserves the right to make changes to any product without notice.