

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Professional Coatings, Inc.,
100 Commerce Park Dr. Cabot, AR 72023

Telephone (501) 843-7509 **Fax** (501) 843-9261

Product Names ProCare® Oil Refresher

Recommended Use Floor coating

Restrictions on Use For industrial/commercial use only

Emergency Contact / Number Chemtrec / (800) 424-9300 (US and Canada) / (703) 527- 3887 (outside US and Canada)

SECTION 2: HAZARD IDENTIFICATION

Hazards
Eye Damage / Irritation Category 1 – Causes serious eye damage



Signal Word DANGER

Precautionary Statements

Prevention

Wear eye protection/face protection.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately get medical advice or assistance.

Storage and Disposal

Not Applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS#	Component Percent
C ₁₂₋₁₄ alcohol ethoxylate (surfactant)	84133-50-6	<5

SECTION 4: FIRST AID MEASURES

Eye Contact

Flush eyes with clean, lukewarm water for at least 15 minutes while holding eyelids open. Remove contacts. Get medical attention, preferably an ophthalmologist, if irritation persists.

Skin Contact

Wash affected area with mild soap and water then rinse with water. Remove any contaminated clothing and wash before reuse. Get medical attention if skin irritation occurs and persists.

Ingestion

Never give anything by mouth to an unconscious person. Give water if victim is conscious. Do not induce vomiting without medical direction. Keep head below hips if vomiting occurs to prevent aspiration. Get medical attention if symptoms occur.

Inhalation

Remove to fresh air and seek medical attention if adverse effects are observed.

Most Important Symptoms / Effects

May damage eyes; severity depends on amount and time before treatment. May cause reversible skin or respiratory irritation. Ingestion may cause irritation to the gastrointestinal tract. See Section 11.

Indication of Immediate Medical Attention and Special Treatment, If Necessary

Eye damage or irritation, ongoing skin irritation. See Section 11.

SECTION 5: FIREFIGHTING MEASURES**Suitable and Unsuitable Extinguishing Media**

This product is not flammable. Use fire-fighting techniques appropriate for the surrounding fire.

Specific Hazards Arising from the Chemical

May produce toxic fumes, gases, and vapors in a fire. Closed containers may rupture or explode when exposed to extreme heat.

Specific Protective Equipment and Precautions for Fire-Fighters

Use a water spray to cool fire-exposed containers, structures and to protect personnel. Do not enter confined fire space without full equipment and a positive pressure NIOSH-approved self-contained breathing apparatus (SCBA). Closed containers may explode from high heat.

SECTION 6: ACCIDENTAL RELEASE MEASURES**Personal Precautions**

Affected area may be slippery. Isolate release area and keep unnecessary or untrained people away. Avoid eye contact or prolonged skin contact with spilled material. See Section 8 for personal protection gear.

Environmental Precautions

Contain spill if it can be done with minimal risk. Prevent liquid from entering drains, sewers or waterways. Advise EPA, state or local agencies as required.

Methods for Cleaning Up

Contain spilled material if possible. Small liquid spills can be handled using absorbent material. Larger spills should be diked and absorbed with binding agents such as sand or vermiculite to prevent runoff to the environment or sewer.

SECTION 7: HANDLING AND STORAGE**Handling and Storage**

Use good ventilation and follow all procedures and precautions for handling a possible skin and eye irritant. Best stored at 50 – 90 °F. Reseal lid on container after use. Store only in original or compatible, clearly labeled container.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION**Exposure Limits**

Component Name	US WEEL	ACGIH/OSHA
Surfactant	10 mg/m ³ (aerosol)	Not Applicable

Engineering Controls

Use appropriate ventilation to maintain airborne concentration limits below exposure limits.

Eye and Face Protection

Wear safety glasses or chemical safety goggles; use face shield if splashing is possible e.g. when working with large amounts.

Skin Protection

Wear protective gloves to avoid repeated or prolonged contact.

Respiratory Protection

Maintain good ventilation or air flow. Use a respirator in areas where the exposure is unknown or above US WEEL.

General Hygiene

Follow accepted work practices for handling a possible irritant. Wear painter's mask when spraying. Do not eat, drink or smoke in areas where this product is used or stored. Wash thoroughly with soap and water after task or shift, when using the restroom or before eating.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State	Milky liquid	Flash Point (PMCC)	Not Applicable
Specific Gravity (Water=1)	1.0 (approximate)	Upper Flammability Limits	Not Applicable
Evaporation Rate (ether = 1)	<1	Lower Flammability Limits	Not Applicable
pH	7 – 8	Auto-ignition Temperature	Not Applicable
Solubility in Water	Complete	Decomposition Temperature	Not Determined
Odor	Mild	Vapor Pressure	Not Determined
Odor Threshold	Not Determined	Vapor Density (Air=1)	Not Determined
Melting/Freezing Point	32 °F / 0 °C (approximate)	Partition Coefficient (n-octanol/water)	Not Determined
Boiling Range	212 °F / 100 °C (approximate)	Viscosity (mPas, 20 °C)	Not Determined
Initial Boiling Point	212 °F / 100 °C (approximate)	Critical Temperature	Not Determined

Note: Physical and chemical properties are provided for safety, health and environmental considerations and do not fully represent product specifications. Those should be requested separately.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not reactive at normal storage and use conditions.

Chemical Stability: Stable at normal storage and use conditions

Possibility of Hazardous Reactions: Will not occur under normal conditions

Conditions to Avoid: None known

Incompatible Materials: Strong oxidizers, strong acids or strong alkalis

Hazardous Decomposition Products: Possible toxic gases or vapors in a fire or at very high temperature.

SECTION 11: TOXICOLOGICAL INFORMATION

Specific toxicity tests have not been conducted on this mixture. In accordance with OSHA's Hazard Communication Standard 1910.1200, this mixture is assumed to have the same health hazards as its significant components.

Acute Toxicity Effects

Likely routes of exposure are skin and eye contact which may cause eye damage or skin irritation. Inhalation may cause respiratory irritation. Swallowing material may cause irritation of gastrointestinal tract irritation or nausea depending on individual's sensitivity and amount ingested.

Chronic Toxicity Effects

Long term or repeated exposure may aggravate any acute symptoms.

Carcinogenicity

NTP, OSHA and IARC have not identified any carcinogenic ingredients above the statutory limit.

SECTION 12: ECOLOGICAL INFORMATION

Specific environmental tests have not been conducted on this mixture. The product is not classified as an environmental hazard based on its main components. The surfactant present at < 5% is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

SECTION 13: DISPOSAL CONSIDERATIONS

Avoid release to the environment. Dispose of in accordance with local, state/province, and federal environmental regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Information Not Regulated

SECTION 15: REGULATORY INFORMATION

TSCA Status All components are listed in the TSCA inventory
SARA 311/312 Reporting Categories None
SARA 313 Reportable Ingredients None

SECTION 16: OTHER INFORMATION

Abbreviations US WEEL - US Workplace Environmental Exposure Level

Department Issuing SDS Health and Safety

Disclaimer

Important Notice to Purchaser. The information in this publication is based on tests that we believe are reliable. Your results may vary due to differences in test types and conditions. You must evaluate and determine whether the product is suitable for your intended application. **Professional Coatings, Inc.'s** exclusive warranty is as follows: If **Pro-Coat** products are proved defective, the user's exclusive remedy will be, at **Pro-Coat's** option, to replace the defective **Pro-Coat** product or to refund the purchase price for the defective quantity. Except for the replacement or refund remedies, **Pro-Coat** is not liable for direct damages or liable for indirect, incidental or consequential damages, regardless of the legal theory asserted, including negligence and strict liability.

SECTION 16: OTHER INFORMATION (CONTINUED)

ADDITIONAL COMMENTS

We recommend that containers be either professionally reconditioned for reuse by certified firms or properly disposed of by certified firms to help reduce the possibility of an accident. Disposal of containers should be in accordance with applicable federal, state and local laws and regulations. "EMPTY" drums should not be given to individuals. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.