

April 01, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 521936

Sample No. 1078065

SAMPLE INFORMATION

Description

300mg JUST LIVE FREEZE ROLL-ON 90

Lot Number

21JLRL064

Category

Non-Inhalable Topical

Received

March 29, 2021

**ANALYTICAL RESULTS** 

**Analysis** 

Cannabinoid Profile

Instrument

Liquid Chromatography Diode Array Detector (LC-DAD)

Method

MF12D012

**Analysis Date** 

March 29, 2021 to April 01, 2021

Cannabinoid	mg/g	%
Δ8-ΤΗС	ND	ND
Δ9-ΤΗС	ND	ND
Δ9-ΤΗCΑ	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	3.96	0.396
CBDA	ND	ND
CBC	ND	ND
CBCA	ND	ND
CBDV	ND	ND
CBG	ND	ND
CBGA	ND	ND
CBN	ND	ND
Total THC	ND	ND
Total CBD	3.96	0.396
Total Cannabinoids	3.96	0.396
Total Active Cannabinoids	3.96	0.396
g/ml Conversion Factor	0.983	

3.90 /A)1 U|17171

Reported by Anresco, Inc. Limit of Detection: 0.1 mg/g Limit of Quantitation: 0.4 mg/g

ND = None Detected

<LOQ = Below Limit of Quantitation <LOD = Below Limit of Detection

Eric Tam Senior Chemist April 01, 2021



March 30, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 521936

Sample No. 1078065

SAMPLE INFORMATION

Description

300mg JUST LIVE FREEZE ROLL-ON 90

Lot Number

21JLRL064

Category

Non-Inhalable Topical

Received

March 29, 2021

**ANALYTICAL RESULTS** 

**Analysis** 

**Heavy Metals** 

Instrument

Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Method

MF 24E020

**Analysis Date** 

March 29, 2021 to March 30, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status	
Arsenic	0.02/0.05	ND	1.5	Pass	
Cadmium	0.02/0.05	ND	0.5	Pass	
Mercury	0.02/0.05	ND	3	Pass	
Lead	0.02/0.05	BLOQ	0.5 /421	Pass	

Reported by **Anresco, Inc.** 

6/17/21

ND = None Detected

Eric Tam Senior Chemist

March 30, 2021



April 01, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 521936

Sample No. 1078065

SAMPLE INFORMATION

Description

300mg JUST LIVE FREEZE ROLL-ON 90

Lot Number

21JLRL064

Category Received Non-Inhalable Topical

March 29, 2021

**ANALYTICAL RESULTS** 

**Analysis** 

Micro Screen - Ananda Hemp

**Analysis Date** 

March 29, 2021 to April 01, 2021

Analyte	Findings	Units	Method
Standard Plate Count	<10	cfu/g	FDA BAM
Yeast	<10	cfu/g	AOAC 2014.05
Mold	<10	cfu/g	AOAC 2014.05
Coliforms	<10	cfu/g	FDA BAM - ECC Agar
E. coli	<10	cfu/g	FDA BAM - ECC Agar
Enterobacteriaceae	<10	cfu/g	AOAC 2003.01
Salmonella	Negative / 122	/1g	AOAC 2016.01

Reported by Anresco, Inc.

Analyst

April 01, 2021



April 01, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 521936

Sample No. 1078065

#### SAMPLE INFORMATION

Description

300mg JUST LIVE FREEZE ROLL-ON 90

Lot Number

21JLRL064

Category

Non-Inhalable Topical

Received

March 29, 2021

**ANALYTICAL RESULTS** 

Analysis

Pesticides Screen Pass

Instrument

Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem

Mass Spectrometry (GC-MS/MS)

Method

MF 21P030

**Analysis Date** 

March 29, 2021 to April 01, 2021

Abamectin         0.04/0.10         ND         0.3         Pass           Acephate         0.04/0.10         ND         5.0         Pass           Acequinocyl         0.04/0.10         ND         4.0         Pass           Acetamiprid         0.04/0.10         ND         0.04         Pass           Aldicarb         0.04/0.10         ND         0.04         Pass           Aldicarb         0.04/0.10         ND         4.0         Pass           Bifenazate         0.04/0.10         ND         4.0         Pass           Bifenthrin         0.20/0.50         ND         0.5         Pass           Bifenthrin         0.20/0.50         ND         0.5         Pass           Captan         0.25/0.70         ND         10.0         Pass           Captan         0.25/0.70         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.0         Pass           Chloratraniliprole         0.04/0.10         ND         0.04         Pass           Chlordane         0.04/0.10         ND         0.04         Pass	Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Acequinocyl         0.04/0.10         ND         4.0         Pass           Acetamiprid         0.04/0.10         ND         5.0         Pass           Aldicarb         0.04/0.10         ND         0.04         Pass           Azoxystrobin         0.04/0.10         ND         40.0         Pass           Bifenazate         0.04/0.10         ND         5.0         Pass           Bifenthrin         0.20/0.50         ND         0.5         Pass           Boscalid         0.04/0.10         ND         10.0         Pass           Captan         0.25/0.70         ND         5.0         Pass           Carbaryl         0.20/0.50         ND         0.5         Pass           Carboruran         0.04/0.10         ND         0.5         Pass           Carboruran         0.04/0.10         ND         0.04         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlorgenapyr         0.04/0.10         ND         0.04         Pass           Chlorgenapyr         0.04/0.10         ND         0.04         Pass<	Abamectin	0.04/0.10	ND	0.3	Pass
Acetamiprid 0.04/0.10 ND 5.0 Pass Aldicarb 0.04/0.10 ND 0.04 Pass Azoxystrobin 0.04/0.10 ND 40.0 Pass Bifenazate 0.04/0.10 ND 5.0 Pass Bifenazate 0.04/0.10 ND 5.0 Pass Bifenthrin 0.20/0.50 ND 0.5 Pass Boscalid 0.04/0.10 ND 10.0 Pass Captan 0.25/0.70 ND 5.0 Pass Carbaryl 0.20/0.50 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.5 Pass Carbofuran 0.04/0.10 ND 0.5 Pass Chlordane 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.04 Pass Chlorpyrifos 0.04/0.10 ND 0.04 Pass Clofentezine 0.04/0.10 ND 0.04 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.04 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Ethoproprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 0.04 Pass Fenpyroximate 0.04/0.10 ND 0.04 Pass	Acephate	0.04/0.10	ND	5.0	Pass
Aldicarb         0.04/0.10         ND         0.04         Pass           Azoxystrobin         0.04/0.10         ND         40.0         Pass           Bifenazate         0.04/0.10         ND         5.0         Pass           Bifenthrin         0.20/0.50         ND         0.5         Pass           Boscalid         0.04/0.10         ND         10.0         Pass           Captan         0.25/0.70         ND         5.0         Pass           Carbaryl         0.20/0.50         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.04         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlordenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.04         Pass           Comaphos         0.04/0.10         ND         0.05         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass<	Acequinocyl	0.04/0.10	ND	4.0	Pass
Azoxystrobin         0.04/0.10         ND         40.0         Pass           Bifenazate         0.04/0.10         ND         5.0         Pass           Bifenthrin         0.20/0.50         ND         0.5         Pass           Boscalid         0.04/0.10         ND         10.0         Pass           Captan         0.25/0.70         ND         5.0         Pass           Carbaryl         0.20/0.50         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.04         Pass           Chlorantraniliprole         0.04/0.10         ND         0.04         Pass           Chlorfane         0.04/0.10         ND         0.04         Pass           Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Colefentezine         0.04/0.10         ND         0.5         Pass           Colentezine         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cygermethrin         0.35/1.00         ND         1.0	Acetamiprid	0.04/0.10	ND		Pass
Bifenazate         0.04/0.10         ND         5.0         Pass           Bifenthrin         0.20/0.50         ND         0.5         Pass           Boscalid         0.04/0.10         ND         10.0         Pass           Captan         0.25/0.70         ND         5.0         Pass           Carbaryl         0.20/0.50         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.04         Pass           Chlorantraniliprole         0.04/0.10         ND         40.0         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlordereine         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Cypuththrin         0.70/2.00         ND         1.0 <td< th=""><th>Aldicarb</th><th>0.04/0.10</th><th>ND</th><th>0.04</th><th>Pass</th></td<>	Aldicarb	0.04/0.10	ND	0.04	Pass
Bifenthrin         0.20/0.50         ND         0.5         Pass           Boscalid         0.04/0.10         ND         10.0         Pass           Captan         0.25/0.70         ND         5.0         Pass           Carbaryl         0.20/0.50         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.04         Pass           Chlorantraniliprole         0.04/0.10         ND         40.0         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.04	Azoxystrobin	0.04/0.10	ND	40.0	Pass
Boscalid         0.04/0.10         ND         10.0         Pass           Captan         0.25/0.70         ND         5.0         Pass           Carbaryl         0.20/0.50         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.04         Pass           Chlorantraniliprole         0.04/0.10         ND         40.0         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.04         Pass           Dimethoate         0.04/0.10         ND         0.04 <th>Bifenazate</th> <th>0.04/0.10</th> <th>ND</th> <th>5.0</th> <th>Pass</th>	Bifenazate	0.04/0.10	ND	5.0	Pass
Captan         0.25/0.70         ND         5.0         Pass           Carbaryl         0.20/0.50         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.04         Pass           Chlorantraniliprole         0.04/0.10         ND         40.0         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.04         Pass           Dimethoate         0.04/0.10         ND         0.04 </th <th>Bifenthrin</th> <th>0.20/0.50</th> <th>ND</th> <th>0.5</th> <th>Pass</th>	Bifenthrin	0.20/0.50	ND	0.5	Pass
Carbaryl         0.20/0.50         ND         0.5         Pass           Carbofuran         0.04/0.10         ND         0.04         Pass           Chlorantraniliprole         0.04/0.10         ND         40.0         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.04         Pass           Dimethoate         0.04/0.10         ND	Boscalid	0.04/0.10	ND	10.0	Pass
Carbofuran         0.04/0.10         ND         0.04         Pass           Chlorantraniliprole         0.04/0.10         ND         40.0         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.04         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Ethoprop(hos)         0.04/0.10         ND	Captan	0.25/0.70	ND	5.0	Pass
Chlorantraniliprole         0.04/0.10         ND         40.0         Pass           Chlordane         0.04/0.10         ND         0.04         Pass           Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cygremethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.04         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etosazole         0.04/0.10         ND	Carbaryl	0.20/0.50	ND	0.5	Pass
Chlordane         0.04/0.10         ND         0.04         Pass           Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.04         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5 </th <th>Carbofuran</th> <th>0.04/0.10</th> <th>ND</th> <th>0.04</th> <th>Pass</th>	Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorfenapyr         0.04/0.10         ND         0.04         Pass           Chlorpyrifos         0.04/0.10         ND         0.04         Pass           Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.2         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         0.04         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         0.04	Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlorpyrifos 0.04/0.10 ND 0.04 Pass Clofentezine 0.04/0.10 ND 0.5 Pass Coumaphos 0.04/0.10 ND 0.04 Pass Cyfluthrin 0.70/2.00 ND 1.0 Pass Cypermethrin 0.35/1.00 ND 1.0 Pass Daminozide 0.04/0.10 ND 0.04 Pass DDVP (Dichlorvous) 0.04/0.10 ND 0.04 Pass Diazinon 0.04/0.10 ND 0.04 Pass Dimethoate 0.04/0.10 ND 0.2 Pass Dimethoate 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 0.04 Pass Dimethomorph 0.04/0.10 ND 0.04 Pass Ethoprop(hos) 0.04/0.10 ND 0.04 Pass Etoprop(hos) 0.04/0.10 ND 0.04 Pass Etoprox 0.04/0.10 ND 0.04 Pass Etoxazole 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 1.5 Pass Fenhexamid 0.04/0.10 ND 0.04 Pass Fenpyroximate 0.04/0.10 ND 0.04 Pass Pass Pass Fenpyroximate 0.04/0.10 ND 0.04 Pas	Chlordane	0.04/0.10	ND	0.04	Pass
Clofentezine         0.04/0.10         ND         0.5         Pass           Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.2         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         0.04         Pass           Fipronil         0.04/0.10         ND         0.04 <th>Chlorfenapyr</th> <th>0.04/0.10</th> <th>ND</th> <th></th> <th></th>	Chlorfenapyr	0.04/0.10	ND		
Coumaphos         0.04/0.10         ND         0.04         Pass           Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.2         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenpyroximate         0.04/0.10         ND         0.04         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Chlorpyrifos	0.04/0.10	ND		
Cyfluthrin         0.70/2.00         ND         1.0         Pass           Cypermethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.02         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Clofentezine	0.04/0.10	ND	0.5	Pass
Cypermethrin         0.35/1.00         ND         1.0         Pass           Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.2         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Coumaphos	0.04/0.10	ND		
Daminozide         0.04/0.10         ND         0.04         Pass           DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.2         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Cyfluthrin	0.70/2.00	ND		
DDVP (Dichlorvous)         0.04/0.10         ND         0.04         Pass           Diazinon         0.04/0.10         ND         0.2         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Cypermethrin	0.35/1.00	ND		
Diazinon         0.04/0.10         ND         0.2         Pass           Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Daminozide	0.04/0.10	ND		
Dimethoate         0.04/0.10         ND         0.04         Pass           Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	DDVP (Dichlorvous)	0.04/0.10	ND		
Dimethomorph         0.04/0.10         ND         20.0         Pass           Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Diazinon	0.04/0.10	ND		
Ethoprop(hos)         0.04/0.10         ND         0.04         Pass           Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Dimethoate	0.04/0.10			
Etofenprox         0.04/0.10         ND         0.04         Pass           Etoxazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Dimethomorph	0.04/0.10			
Etorazole         0.04/0.10         ND         1.5         Pass           Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Ethoprop(hos)	0.04/0.10			
Fenhexamid         0.04/0.10         ND         10.0         Pass           Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenpyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Etofenprox	0.04/0.10			
Fenoxycarb         0.04/0.10         ND         0.04         Pass           Fenoyroximate         0.04/0.10         ND         2.0         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Etoxazole				
Fenological b         0.04/0.10         ND         2.0         Pass           Fenpyroximate         0.04/0.10         ND         0.04         Pass           Fipronil         0.04/0.10         ND         0.04         Pass	Fenhexamid				
Fipronil 0.04/0.10 ND 0.04 Pass	the second of th				
riprofili	Fenpyroximate				
Flonicamid 0.04/0.10 ND /m1 1.20 Pass	Fipronil				
	Flonicamid	0.04/0.10	ND JAZZ IN	2.0	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave,. San Francisco, CA 94124 Sample #: 1078065

Batch #: 21JLRL064



Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.04/0.10	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiaclorprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND ,	4.5	Pass
Trifloxystrobin	0.04/0.10	ND / POT	30.0	Pass
Reported by Anresco, Inc.		6(17/21		ND = None I

Eric Tam Senior Chemist

April 01, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

ND = None Detected



#### **ANALYTICAL RESULTS**

Analysis Mycotoxins Screen Pass

Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem

Mass Spectrometry (GC-MS/MS)

Method MF 21P030

Analysis Date March 29, 2021 to April 01, 2021

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	1/5	ND		
Afalatoxin B2	1/5	ND	-	-
Aflatoxin G1	1/5	ND	=	-
Aflatoxin G2	1/5	ND	-	-
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND / M1	20	Pass

Reported by ND = None Detected ND = None Detected

Eric Tam Senior Chemist

April 01, 2021



April 01, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 521936

Sample No. 1078065

SAMPLE INFORMATION

Description

300mg JUST LIVE FREEZE ROLL-ON 90

Lot Number

21JLRL064

Category

Non-Inhalable Topical

Received

March 29, 2021

**ANALYTICAL RESULTS** 

**Analysis** 

Residual Solvent Screen Pass

Instrument

Gas Chromatography Mass Spectrometry (GC/MS)

Method

USP OVI<467>

**Analysis Date** 

March 29, 2021 to April 01, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.1/1	ND	1	Pass
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.1/1	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.1/1	ND	1	Pass
Ethanol	67/200	BLOQ	5000	Pass
Ethyl acetate	27/80	ND	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.5/1	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	ND	5000.	Pass
Methanol	50/150	ND	3000	Pass
Methylene chloride	0.5/1	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND	2170	Pass
Trichloroethylene	0.1/1	ND VAD1	1	Pass

Reported by Anresco, Inc.

Jordean Varga Analyst

April 01, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

ND = None Detected