SPORTSART C520R RECUMBENT BIKE

<u>INTRODUCTION</u>	1
IMPORTANT SAFETY PRECAUTIONS	
Warning	2
Caution	
	_
ASSEMBLING YOUR BIKE	
Hardware Kit Contents	5
Assembly - Seat Support Covers	
Assembly - Seat Back-Part 1	
Assembly - Seat Back-Part 2	
Assembly - Seat Back-Part 3	7
Assembly - Seat Back Adjust Handle	
Assembly - Screw Inserts	
Assembly - Pedestal	
Assembly - Seat/Pedal Proximity	9
Assembly - Seat Pedal Proximity(Continued)	
Assembly - Seat Positioning	
Assembly - Handlebar	
Assembly - Cup Holder	12
Assembly - Rear Foot Cover	
Assembly - Horizontal Covers	
Assembly - Seat Support Covers	
Assembly - Seat Bottom	
Assembly - Pedals	15
Assembly - Levelers	15
Seat Adjustments	
UNDERSTANDING THE C520R DISPLAY CONSOLE	
Display Illustration	
Specifications	_
Display Overview	18
GETTING STARTED	
QUICK START	20
START	
Setting Up Personal User ID	
	_ '
WORKOUT PROGRAMS	
TRACK	23
HILL	23 23
RANDOM	
INTERVAL (1:1,1:2)	
WTLOSS & CARDIO	23 23
ZONE TRAINER	
COOL DOWN	


GUIDELINES FOR EXERCISE	25
<u>MAINTENANCE</u>	
Clearing User Settings	26
TROUBLESHOOTING	
Error Messages	27
NTERNAL SETTINGS	
Metric/American standard units	27
Time	27
Distance	28
Display Main Program IC Version	28
WIRING SCHEMATIC	29

SPORTSART C520R RECUMBENT BIKE

INTRODUCTION

Congratulations on your purchase of one of the finest pieces of exercise equipment on the market today, the SportsArt C520R Recumbent Bike. Constructed of high quality materials and designed for years of trouble-free usage, the C520R is built to become an integral part of your fitness regimen.

Before using your new exercise bike, we recommend that you familiarize yourself with this owner's manual. Understanding the correct use of this equipment will enhance your ability to achieve your exercise goals safely and successfully.



IMPORTANT SAFETY PRECAUTIONS

Your SportsArt bike was designed and built for optimum safety. However, certain precautions apply whenever you use your bike. Please read the entire manual before assembly and operation.

Please read and observe the following safety guidelines:

- Keep this owner's manual for future use and reference.
- Read this owner's manual and follow the instructions.
- Assemble and operate the bike on a solid, level surface.
- Never allow children on or near the bike.
- Check the machine before every use. Make sure all parts are assembled properly and fastened securely. Do not use the bike if it is disassembled in any way.

Warning

- Keep your hands away from moving parts.
- Wear proper workout clothing. Do NOT wear overly loose clothing. Do not wear shoes with leather soles or high heels.
 Tie all long hair back.
- Do not rock the unit from side to side and take care when mounting and dismounting the unit.
- Do not stand on the unit.

- Do not use accessories that are not specifically recommended by the manufacturer as these might cause injuries or cause the unit to fail.
- Allow sufficient space on both sides of the bike for users to mount and to dismount the unit.
- If any parts fail or are defective, please stop your workout immediately and contact your authorized dealer for repairs.
- Work within your recommended exercise level; do NOT work to exhaustion.
- If you feel any pain or abnormal sensations, STOP YOUR WORKOUT. Consult your physician immediately.
- The user weight limit for this bike is 150 kgs (330 lbs).
 Note: User weight limits differ in different markets.


Caution

Before beginning any exercise program, you should consult your doctor. It is recommended that you undergo a complete physical examination before starting a rigorous exercise regimen.

SAVE THESE INSTRUCTIONS

ASSEMBLING YOUR CYCLE

Before assembling your bike, make sure that you have all of the following items.



- 1. Gas spring
- 2. Body
- 3. Hardware kit
- 4. Pedestal and display
- 5. Pedestal collar
- 6. Handlebar
- 7. Rear foot cover


- 8. Horizontal covers
- 9. Left/right seat support cover (front with hole)
- 10. Left/ right seat support cover (rear no hole)
- 11. Seat bottom
- 12. Pedals
- 13. Cup holder

Note: Some screws and washers are secured in the frame. Remove them before trying to assemble the exercise bike.


Hardware Kit Contents


- 1. Open double end wrench, 1 pc
- 2. L-shaped Allen wrench (M5), 1 pc
- 3. L-shaped Allen wrench (M6), 1 pc
- 4. L-shaped Allen wrench (M4), 1 pc
- 5. Screwdriver handle (green), 1 pc
- 6. Double-ended screwdriver stem, 1 pc
- 7. Round head Phillips screws, 10 pc
- 8. Screw inserts, 8 pc

Assembly - Seat Support Covers




First, remove the front and rear seat support covers from both sides.







Assembly - Seat Back - Part I




- 1. Remove the pin and R clip at position A.
- 2. Insert end B of the gas spring into bracket A.




3. Secure the gas spring with the pin and R clip.



Assembly - Seat Back - Part 2



1. Set the gas spring cover into place.




2. Tighten the gas spring cover with screws to secure it.




Note: Screws are in the hardware kit.


Assembly - Seat Back - Part 3




- 1. Remove the R clip and gas spring at location C.
- 2. Lift the seat back to position D.




3. Insert the pin and R clip to secure the seat back.




Assembly - Seat Back Adjust Handle




1. Secure the seat back adjust handle as shown.



Assembly - Screw Inserts




Assembly - Pedestal



1. Put the pedestal 2. Connect the data collar in place.



cable connectors as shown.




3. After connecting the data cable, insert the pedestal into the unit frame. Secure screw/washer set B, then secure set A and set C.



Assembly - Seat/Pedal Proximity


The seat position on C520R can be adjusted to suit people with different leg lengths. The seat position can be altered in two ways: An automatic gas spring moves the seat within a set range; and the placement of the gas spring's connection to the frame changes the range of movement. The frame has front and back holes. Connecting the gas spring at the front hole makes the seat closer to the display. Connecting the gas spring at the rear connection point makes the seat farther from the display. Tall people would probably prefer a set up with the gas spring connected at the back hole. This is the position set at the factory.

To adjust the proximity of the seat to the pedals, follow the instructions below.



Automatic Adjustment

To use the automatic seat adjustment (gas spring activated), sit on the seat and hold up the handle marked A in the illustration. Push against the pedals and/or handle to move the seat back, or simply let the seat move forward to bring it close to the display. Once the seat moves to the desired position, release handle A. The seat will stay at that position.



Connection Point Adjustment

Follow the instructions below to change the gas spring connection point. Connecting the gas spring to the front hole will place the pedals closer to the display.


First, prop up the back of the bike as shown.


Assembly Seat Pedal Proximity (Continued)

Connection Point Adjustment (Continued)

Then, move the shock to the front hole and secure it. Please refer to the instructions and diagrams below.

- a. Remove the screw and washer.
- b. Tap out the bushing.
- c. Move the end of the gas spring to the front hole.
- d. Put the bushing through the hole in the frame and past the hole in the gas spring. Secure the washer and screw.







Use the same process to adjust the connection point again, if desired.

Assembly Seat Positioning


1. Locate the handle in position E. Hold up handle F as shown. Do not release the handle.




2. The gas spring will push the seat up so that the handlebar and lower covers can be installed. Release the handle after the seat stops moving.




Assembly - Handlebar




1. Insert the handlebar between the seat back and the gas spring as indicated below. Note: You cannot slide the handlebar in straight. You must tilt and move it to fit it in.




2. Secure the handlebar with washers and screws provided.




Assembly - Cup Holder




1. Set the cup holder in place and secure it with screws.




2. Insert a screwdriver through the slots in the cup holder to secure the screws.




Assembly - Rear Foot Cover




1. Put the rear foot cover in place.




2. Loosely secure each screw. After all screws are in place, tighten them down.




Assembly - Horizontal Covers




1. Put left and right horizontal covers in place.




2. Loosely secure each screw. After all screws are in place, tighten them down.




Assembly - Seat Support Covers




1. Put front and back seat support covers in place.




2. Loosely secure each screw. After all screws are in place, tighten them down.




Assembly - Seat Bottom



Secure the seat bottom as shown.




Assembly - Pedals




Pedals are marked left or right. Put pedals on the appropriate side. The bike's left/right sides are the same as the user's left/right sides.


Note: the left pedal screws in counterclockwise. The right pedal screws in clockwise. Insert pedals by hand to make sure they thread properly. Then use the wrench to tighten them in place.



Assembly - Levelers




Seat Adjustments




Up/Down Adjustment

Sit on the seat. Pull up lever A. Adjust the seat position until it suits you. (Push against the pedals to move back, or pull the handle to move forward.) Then release the lever.



Seat Back Adjustment

Sit on the seat. Pull up lever B. Adjust the seat back until it reaches a comfortable position. Then release the lever.




Seat Angle Adjustment

Sit on the seat. Pull lever C up. Adjust the seat angle. Then push lever C down to secure the seat in place.

UNDERSTANDING THE C520R DISPLAY CONSOLE

Display Illustration



Specifications

- WORKOUT LEVEL Resistance range: 1 ~ 20
- TIME Time range: $00\sim99:59$; Time setting range: $5:00\sim99:00$. (After 99:00, 0 appears)
- DISTANCE 0.1-9999 Km/Mile
- CALORIES 0~9999 K-CAL
- CAL/Hr (calories per hour) 0~9999 K-CAL
- RPM (rotations per minute) 0~160 (countable)
- HEART RATE (range) 40-250
- WATTS 0~9999
- SPEED 0~55.9 Mile/H / 0~90 Km/H (1 Km=0.62137 Miles; 1 Mile=1.60935 Km)
- PROGRAM TRACK, HILL, RANDOM, INTERVAL, WT LOSS, CARDIO, ZONE TRAINER.
- USER Four user settings (including 11 alpha-numeric ID settings)
- AGE 10~99
- WEIGHT Setting range: 30 ~ 150 Kg or 66 ~ 330 LB

Note: Throughout this product user manual, display keys and some functions appear in capital letters.

Display Overview

Designed to help you achieve your exercise goals, C520R display has the following windows:

- 65% HR TARGET shows the optimum heart rate zone for weight loss.
- HEART RATE shows actual heart rate.
- 80% HR TARGET shows the optimum heart rate for cardio conditioning.
- WORKOUT ILLUSTRATION shows workout profiles and workout prompts.
- FEEDBACK WINDOW shows workout prompts and workout feedback.
- LEDs light to indicate active programs, active feedback values, scan mode, selection confirmation, and body areas being exercised.

Key Function Overview

- CHANGE Press the CHANGE key while exercising to view a different row of workout feedback. Active feedback indicator LEDs light up. Top row: WORKOUT LEVEL, CALORIES, TIME, RPM. Bottom row: DISTANCE, CAL/HR, WATTS, SPEED. In scan mode, feedback LEDs flash, and a different row of feedback information is displayed every six seconds. Solid feedback LEDs means that the unit is not in scan mode.
- **QUICK START** Press this key to start exercising without first entering user information. In QUICK START mode, time counts upward; values accumulate.
- **START** Press this key to start exercising after inputting user information.
- **EXERCISE PROGRAMS** When these indicators flash, or during a workout program, press an exercise program key to activate that program. When active, the related exercise program indicator lights up.
- **ENTER** After making a selection, press this key to confirm your choice.
- **WORKOUT LEVEL (UP & DOWN)** Press these keys to adjust resistance level. Holding down these keys makes resistance adjust up or down faster.
- STOP/HOLD TO RESET This key is used in two ways. If you entered an exercise program after pressing the QUICK START key, press this key to exit the exercise program. If you entered an exercise program after pressing the START key, press this key to select another program. Program indicators will flash. At any time during your workout, hold this key for three seconds to return to the start up banner screen.

GETTING STARTED

The "startup banner screen" appears on the display after you press the START key or the QUICK START key, or if you start pedaling (over 30 RPM). The startup banner shows the message "SPORTSARTC520." Once the startup banner appears, there are two ways to start your workout. Press either QUICK START or START.

QUICK START

The QUICK START key allows you to begin exercising immediately without first setting up a user ID. Using the QUICK START key is a quick and convenient way to start exercising, but it does not convey information, such as your own age and weight, to the display. Consequently, target heart rate and calorie count values shown through QUICK START will not be as accurate as those shown after entering user information.

To start exercising via QUICK START, when the startup banner appears, press the QUICK START key. QUICK START mode uses the default assumption of a 35-year-old, 165-lb/75-kg user to calculate calorie count and target heart rate values. Time counts upward. Resistance starts at level one and can be adjusted during exercise.

Other characteristics of the QUICK START mode include the following:

- Exercise programs can be activated through QUICK START. While exercising, simply press EXERCISE PROGRAM keys or the ZONE TRAINER key to do so. Time counts upward. Resistance can be adjusted at any time.
- When no one pedals on the bike, the message "PEDAL TO START" will scroll across the display every four seconds, after which the start up banner screen will appear.
- If no one pedals after 15 seconds, an energy saving mode is activated. In energy saving mode, all LEDs extinguish except for the feedback window which shows the following:

	 _	_		

These lines remain lit for two minutes unless you pedal over 30 RPM. If no one pedals for two minutes, the display automatically shuts off.

START

Use the START key to take advantage of user age and weight in providing more accurate calorie count and target heart rates. Up to four user IDs can be stored in memory and workout time, distance, and calorie expenditure values accumulate for each user.

To operate the bike through the START mode and set up a user ID, follow the instructions below.

When the start up banner appears, press the START key. The display shows the previously used USER ID and accumulated workout statistics. Every six seconds one of the following boxes appears. Here is an example:

USER-1
TIMES - 25:05
DISTS - 15.8
CALS - 1020

Use any ▲ or ▼ key to toggle through USER IDs. Then press ENTER to confirm your choice.

Setting Up Personal User ID

Like the numbered user IDs, personalized IDs with up to 11 characters can be established. Follow the instructions below to do so.

When a USER ID appears, press the CHANGE key continuously for three seconds. The following prompt appears:



Press any $\blacktriangle \blacktriangledown$ key to see alphabetical characters. When the letter you want appears, press the ENTER key to confirm your choice. Use the same process again to choose and confirm more characters. When the user name is complete, hold down the ENTER key for three seconds to complete the process.

To revise a user name, choose the USER ID and hold down the CHANGE key for three seconds. Then follow the procedure to establish an alphabetical user ID as explained above. To erase accumulated workout information, simultaneously press STOP+START keys. Accumulated workout time, RPMs, and distance will disappear.

Once you have chosen a USER ID, establish user specifics as follows:

1. Age — The age indicator flashes. The dot matrix screen shows the preset value of 35. Press ▲ and ▼ keys until your actual age appears. Then press the ENTER key to confirm your choice and proceed to set the user weight.

User age becomes the basis for calculating target heart rate. 65% and 80% target heart rates represent low and high heart rate targets. AGE setting range is $10 \sim 99$. The default age is 35 years old.

2. Weight — The WT indicator flashes. KG or LB lights up. KG indicates metric mode, which has a preset value of 75 KG. LB indicates US mode, which has a preset value of 165 LB. Press ▲ and ▼ keys until your actual weight appears. Then press the ENTER key to confirm your choice and proceed to the select a workout program.

Weight setting range is $66 \sim 330 \text{ LB} / 30 \sim 150 \text{ KG}$. The default setting is 165 LB / 75 KG. User weight is the basis for the calorie expenditure calculation.

3. Workout program — Press the workout program key. The related program indicator lights up. Then press the ENTER key to confirm your choice and proceed to set the workout duration.

Note the following characteristics of workout programs:

- Resistance can be changed as you exercise.
- Time starts counting upward when you start pedaling. On the workout illustration, your current stage is represented by the flashing LED.
- You can activate another program while you workout. Time continues to accrue.
- The ZONE TRAINER key can be pressed during any workout program. This key makes any program a heart rate control (HRC) program. ZONE TRAINER is explained in detail below.
- 4. Workout duration The time window shows the previous workout duration setting. Press ▲ and ▼ keys to change the setting. Then press the ENTER key to confirm your choice. The workout begins immediately after you confirm your choice.

WORKOUT PROGRAMS

Workout programs include TRACK, HILL, RANDOM, INTERVAL, and two cardio programs (WEIGHT LOSS and CARDIO). The ZONE TRAINER program turns any program into a cardio program.

TRACK

One lap is 400 meters (0.25 mile). The user can manually adjust resistance and stride.

HILL

The HILL program contains three hill patterns to choose from. A different pattern appears each time the HILL key is pressed: HILL-1, HILL-2, HILL-3.

RANDOM

The RANDOM program contains a random selection of workout patterns. A new pattern appears each time the RANDOM key is pressed.

INTERVAL (1:1, 1:2)

The INTERVAL program is made up of two workout periods, a REST period and a WORK period. Each period contains a different resistance level. There are two REST to WORK ratios to choose from, either 1:1 or 1:2.

In the 1:2 ratio, the first part, 1, is REST= one minute; the second part, WORK= two minutes.

While exercising, a different INTERVAL pattern appears every time INTERVAL is pressed.


Because interval is a two-segment program, once in operation, changing the resistance of a REST or WORK segment carries that setting into the next REST or WORK segment. For instance, if you change a REST period resistance level and commit it to memory, the next REST period will have that same resistance setting. The same applies for WORK Segments.

WT LOSS & CARDIO

These two programs are heart rate control programs. By automatically adjusting resistance, they keep the user's heart rate in a specific target range to accomplish certain exercise goals. One program maintains a heart rate for optimum weight loss. The other program maintains a heart rate for optimum cardio training.

- The weight loss program maintains a heart rate at 65% of your maximum heart rate. The weight loss conditioning formula is (220—AGE) x 65%.
- The cardio conditioning program maintains a heart rate at 80% of your maximum heart rate. The cardio conditioning formula is (220—AGE) x 80%.

At any time during a heart rate control program, if the user's heart rate is not detected, the following message appears: "NO HEART RATE READING, PLEASE CHECK TRANSMITTER". When no heart rate is detected, resistance can only be adjusted manually. When the heart rate control mode starts operating, a message like the one below appears.



The default startup resistance level is LEVEL 1. Suggested speed is 50 RPM. Actual heart rate is shown on the display. When the workout time is reached, the unit enters COOL DOWN mode.

ZONE TRAINER

ZONE TRAINER allows you to select a heart rate and make it your target heart rate. It can be activated from any program. To make a current actual heart rate your target heart rate, press the ZONE TRAINER key at any time. The unit will automatically adjust resistance to maintain the specified target heart rate.

The ZONE TRAINER program can only be entered through another program. It is not accessible if you are not first in another program.

Other aspects of ZONE TRAINER are similar to WT LOSS and CARDIO programs but ZONE TRAINER keeps the previous program's time setting. When the workout time has been obtained, the unit enters COOL DOWN mode.

COOL DOWN

In an exercise program, when the workout time has expired, "ACCU DATA" appears on the display. Accumulated data, including time, distance, calorie expenditure, average heart rate appear. Then "COOL DOWN" appears on the display as the unit enters a two-minute cool down period. When the unit counts down to "0:00", PROGRAM indicators flash, and the "SELECT PROGRAM" prompt appears on the display. Press QUICK START to immediately start exercising, or press START to take advantage of user information.

GUIDELINES FOR EXERCISE

How long should I exercise?

The duration of your exercise session should depend on your fitness level. In general, it is recommended that you maintain your heart rate in the training zone for at least ten minutes to realize an aerobic benefit. As your fitness level increases, you will be able to maintain your heart rate in the training zone for longer periods, usually between 20 and 30 minutes.

When starting your workout, use the first several minutes to warm up, then slowly increase your workload to bring your heart rate into your specific training zone. At the end of your workout, gradually decrease your workload and exercise lightly to "cool down".

How often should I exercise?

To achieve the greatest benefits, perform aerobic exercises three to five times a week. Allow about 24 hours between workouts for your body to recover.

MAINTENANCE

The Sports Art C520R requires little maintenance but regular cleaning is recommended to keep your bike at peak performance. Before your workout, use a dry cloth to clean the surface of the display.

NOTE: NEVER POUR LIQUIDS ON THE DISPLAY.

To clean plastic parts, use a mild detergent, and make sure the unit is completely dry before operating it. Do not use harsh cleaning agents because doing so will void the warranty.

It is recommended that you keep all liquids away from the unit during operation. Spilling liquids onto or into the machine will void the warranty.

Clearing User Settings

When you select a USER ID, the user's accumulated time, distance, and calorie values appear. The user's accumulated time appears as hh:mm (hours: minutes). When the accumulated time exceeds 99:59, minutes disappear; 100 (hours) appears. Maximum time is 9999 hours.

Once the maximum time appears, you must clear the time memory as follows. While the user ID appears on the screen, simultaneously press the STOP and START keys. Hold these keys for three seconds. When the user time, distance, and calorie count values are erased, the display will beep three times. Then you can activate the user ID again.

TROUBLESHOOTING

Error Messages


There are no error messages on this bike.

INTERNAL SETTINGS

Internal settings determine basic operating conditions, for example, units of measure. To access internal settings, at the startup banner ${}^{\mathbb{F}}$ SPORTSARTC520 $_{\mathbb{F}}$, press and hold the CHANGE key for three seconds. Then follow the steps below to see and change internal settings.

Metric/American standard units

The feedback window will show the present setting, either one of the following:



Press ▲/▼ keys to toggle from one setting to another. Then press the ENTER key to confirm your choice and proceed to the next setting. You may also press the STOP key to leave this setting.

Time

The total duration of use appears in the feedback window as follows:

T I M E - X X X	X X X H	O U R
-----------------	---------	-------

Press the ENTER key to proceed to the next setting. You may also press the STOP key to leave this setting. This setting cannot be changed.

Distance

The total accumulated distance appears in the feedback window. The unit of distance is either in miles or kilometers, depending on the speed setting selected previously. Press the ENTER key to confirm your choice and to proceed to the next setting. You may also press the STOP key to leave this setting.

Activate and Deactivate User Ids

The following prompt appears:


PRESS UP/DN TO ACTIVATE OR DEACTIVATE 4 USER SETTING

Press the ▲/▼ keys as directed. The display toggles between two views.

To enable USER IDs, toggle to the following:



To disable USER IDs, toggle to the following:



Press the ENTER key to confirm your choice and proceed to the next step.

Display Main Program IC Version

The display shows the display main program IC version as follows:


XXXXX XX Example: C520H - 1A

Press STOP key for three seconds to leave this setting.

If the ENTER key is not pressed in six seconds, the feedback window shows the following prompt:

|--|

Wiring Schematic:



Your Authorized SPORTS ART Distributor