
ASSEMBLY INSTRUCTIONS



RAC-365

Seated Arm Curl Bench




TuffStuff Fitness Equipment, Inc. 1325 E. Franklin Avenue

1325 E. Franklin Avenue
Pomona, CA 91766, USA
Ph: 909-629-1600 Fax: 909-629-4967
E-mail: service@tuffstuff.net Net: www.tuffstuff.net

AMERICA'S PREMIER EXERCISE EQUIPMENT

Introduction



Congratulations on your new purchase of the **Seated Arm Curl Bench**. We hope you are completely satisfied with this product and wish you many years of enjoyment.

TuffStuff Equipment

This Tuffstuff product has been built to precise quality standards and has been carefully packaged to ensure that damage will not occur during shipment. The Home Lifetime Warranty and signature indicating final inspection has been conducted by our line foreman, is an expression of our confidence in the completeness, the materials, and workmanship of this product.

Registration Card

To avoid unnecessary delays in warranty service and to insure that a permanent record of your purchase is on file with our factory, be sure to complete the warranty registration card and send it to TuffStuff Fitness Equipment today.

Specifications

Maximum Wt. Capacity - 250 lbs.
 Total Machine Weight - 82 lbs.

3. Footprint (LWH) - See Front Cover.


Note: Due to continuing product improvements, specifications and designs are subject to change without notice.

${\cal P}$ rior to the Assembly of the Seated Arm Curl Bench

We advise you to consult your local TuffStuff retailer if you should have a question or problem regarding the proper assembly of this unit.


\mathcal{T} ool Requirements

- 1. One 7/8" combination wrench
- 2. One 9/16" combination wrench
- 3. One 1/2" combination wrench
- 4. One ratchet
- 5. One 9/16" socket
- 6. Rubber Mallet
- 7. Windex or household glass cleaner
- 8. Measuring tape
- 9. Utility knife



	Step 1 Assembly List	
Item #		
1	REAR BASE FRAME 1	5
2	FRONT U FRAME 1	
3	MAIN FRAME 1	
4	ADJUSTABLE CHROME TUBE 1	\ \\\\
10	PLASTIC ELLIPTICAL SHOE 2	\ \\\\
16	HEX HEAD CAP SCREW 3/8-16 X 1 1/4 2	\ \\\\
17	HEX HEAD CAP SCREW 5/16-18 X 3/4 1	$\backslash \backslash 4$
18	HEX HEAD CAP SCREW 3/8-16 X 2 3/8 2	
19 28	FLAT WASHER SAE 3/8" 6 SPLIT LOCK WASHER 3/8" 2	(17)
31	NYLON INSERT JAM LOCK NUT 3/8-16 2	
		P P
	(10)	
	(18)	
	$\overbrace{10}$	
	(19)	
	$\overbrace{1}$	
		$\langle 1 \rangle \langle 1 $
		(1
	(19)	
		$\begin{pmatrix} 31 \end{pmatrix} \begin{pmatrix} 31 \end{pmatrix} \begin{pmatrix} 31 \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \begin{pmatrix} 4 \end{pmatrix} \end{pmatrix} \end{pmatrix} \end{pmatrix}$
	(10)	





COLOR CHART

BOLD FONT = SUB-ASSEMBLY PARTS

BLACK= HARDWARE

RAC-365 Parts List

REV0

ITEM	DESCRIPTION	REV	PART NO.	QTY	ITEM	DESCRIPTION	PART NO.	QTY
1	REAR BASE FRAME	0	UP3980	1	19	FLAT WASHER SAE Z/P 3/8"	BNH2030	12
2	FRONT U FRAME	0	UP3981	1	20	ARM PAD / PREACHER CURL PAD	UP3986	1
3	MAIN FRAME	0	UP3982	1	21	SEAT PAD	UP3987	1
4	ADJUSTABLE CHROME TUBE	0	UP3983	1	22	PLASTIC INSERT ELLIPTICAL GUIDE (2X4)	BNH1760	1
5	ADJUSTABLE CHROME PLATE	0	UP3984	1	23	FLAT PHILLIPS SCREW ZINC # 2 X 1/2	BNH1480	2
6	PIVOT AXLE 1 X 5 1/2	0	UP3985	1	24	RELEASE LEVER PROTECTIVE COVER	BNH1940	1
7	RUBBER CORR MAT 1/8 X 1 7/8 X 7 1/4		BNH2080	2	25	STIFF SPRING	BNH0519	1
8	PULL PIN 1/2 X 5 5/8 (YELLOW)		BNH0701	1	26	LITHIUM GREASE SMALL CONTAINER	BNH0705	1
9	NYLON BUSHING 1 X 1 1/2 X 7/8		BNH0531	2	27	HEX KEY ALLOY 5/32"	BNH0373	1
10	PLASTIC HORIZONTAL ELLIPTICAL SHOE		BNH1847	2	28	SPLIT LOCK WASHER Z/P 3/8"	BNH2032	2
11	SOCKET SET SCREW ALLOY 5/16-18 X 5/16	}	BNH1453	1	29	SOCKET SET SCREW ALLOY 10-32 X 1/8	BNH0473	1
12	ADJUSTABLE RELEASE HOLDER		UP3739	1	30	HEX KEY ALLOY 3/32"	BNH0372	1
13	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2	2 1/2	BNH2044	1	31	NYLON INSERT JAM LOCK NUT Z/P 3/8-16	BNH2026	3
14	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2	2 3/4	BNH2045	2	32	DECAL-CAUTION WEIGHT TRAINING SAFETY	BNH0126	1
16	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1	1 1/4	BNH2038	4	33	DECAL-DANGER TIGHTEN THIS RETAINING	BNH0142	1
17	HEX HEAD CAP SCREW GR-5 Z/P 5/16-18 X	3/4	BNH2049	1	34	DECAL-IMPORTANT FOR BEST PERFORMANCE	BNH1894	1
18	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2	2 3/8	BNH2043	2	35	TUFFSTUFF LOGO ALUMINUM SMALL	BNH1323	1

