
DISC RACK (OLYMPIC) CODE No.8125



INSTRUCTION MANUAL

10 / 2002





SAFETY GUIDELINES:

BEFORE ASSEMBLY

- This must be read before you start assembling this unit.
- Great care has been taken in design and how to assemble this unit.
- All bags of nuts and bolts have been packed with ease of assembly in mind.
- You must follow the assembly instructions exactly as outlined.
- You will need at least one person to help you assemble this unit, two would be better.
- Assemble this unit starting at the beginning and work to the end.
- The assembly instructions are set out so that you are only doing one section at a time, therefore you will finish one section and move on to the next.
- If something is missing when assembling this unit, you must notify us of the part number of the exact nut, bolt of part that is missing.
- To help you assemble this unit we have used line drawings.
- Check the line drawings for the exact positioning of the parts.
- The unit will need to be checked at least once a week for nuts and bolts that can work loose, upholstered pieces working loose and wear on pivot assemblies.

WARNING: YOU ARE RESPONSIBLE FOR YOUR OWN SAFETY!!

WARNING

- 1. Always consult your doctor before undertaking any exercise program.
- 2. Ensure that all nuts and bolts are fully tight before using any exercise equipment.
- 3. Always wear suitable clothing and footwear e.g. tracksuit and training shoes.
- 4. Children should not be allowed on or around the machinery or equipment, even when not in use.
- 5. Do not eat large meals 2 to 3 hours before exercising.
- 6. Always warm up well before exercising as this will prevent straining muscle.
- 7. Always read and follow the manufacturers assembly and user instructions.
- 8. Remove jewelry, rings, chains and pins before exercising.
- 9. Check for full engagement of locking pins.
- 10. Check that any of the adjustment devices are not projecting.
- 11. Give special attention to the cables, pulleys and locking devices as they may wear.
- 12. Inquiries to health may result from incorrect or excessive training.
- 13. Always use your rack on a flat level surface.
- 14. Always use your rack in adequate space e.g. at least 2ft. (60cm) clearance on each side and front (the rear can be close to a wall).

N.B. this list should not be taken as exhaustive.

CARE AND MAINTENANCE

TOOLS REQUIRED

Use a warm, damp cloth with mild detergent to keep your rack clean.

The tool enclosed in the carton is one multi-purpose spanners.

SHOULD YOU REQUIRE ANY ASSISTANCE REGARDING THIS PRODUCT PLEASE CONTACT YORK DIRECTLY.

sportline

sportline Distributed by:

sporti

Distributed by:

YORK BARBELL (U.K.) LTD.

CHURCHILL WAY, DAVENTRY, NORTHANTS, NN11 4YB, ENGLAND

GENERAL ENQUIRIES

TEL: (01327) 701800

CUSTOMER SERVICE HELPLINE

TEL: (01327) 701824 FAX: (01327) 706704

E-MAIL: helpdesk@yorkfitness.co.uk

www.yorkfitnessworldwide.com

YORK FITNESS (TAIWAN) LTD.

4F-3. No.598. WEN SIN ROAD. SEC 2, TAICHUNG,

TAIWAN, R.O.C

GENERAL ENQUIRIES TEL: +886-4-2319-3448

FAX: +886-4-2319-3449 E-MAIL: yorktwn@ms25.hinet.net

www.yorkfitnessworldwide.com

Distributed by:

YORK BARBELL (AUST.) PTY. LTD.

UNIT 1, LOT 2, SWAFFHAM ROAD

MINTO, N.S.W. 2566

SYDNEY, AUSTRALIA

GENERAL ENQUIRIES

TEL: (02) 9603 8444 FAX: (02) 9603 8555

E-MAIL: paulyork@ozemail.com.au

www.yorkfitnessworldwide.com





ASSEMBLY INSTRUCTIONS

IMPORTANT -

This rack should be assembled finger tight in the beginning to allow for proper alignment.


- THIS RACK IS FITTED WITH NYLOCK NUTS FOR SAFETY. (THEY CAN ONLY BE TIGHTENED OR LOOSENED WITH TOOLS)
- FASTEN RACK TOGETHER WITH THE BOLTS LOOSE.
 FULLY TIGHTEN ALL BOLTS **AFTER** THE WHOLE RACK HAS BEEN ASSEMBLED.







DESCRIPTION



PARTS LIST

	PART NO.	Q'TY	DESCRIPTION
1	#8125-01	1	MAIN FRAME
2	#8125-02	2	STABILIZER
3	#8125-03	4	STABILIZER INT. END CAP
4	#8125-04	5	DISC SUPPORT
5	#8125-05	5	DISC SUPPORT END CAP
6	#8125-06	5	3/8" X 45mm HEX HEAD BOLT
7	#8125-07	9	3/8" X 19mm X 2mm WASHER
8	#8125-08	4	3/8" NYLOCK NUT (THICK)
9	#8125-09	4	3/8" X 70mm CARRIAGE BOLT