

The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Wednesday**, **March 11**, **2020** at 12:15 a.m. Eastern Time. Please <u>contact NSF</u> to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <u>http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=58770&Standard=061&</u>

NSF/ANSI/CAN 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of <u>Abbreviations used in these Listings</u>. Click here for the definitions of <u>Water Contact Temperatures denoted in these Listings</u>.

Equistar Chemicals, LP

One Houston Center 1221 McKinney Street Suite 700 Houston, TX 77010 United States 713-309-7905 Visit this company's website (http://www.lyb.com)

Facility : Morris, IL

Protective (Barrier) Materials

Water
Contact
Material
PE
Co

>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
	>= 5 gal. >= 5 gal. >= 5 gal. >= 5 gal. >= 5 gal.	>= 5 gal. C. HOT >= 5 gal. C. HOT

* All Listed products from this facility are NSF Certified, whether or not they bear the NSF Mark.

Facility : Alvin, TX

Protective (Barrier) Materials

		Water	Water
	Water Contact	Contact	Contact
Trade Designation	Size Restriction	Temp	Material
Petrothene LT493701*	>= 5 gal.	D. HOT	PE
Petrothene LT493702*	>= 5 gal.	D. HOT	PE

* All Listed products from this facility are NSF Certified, whether or not they bear the NSF Mark.

Facility : Laporte, TX

Protective (Barrier) Materials

	Water	Water
Water Contact	Contact	Contact
Size Restriction	Temp	Material
>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
>= 5 gal.	C. HOT	PE
	Size Restriction >= 5 gal. >= 5 gal. >= 5 gal.	Water ContactContactSize RestrictionTemp>= 5 gal.C. HOT>= 5 gal.C. HOT>= 5 gal.C. HOT

Petrothene GA643962	>= 5 gal.	C. HOT	PE
Microthene MP643962	>= 5 gal.	C. HOT	PE

* All Listed products from this facility are NSF Certified, whether or not they bear the NSF Mark.

Number of matching Manufacturers is 1 Number of matching Products is 16 Processing time was 0 seconds