

# B | SHOCKED

ELECTRICAL



CATALOGUE 2023

<http://bshockedelectrical.co.za>



# INDEX

CONTENTS	PAGES	CATEGORY	
<b>T8 TUBE LIGHTS</b> Single End   Clear Glass   Clear Plastic Aluminum   Frosted Glass   Frosted Plastic Aluminum   2ft   4ft   5ft	Pg 1	Commercial	
<b>T8 OPEN CHANNEL FITTINGS</b> Double Lamp   Single Lamp   Diffused   Linkable LED Undercounter Lighting   T8 LED Tubular Lighting	Pg 2	Commercial	
<b>BULBS   SPIRAL LAMPS</b> A50 Lamps   A60 Lamps   A70 Lamps   E27   E14   Spiral Lamps   E27   E14	Pg 3	Commercial	
<b>CORN LAMPS</b> LED Corn Lamps   E27   W14   2U   3U   4U	Pg 4	Commercial	
<b>T- LAMPS</b> LED DC Lamps   Eco Type LED T- Lamps   High Powered T- Lamps	Pg 5	Commercial	
<b>DOWN LIGHTS</b> LED GU 10 - 230 VAC   LED MR 16 - 230 VAC	Pg 6	Commercial	
<b>DOWN LIGHTS</b> Plastic Down Lights   Fixed Recessed Down Lights   Adjustable Recessed Down Lights	Pg 7	Commercial	
<b>FLOOD LIGHTS</b> Emergency Bulbs   Emergency Tubular Lighting   LED Flood Lights	Pg 8	Industrial	
<b>FLOOD LIGHTS</b> LED Flood Lights	Pg 9	Industrial	
<b>UFO HIGH - BAYS</b> LED UFO High Bays   Diffused UFO High Bays	Pg 10	Industrial	
<b>LED HIGH - BAYS</b> LED High Bays   Eco Type LED High Bays	Pg 11	Industrial	
<b>PANEL LIGHTS</b> LED Recessed Down Lights   LED Recessed Panel Lights   LED Surface Mount Down Lights	Pg 12	Commercial	
<b>TRACK LIGHTS</b> 2 Wire, LED Track Lights   LED Track Lights E27   2 Wire, Tracks	Pg 13	Commercial	
<b>STRIP LIGHTS</b> Strip Lights   Power Supply   Neon Flex	Pg 14	Commercial	
<b>RING LIGHTS</b> Selfie Ring Lights Complete With Adjustable Tripod Stand   Selfie Ring Lights CCT Adjustable	Pg 15	Decorative	
<b>LED SOLAR FLOOD LIGHTS</b> Solar Flood Lights	Pg 16	Solar & Backup	
<b>SOLAR LED STREET LIGHTS</b> Solar Street Lights   Post Tops	Pg 17	Solar & Backup	
<b>SOLAR GARDEN LAMPS</b> Solar Wall Lights   Solar Post Tops   Solar Ballards	Pg 18	Solar & Backup	
<b>SOLAR WALL LIGHTS</b> Solar Wall Lights   Solar Strip Lights   Solar Dummy Camera   Solar Wifi camera CCTV	Pg 19	Solar & Backup	
<b>BATTERIES</b> Gel   Lithium - Ion   Lead Acid   Calcium Acid	Pg 20 - 21	Solar & Backup	
<b>INVERTERS</b> Backup Inverters   DC Portable Solar Kits	Pg 22	Solar & Backup	
<b>GENERATORS</b> Diesel Generators   Petrol Generators   Silent Generators	Pg 23	Solar & Backup	
<b>SOLAR PANELS</b> Omega Solar PV Panels   Tier 1	Pg 23 - 24	Solar & Backup	
<b>PENDANT LIGHTS</b> Decorative Pendant Lights   Ceiling Lights	Pg 25 - 26	Decorative	



# INDEX

CONTENTS	PAGES	CATEGORY	
<b>DECO LIGHTING &amp; OSCILLATING FANS</b> Deco Lights   Fans	Pg 27	Decorative & Fans	
<b>CHANDELIERS</b> Chandeliers	Pg 28 - 29	Decorative	




**2 YEAR WARRANTY**

## LED T8 TUBULAR LIGHTING



The Energy Focus Commercial Double-Ended LED tube (DEBB) features a direct-wire installation mode and allows existing tombstones (SHUNTED) to be utilized providing customers with significant savings by reducing the average retrofit installation time. The Commercial DEBB does not depend on any ballast to function normally minimizing points of failure and requiring less maintenance. The Commercial DEBB reaffirms Energy Focus' commitment to producing products that are high quality, long-lasting and sustainable.



### DOUBLE ENDED T8

ITEM CODE	WATTAGE	COLOR TEMP	LENGTH	LUMENS	VOLTAGE
RIIGNT-T8YP09 DL	9W	6500K	600mm(2ft)	700Lm	175-265V
RIIGNT-T8YP18	18W	6500K	1200mm(4ft)	1600Lm	175-265V
RIIGNT-T8YP20	20W	6500K	1200mm(4ft)	1800Lm	175-265V
RIIGNT-T8YP24	24W	6500K	1500mm(5ft)	2400Lm	175-265V
RIIGNT-T8RC30MGJ	30W	6500K	1200mm(4ft)	3000Lm	85-265V

IP 20 | Life Span-25,000 hrs | Frosted Glass | Double Ended **NAVIGATE**

ITEM CODE	WATTAGE	COLOR TEMP	LENGTH	LUMENS	VOLTAGE
RIIGOL-FL20W4	20W	6500K	1200mm(4ft)	1600Lm	175-265V
RIIGOL-FL24W4	24W	6500K	1500mm(5ft)	1920Lm	175-265V
RIIGOL-FL24W7	24W	6500K	1200mm(4ft)	1600Lm	175-265V

IP 20 | Life Span-25,000 hrs | Frosted Glass | Double ended **OMEGA**

ITEM CODE	WATTAGE	COLOR TEMP	LENGTH	LUMENS	VOLTAGE
RIIGOL-FL18W4	18W	6500K	1200mm(4ft)	1500Lm	160-265V

IP20 | Life Span-25,000 hrs | Clear Glass | Double ended **OMEGA**


ITEM CODE	WATTAGE	COLOR TEMP	LENGTH	LUMENS	VOLTAGE
RIIGOL-FL18W1	18W	6500K	1240mm(4ft)	1850Lm	85-265V
RIIGOL-FL24W1	24W	6500K	1500mm(5ft)	2500Lm	85-265V

IP20 | Life Span-25,000 hrs | Clear, Plastic, Aluminum | Double ended **OMEGA**

ITEM CODE	WATTAGE	COLOR TEMP	LENGTH	LUMENS	VOLTAGE
RIIGOL-FL18W2	18W	6500K	1240mm(4ft)	1600Lm	85-265V
RIIGOL-FL24W2	24W	6500K	1500mm(5ft)	2300Lm	85-265V

IP-20 | Life Span 25,000 hrs | Frosted, Plastic, Aluminum | Double ended **OMEGA**

### SINGLE ENDED T8





ITEM CODE	WATTAGE	COLOR TEMP	LENGTH	LUMENS	VOLTAGE	MATERIAL
RIIGOL-FL18W6	18W	6500K	1240mm(4ft)	1600Lm	85-265V	Frosted Pc   Alu
RIIGNT-T8YP20-DDSR	20W	6500K	1240mm(4ft)	1800Lm	175-265V	Frosted Glass
RIIGOL-FL24W6	24W	6500K	1540mm(5ft)	2140Lm	85-265V	Frosted Pc   Alu

IP-20 | Life Span 25,000 hrs | Single ended **NAVIGATE** **OMEGA**

**2 YEAR WARRANTY**

## T8 LED OPEN CHANNEL FITTING



ITEM CODE	WATTAGE	LENGTH	REFLECTOR	DIMENSIONS
RIIGNT-SZDZ1.2	16W - 24W	4ft	YES	1245 X 265 X 150mm
RIIGNT-SZPG1.2	16W - 24W	4ft	NO	1245 X 265 X 150mm

Prewired Open channel fittings for T8 LED Tubes (LED TUBE EXCLUDED) **NAVIGATE**

ITEM CODE	WATTAGE	LENGTH	REFLECTOR	DIMENSIONS
RIIGNT-SZPG1.5	18W - 58W	5ft	NO	1550 X 210 X 110mm

Prewired Open channel fittings for T8 LED Tubes (LED TUBE EXCLUDED) **NAVIGATE**

ITEM CODE	WATTAGE	LENGTH	REFLECTOR	DIMENSIONS
RIIGNT-DZDZ1.2	16W - 24W	4ft	YES	1245 X 265 X 150mm
RIIGNT-DZPG1.2	16W - 24W	4ft	NO	1245 X 265 X 150mm
RIIGNT-DZPG1.5	18W - 58W	5ft	NO	1550 X 210 X 110mm

Prewired Open channel fittings for T8 LED Tubes (LED TUBE EXCLUDED) **NAVIGATE**

ITEM CODE	WATTAGE	LENGTH	REFLECTOR	DIMENSIONS
RIIGNT-DZJ1.2	16W - 24W	4ft	NO	1240 X 208 X 178mm

Prewired Open channel fittings for T8 LED Tubes (LED TUBE EXCLUDED) **NAVIGATE**

**2 YEAR WARRANTY**

## LINKABLE LED UNDERCOUNTER LIGHTING



ITEM CODE	WATTAGE	LENGTH	LUMENS	UNIT DIMENSIONS
RIIGNT-T5FX05	5W	1 ft	450Lm	340 X 175 X 165mm
RIIGOL-FL10W5	10W	2 ft	600Lm	650 X 245 X 155mm
RIIGNT-T5FX10	10W	2 ft	900Lm	625 X 175 X 165mm
RIIGNT-T5FX15	15W	3 ft	1350Lm	925 X 175 X 165mm
RIIGNT-T5FX20	20W	4 ft	1800Lm	1225 X 175 X 165mm
RIIGOL-FL18W8	18W	4 ft	1600Lm	1225 X 175 X 165mm

**NAVIGATE** **OMEGA**

**2 YEAR WARRANTY**

## T8 LED INTERGRATED TUBULAR LIGHTING



ITEM CODE	WATTAGE	LENGTH	LUMENS	UNIT DIMENSIONS
RIIGNT-T8YP09B	8W	2 ft	800Lm	635 X 240 X 240mm
RIIGNT-T8YP18B	19W	4 ft	1600Lm	1245 X 240 X 240mm

**NAVIGATE**



**2 YEAR WARRANTY**



## LED BULBS

**R 0 00.00 INCL. VAT**

Add Color to item code \*

ITEM CODE	RIIGOLB-03W-E27-*	RIIGOLB-05W-E27-*	RIIGNT-ZDA50-E27-*	RIIGOLB-09W-E27-*
WATTAGE	3W	5W	5W	9W
BASE	E27	E27	E27	E27
LUMENS	240Lm	400Lm	400Lm	720Lm
COLOR	6500K	6500K	*DL *VWV	6500K

Voltage 175 - 265VAC | Beam Angle - 180° | Not Dimmable | SMD

**NAVIGATE** **OMEGA**

**R 0 00.00 INCL. VAT**

Add Color to item code \*

ITEM CODE	RIIGNT-ZDA60-E27-*	RIIGNT-ZDA60-E27-*	RIIGOLB-12W-E27-*	RIIGNT-ZDA70-E27-*
WATTAGE	9W	12W	12W	15W
BASE	E27	E27	E27	E27
LUMENS	720Lm	960Lm	960Lm	1200Lm
COLOR	*DL *VWV	*DL *VWV	6500K	*DL *VWV

Voltage 175 - 265VAC | Beam Angle - 180° | Not Dimmable | SMD

**NAVIGATE** **OMEGA**

**2 YEAR WARRANTY**



## SPIRAL LAMPS

**R 0 00.00 INCL. VAT**

Add Color to item code \*

ITEM CODE	RIIGNV-YMDS007-E27-*	RIIGNV-YMDS009-E27-*	RIIGNV-YMDS011-E27-*	RIIGNV-YMDS013-E27-*	RIIGNV-YMDS016-E27-*
WATTAGE	7W	9W	11W	13W	16W
BASE	E27	E27	E27	E27	E27
LUMENS	595Lm	765Lm	935Lm	1105Lm	1360Lm
COLOR	*DL *VWV	*DL *VWV	*DL *VWV	*DL *VWV	*DL *VWV

Voltage 220 - 240VAC | Beam Angle - 180° | Not Dimmable | SMD

**R 0 00.00 INCL. VAT**

Add Color to item code \*

ITEM CODE	RIIGNV-YMDS007-E14-*	RIIGNV-YMDS011-E14-*
WATTAGE	7W	11W
BASE	E14	E14
LUMENS	595Lm	935Lm
COLOR	*DL *VWV	*DL *VWV

Voltage 220 - 240VAC | Beam Angle - 180° | Not Dimmable | SMD

**2 YEAR WARRANTY**



## E27 LED LAMPS (2U | 3U | 4U)

LED	FLUORESCENT	INCANDESCENT
3W	→ 7W	→ 35W
5W	→ 11W	→ 50W
7W	→ 15W	→ 70W
9W	→ 19W	→ 90W
12W	→ 25W	→ 120W
16W	→ 33W	→ 160W
20W	→ 38W	→ 200W
30W	→ 60W	→ 300W

Add Color to item code \*

ITEM CODE	RIIGNV-YMD003-E27-*	RIIGNV-YMD005-E27-*	RIIGNV-YMD007-E27-*	RIIGNV-YMD009-E27-*	RIIGOLB-U9W
WATTAGE	3W	5W	7W	9W	9W
BASE	E27	E27	E27	E27	E27
LUMENS	255Lm	425Lm	595Lm	765Lm	810Lm
COLOR	*DL *VWV	*DL *VWV	*DL *VWV	*DL *VWV	*DL

Voltage 220 - 240VAC | Beam Angle - 180° | Not Dimmable | SMD

LED	FLUORESCENT	INCANDESCENT
3W	→ 7W	→ 35W
5W	→ 11W	→ 50W
7W	→ 15W	→ 70W
9W	→ 19W	→ 90W
12W	→ 25W	→ 120W
16W	→ 33W	→ 160W
20W	→ 38W	→ 200W
30W	→ 60W	→ 300W

Add Color to item code \*

ITEM CODE	RIIGNV-YMD011-E27-*	RIIGOLB-U12W	RIIGNV-YMD013-E27-*	RIIGNV-YMD016-E27-*	RIIGNV-YMD020-E27-*	RIIGOLB-4U30W
WATTAGE	11W	12W	13W	16W	20W	20W
BASE	E27	E27	E27	E27	E27	E27
LUMENS	935Lm	1080Lm	1105Lm	1360Lm	1700Lm	2700Lm
COLOR	*DL *VWV	*DL	*DL *VWV	*DL *VWV	*DL *VWV	*DL

Voltage 220 - 240VAC | Beam Angle - 180° | Not Dimmable | SMD

**2 YEAR WARRANTY**



## E14 LED LAMPS (2U | 3U | 4U)

LED	FLUORESCENT	INCANDESCENT
3W	→ 7W	→ 35W
5W	→ 11W	→ 50W
7W	→ 15W	→ 70W
9W	→ 19W	→ 90W
12W	→ 25W	→ 120W
16W	→ 33W	→ 160W
20W	→ 38W	→ 200W
30W	→ 60W	→ 300W

Add Color to item code \*

ITEM CODE	RIIGNV-YMD003-E14-*	RIIGNV-YMD005-E14-*	RIIGNV-YMD007-E14-*	RIIGNV-YMD009-E14-*	RIIGNV-YMD011-E14-*
WATTAGE	3W	5W	7W	9W	11W
BASE	E14	E14	E14	E14	E14
LUMENS	255Lm	425Lm	595Lm	765Lm	935Lm
COLOR	*DL *VWV	*DL *VWV	*DL *VWV	*DL *VWV	*DL *VWV

Voltage 220 - 240VAC | Beam Angle - 180° | Not Dimmable | SMD



**2 YEAR WARRANTY**



## LED DC LAMP

ITEM CODE	WATTAGE	LUMENS	BASE	BEAM ANGLE	COLOR
RIIGSLL-L2403D*	3W	280Lm	E27	160°	CW
RIIGSLL-L2405D*	5W	470Lm	B22	160°	CW
RIIGSLL-L2407D*	7W	1000Lm	E27	160°	CW

12VDC | 24VDC | Non Dimmable **Add voltage to item code \*12VDC | \*24VDC**

**2 YEAR WARRANTY**



## LED T-LAMPS



ITEM CODE	RIIGNT-YGFYK15W	RIIGNT-YGFYK20W	RIIGNT-YGFYK30W	RIIGNT-YGFYK40W	RIIGNT-YGFYK50W
WATTAGE	15W	20W	30W	40W	50W
LUMENS	720Lm	960Lm	1440Lm	1920Lm	2400Lm
VOLTAGE	175-265VAC	175-265VAC	175-265VAC	175-265VAC	175-265VAC
UNIT DIMENSIONS	Ø 70 x 140mm	Ø 80 x 150mm	Ø 100 x 175mm	Ø 120 x 210mm	Ø 125 x 225mm
BASE	E27	E27	E27	E27	E27

IP - 40 | 270° Beam Angle | Color temp - 6000K | CRI >80 | SMD **NAVIGATE™**

**2 YEAR WARRANTY**



## HIGH POWERED T-LAMPS



ITEM CODE	RIIGNT-QP50W	RIIGNT-QP100W	RIIGNT-QP150W
WATTAGE	50W	100W	150W
LUMENS	4500Lm	9000Lm	13500Lm
VOLTAGE	175-265VAC	175-265VAC	175-265VAC
UNIT DIMENSIONS	Ø 120 x 215mm	Ø 150 x 260mm	Ø 170 x 260mm
BASE	E27	E27	E27

IP - 40 | 270° Beam Angle | Color temp - 6000K | CRI >80 | SMD **NAVIGATE™**



ITEM CODE	WATTAGE	LUMENS	BASE	DIMENSIONS	COLOR
RIIGCRD-HP80W	80W	7600Lm	E27 & E40	Ø 140 X 300mm	DL (6500K)
RIIGCRD-HP100W	100W	9000Lm	E27 & E40	Ø 140 X 300mm	DL (6500K)
RIIGHN-HB001-150W	150W	13500Lm	E27 & E40	Ø 160 X 325mm	DL (6500K)
RIIGHN-HB001-200W	200W	18000Lm	E27 & E40	Ø 160 X 325mm	DL (6500K)

230VAC **Lamps supplied with E27 - E40 Adaptor**

ACCESSORIES CODE	DESCRIPTION
RIIGCRD-HP80W	Optional Reflector for use with HN-HB1-100W   200W
RIIGCRD-HP100W	Optional Reflector for use with CRD-HP80W   100W

**2 YEAR WARRANTY**



## LED GU10-230VAC

**Add Color to item code \***

ITEM CODE	RIIGSMD-GU10-3W*	RIIGHS-GU10-5W*	RIIGKL-GU10-7W*	RIIGHS-GU10-5W*-5Y	RIIGSMD-GU10-6W*
WATTAGE	3W	5W	7W	5W	6W
LUMENS	240Lm	450Lm	500Lm	350Lm	480Lm
BEAM ANGLE	120°	45°	38°	48°	120°
COLOR	*WW *CW *DL *R *GN *BL *Y	*WW *CW *DL	*WW *CW	*WW *CW *DL	*WW *CW *DL

NON - Dimmable | 230VAC | Gu10

**Add Color to item code \***

**Non - Dimmable**

ITEM CODE	RIIGGU10-3528-60*	RIIGDIM-MS-GU10-5W*	RIIGDIM-GU10-5W*	RIIGDIM-KL-GU10-7W*	RIIGDIM-GU10-5W*-5Y
WATTAGE	3W	5W	5W	7W	5W
LUMENS	380Lm	380Lm	450Lm	560Lm	350Lm
BEAM ANGLE	120°	120°	38°	38°	48°
COLOR	*WW *CW *DL	*WW *CW *DL	*WW *CW	*WW *CW *DL	*WW *CW *DL

Dimmable | 230VAC | Gu10

**2 YEAR WARRANTY**



## LED MR16-230VAC

**Add Color to item code \***

ITEM CODE	RIIGSMD-MR16-3W*	RIIGSMD-MR16-6W*	RIIGHS-MR16-5W*	RIIGKL-MR16-7W*	RIIGMR16-3528-60*	RIIGHS-MR16-1X3W*	RIIGHS-MR16-5W*-5Y
WATTAGE	3W	6W	5W	7W	5W	3W	5W
LUMENS	250Lm	480Lm	350Lm	500Lm	380Lm	200Lm	350Lm
BEAM ANGLE	120°	120°	45°	38°	120°	60°	48°
COLOR	*WW *CW *DL	*WW *CW *DL	*WW *CW	*WW *CW *DL	*WW *CW *DL	*WW *CW *R *GN *BL *Y	*WW *CW *DL

NON - Dimmable | 12V | MR16

**Add Color to item code \***

**230VAC Non - Dimmable**      **230VAC**      **12V**      **230VAC**      **12V**      **12V**      **12V**

ITEM CODE	RIIGHS-MR16-1X3W*230	RIIGHS-MR16-3X1W*230	RIIGDIM-MR16-35-60*	RIIGDIM-MR16-30-60*230	RIIGDIM-MS-MR16-5W*	RIIGDIM-MR16-5W*	RIIGDIM-MR16-7W*
WATTAGE	3W(1 X 3W)	3W(3 X 1W)	4W	4W	5W	5W	7W
LUMENS	250Lm	200Lm	380Lm	380Lm	380Lm	450Lm	670Lm
BEAM ANGLE	28°	60°	120°	38°	120°	38°	38°
COLOR	*WW *CW	*WW *CW	*CW *DL	*WW *CW *DL	*WW *CW *DL	*WW	*WW *CW

Dimmable | MR16



2 YEAR WARRANTY

## PLASTIC DOWNLIGHTS



ITEM CODE	COLOR	CUT - OUT	BEZEL SIZE
RIIGDL-0175	White	Ø 75mm	Ø 88mm
RIIGDL-0275	White	Ø 75mm	Ø 88mm
RIIGDL-0375	White	Ø 75mm	Ø 90mm
RIIGDL-0475	White	Ø 75mm	Ø 90mm
RIIGDL-0575	White	Ø 75mm	Ø 90mm
RIIGDL-0670	White	Ø 75mm	Ø 90mm
RIIGDL-048080	White	75 X 75mm	Ø 93 X 93mm
RIIGDL-0480160	White	80 X 160mm	Ø 173 X 93mm
RIIGDL-0480240	White	80 X 240mm	Ø 252 X 93mm
RIIGDL-0785A	White	85 X 85mm	Ø 93 X 93mm
RIIGDL-0785B	White	85 X 85mm	Ø 93 X 93mm
RIIGDL-0885A	White	85mm	Ø 93mm
RIIGDL-0885B	White	85mm	Ø 93mm
RIIGDL-09100A	White	Surface mount	96 X 96 X 100mm

Down light covers sold separately from down lights | Suitable for GU10 and MR16



2 YEAR WARRANTY

## LED INTERGRATED PLASTIC DOWNLIGHTS



ITEM CODE	WATTAGE	LUMENS	CUT - OUT	MATERIAL COLOR	DIMENSIONS	COLOR
RIIGRN-AP3-3W*	3W	240Lm	Ø 60mm	White	Ø 75 X 45mm	*WW CW
RIIGRN-AP3-5W*	5W	400Lm	Ø 75mm	White	Ø 90 X 45mm	*WW CW
RIIGRN-AP3-7W*	7W	560Lm	Ø 75mm	White	Ø 90 X 45mm	*WW CW
RIIGRN-AP3-10W*	10W	800Lm	Ø 95mm	White	Ø 120 X 55mm	*WW CW
RIIGSQ-AP3-3W*	3W	240Lm	60 X 60mm	White	75 X 75 X 45mm	*WW CW
RIIGSQ-AP3-5W*	5W	400Lm	75 X 75mm	White	90 X 45 X 45mm	*WW CW
RIIGSQ-AP3-7W*	7W	560Lm	75 X 75mm	White	90 X 45 X 45mm	*WW CW
RIIGSQ-AP3-10W*	10W	800Lm	95 X 95mm	White	120 X 120 X 55mm	*WW CW
RIIGNT-ONTD*	5W	400Lm	95 X 185mm	White Black*	110 X 200 X 80mm	*DL

230VAC | PBT Thermal plastic | Tiltable | Add Color to item code\*

2 YEAR WARRANTY

## ADJUSTABLE RECESSED DOWN LIGHTS

ITEM CODE	WATTAGE	LUMENS	BEAM ANGLE	COLOR
RIIGNT-OY6W	6W	400Lm	120°	*WW CW DL
RIIGOL-SL31A	7W	450Lm	15°	*DL
RIIGNT-OY9W	9W	700Lm	120°	*DL
RIIGOL-SL51A	12W	780Lm	15°	*DL
RIIGOL-SL01	5W	400Lm	60°	*DL

NON - Dimmable | 230VAC



2 YEAR WARRANTY

## EMERGENCY BULBS & TUBULAR LIGHTING



ITEM CODE	WATTAGE	COLOR TEMP	LENGTH	LUMENS	VOLTAGE
RIIGEMGHD-BLE5W*	5W	CW DL*	E27 ehith B22 Adaptor	375Lm	60mmX108mm
RIIGEMGHD-BLE9W*	9W	CW DL*	E27 ehith B22 Adaptor	675Lm	60mmX108mm
RIIGEMGHD-BLE12W*	12W	CW DL*	E27 ehith B22 Adaptor	900Lm	80mmX170mm

Battery Life: 4 - 5 Hours | ADD Color to item code : CW|DL\*



ITEM CODE	WATTAGE	LUMENS	LENGTH	COLOR
RIIGEMG-M-LEDT8-A2FR*	9W	800Lm	600mm	CW DL
RIIGEMG-M-LEDT8-A4FR*	18W	1600Lm	1200mm	CW DL
RIIGEMG-M-LEDT8-A5FR*	22W	1900Lm	1500mm	CW DL

With Internal Battery | Supply Voltage: 230VAC | Maintained emergency lighting luminaires are built to be active continuously in every day life, and through the event of a power cut, irrespective if switch is on or off | Emergency Back - Up Time: 1 Hour @ 300lm | ADD Color to item code\*

ITEM CODE	WATTAGE	LUMENS	LENGTH	COLOR
RIIGEMG-LEDT8-A2FR*	9W	800Lm	600mm	CW DL*
RIIGEMG-LEDT8-A4FR*	18W	1600Lm	1200mm	CW DL*
RIIGEMG-LEDT8-A5FR*	22W	1900Lm	1500mm	CW DL*

With Internal Battery | Supply Voltage: 230VAC | Emergency Back - Up Time: 1 Hour @ 300lm | Emergency only works when switch is on and mains fail | Tube to be wired independantly. | ADD Color to item code\*

2 YEAR WARRANTY

## LED FLOOD LIGHTS

ITEM CODE	WATTAGE	LUMENS	UNIT DIMENSIONS	BOX DIMENSIONS
RIIGOL-F10G	10W	1000Lm	120 x 40 x 150mm	135 x 50 x 155mm
RIIGOL-F30G	30W	3000Lm	230 x 50 x 220mm	235 x 60 x 260mm
RIIGOL-F50G	50W	5000Lm	285 x 65 x 275mm	295 x 70 x 315mm

Voltage 175 - 265VAC | IP - 65 | 120° Beam Angle | Color temp - 6500K | CRI >80 | SMD

ITEM CODE	WATTAGE	LUMENS	UNIT DIMENSIONS	BOX DIMENSIONS
RIIGNT-JH50W	50W	4800Lm	210 x 60 x 240mm	240 x 65 x 290mm
RIIGNT-JH200W	200W	18000Lm	310 x 105 x 350mm	335 x 110 x 395mm

Voltage 175 - 265VAC | IP - 65 | 120° Beam Angle | Color temp - 6500K | CRI >80 | SMD

ITEM CODE	WATTAGE	LUMENS	UNIT DIMENSIONS	BOX DIMENSIONS
RIIGOL-F10D	10W	720Lm	115 x 80 x 85mm	120 x 85 x 110mm
RIIGNT-ZSTGD30	30W	2700Lm	160 x 30 x 120mm	165 x 40 x 130mm
RIIGOL-F30S	30W	2700Lm	225 x 40 x 185mm	240 x 70 x 265mm

Voltage 85 - 265VAC | IP - 65 | 120° Beam Angle | Color temp - 6500K | CRI >80 | SMD





**2 YEAR WARRANTY**

## LED FLOOD LIGHTS


R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGOL-F10A	RIIGOL-F30A	RIIGOL-F50A-1	RIIGOL-F2HA
WATTAGE	10W	30W	50W	200W
LUMENS	900Lm	2400Lm	4000Lm	20000Lm
UNIT DIMENSIONS	115 x 80 x 100mm	225 x 105 x 185mm	285 x 115 x 240mm	485 x 160 x 325mm
BOX DIMENSIONS	120 x 90 x 100mm	230 x 125 x 190mm	295 x 145 x 245mm	530 x 200 x 355mm

Voltage 175 - 265VAC | IP - 65 | 120° Beam Angle | Color temp - 6500K | CRI >80 | SMD



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT




ITEM CODE	RIIGOL-F50B	RIIGOL-F100B	RIIGOL-F150B
WATTAGE	50W	100W	150W
LUMENS	5000Lm	10000Lm	15000Lm
UNIT DIMENSIONS	200 x 40 x 175mm	205 x 50 x 210mm	290 x 60 x 250mm
BOX DIMENSIONS	180 x 50 x 210mm	215 x 55 x 250mm	255 x 60 x 300mm


Voltage 175 - 265VAC | IP - 65 | 120° Beam Angle | Color temp - 6500K | CRI >80 | SMD



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT




ITEM CODE	RIIGOL-F20	RIIGOL-F50A	RIIGOL-F100
WATTAGE	20W	50W	100W
LUMENS	1600Lm	4000Lm	8000Lm
UNIT DIMENSIONS	185 x 130 x 145mm	290 x 150 x 240mm	290 x 155 x 265mm
BOX DIMENSIONS	190 x 160 x 125mm	300 x 245 x 170mm	315 x 290 x 170mm


Voltage 175 - 265VAC | IP - 65 | 120° Beam Angle | Color temp - 6500K | CRI >80 | SMD



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGOL-F150	RIIGOL-F200
WATTAGE	150W	200W
LUMENS	12000Lm	16000Lm
UNIT DIMENSIONS	385 x 155 x 290mm	395 x 160 x 355mm
BOX DIMENSIONS	410 x 310 x 145mm	415 x 370 x 205mm

Voltage 175 - 265VAC | IP - 65 | 120° Beam Angle | Color temp - 6500K | CRI >80 | SMD



**3 YEAR WARRANTY**

## UFO LED HIGH BAYS (not yet available)



**2 YEAR WARRANTY**

ITEM CODE	RIIGOL-H100W5	RIIGOL-H150W5	RIIGOL-H200W5	RIIGOL-H100W4
WATTAGE	100W	150W	200W	100W
LUMENS	15000Lm	22500Lm	30000Lm	10000Lm
UNIT DIMENSIONS	∅ 270 x 115mm	∅ 300 x 120mm	∅ 350 x 130mm	∅ 230 x 210mm
BOX DIMENSIONS	275 x 275 x 60mm	315 x 315 x 60mm	315 x 315 x 60mm	450 x 450 x 510mm

Voltage 175 - 265VAC | IP - 40 | 90° Beam Angle | Color temp - 6000K | CRI >80 | SMD



**2 YEAR WARRANTY**

## UFO LED HIGH BAYS-DIFFUSED

END OF RANGE



ITEM CODE	RIIGOL-H100W3	RIIGOL-H150W3	RIIGOL-H200W3
WATTAGE	100W	150W	200W
LUMENS	9000Lm	18000Lm	23000Lm
UNIT DIMENSIONS	∅ 230 x 210mm	∅ 330 x 210mm	∅ 330 x 210mm
BOX DIMENSIONS	450 x 450 x 510mm	450 x 450 x 550mm	510 x 510 x 600mm

Voltage 85 - 265VAC | IP - 40 | 120° Beam Angle | Color temp - 6000K | CRI >80 | SMD



**5 YEAR WARRANTY**

## UFO LED HIGH BAYS (not yet available)



ITEM CODE	WATTAGE	LUMENS	DIMENSIONS
RIIGOL-H100W6	100W	19000Lm	∅ 253 x 190mm
RIIGOL-H150W6	150W	28500Lm	∅ 308 x 112mm
RIIGOL-H200W6	200W	38000Lm	∅ 330 x 210mm



**5 YEAR WARRANTY**

## UFO LED HIGH BAYS



ACCESSORIES CODE	WATTAGE	BASE	LUMENS	DIMENSIONS
RIIGLS-GL-60W-DL	60W	E27	6000LM	232 x 214 x 100mm
RIIGLS-GL-100W-DL	100W	E27	10000LM	266 x 266 x 112mm

ACCESSORIES CODE	WATTAGE	BASE	LUMENS	DIMENSIONS
RIIGL-UFO-30W-DL	30W	E27	3000LM	∅ 150 X 100mm
RIIGL-UFO-50W-DL	50W	E27	5000LM	∅ 220 X 112mm



**2 YEAR WARRANTY**



## LED HIGH BAYS

**END OF RANGE**



ITEM CODE	RIIGOL-H30W	RIIGOL-H100W	RIIGOL-H150W	RIIGOL-H200W
WATTAGE	30W	100W	150W	200W
LUMENS	9000Lm	9000Lm	18000Lm	23000Lm
UNIT DIMENSIONS	Ø 160 x 160mm	Ø 160 x 340mm	Ø 240 x 340mm	Ø 240 x 340mm
DIFFUSER DIMENSIONS	Ø 410 x 100mm	Ø 410 x 100mm	Ø 500 x 140mm	Ø 500 x 140mm
BOX DIMENSIONS	260 x 260 x 270mm	225 x 230 x 360mm	300 x 300 x 360mm	300 x 300 x 370mm

Voltage 85 - 265V | IP - 40 | Beam Angle - 120° | Color temp - 6000K | Life Span - 15,000 hrs | SMD



**END OF RANGE**



ITEM CODE	RIIGOL-H100W2	RIIGOL-H150W2	RIIGOL-H200W2
WATTAGE	100W	150W	200W
LUMENS	9000Lm	18000Lm	23000Lm
UNIT DIMENSIONS	Ø 160 x 340mm	Ø 240 x 340mm	Ø 240 x 340mm
DIFFUSER DIMENSIONS	Ø 410 x 100mm	Ø 500 x 140mm	Ø 500 x 140mm
BOX DIMENSIONS	225 x 230 x 360mm	300 x 300 x 360mm	300 x 300 x 370mm

Voltage 85 - 265V | IP - 40 | Beam Angle - 120° | Color temp - 6000K | Life Span - 15,000 hrs | SMD



**2 YEAR WARRANTY**



## ECO TYPE LED HIGH BAYS



ITEM CODE	WATTAGE	LUMENS	UNIT DIMENSIONS	BOX DIMENSIONS
RIIGNT-BTD100W	100W	9000Lm	Ø185 x 220mm	450 x 450 x 510mm
RIIGNT-BTD200W	200W	18000Lm	Ø210 x 250mm	450 x 450 x 550mm
RIIGNT-BTD300W	300W	23000Lm	Ø250 x 280mm	510 x 510 x 600mm

Voltage 175 - 265VAC | IP - 40 | Beam Angle - 90° | Color temp - 6000K | CRI >80 | SMD




ITEM CODE	WATTAGE	LUMENS	UNIT DIMENSIONS	BOX DIMENSIONS
RIIGNT-GKD100W	100W	7000Lm	Ø200 x 130mm	640 x 430 x 345mm
RIIGNT-GKD150W	150W	13000Lm	Ø210 x 150mm	450 x 450 x 345mm
RIIGNT-GKD300W	200W	14000Lm	Ø240 x 160mm	510 x 510 x 365mm

Voltage 175 - 265VAC | IP - 40 | Beam Angle - 120° | Color temp - 6000K | CRI >80 | SMD



**2 YEAR WARRANTY**




## LED RECESSED DOWN LIGHTS



ITEM CODE	WATTAGE	LUMENS	CUT OUT SIZE	MATERIAL COLOR	UNIT DIMENSIONS	COLOR
RIIGNT-PL3506RA*	6W	390Lm	110mm	White	Ø 120 X 02mm	*DL   WW
RIIGNT-PL4009RA*	9W	630Lm	135mm	White	Ø 145 X 02mm	*DL   WW
RIIGNT-PL5012RA*	12W	840Lm	160mm	White	Ø 170 X 02mm	*DL   WW
RIIGNT-WYY15W*	15W	1260Lm	165mm	White	Ø 175 X 10mm	*DL   WW
RIIGNT-PL8018RA*	18W	1260Lm	200mm	White	Ø 210 X 02mm	*DL   WW
RIIGNT-WYY20W*	20W	1260Lm	190mm	White	Ø 230 X 10mm	*DL   WW
RIIGOL-DL24W3	24W	1680Lm	285mm	White	Ø 295 X 05mm	DL

Voltage 175 - 265VAC | Beam Angle - 120° | Not Dimmable | CRI >70 | IP - 20 | SMD

Add Color to item code\*




ITEM CODE	WATTAGE	LUMENS	CUT OUT SIZE	MATERIAL COLOR	UNIT DIMENSIONS	COLOR
RIIGOL-DL06W4*	06W	360Lm	90mm	White	120 X 120 X 05mm	*DL   WW
RIIGNT-WYF9W*	09W	1260Lm	60 - 80mm	White	120 X 120 X 02mm	*DL   WW
RIIGNT-PL4009SA*	09W	630Lm	135mm	White	145 X 145 X 02mm	*DL   WW
RIIGNT-PL5012SA*	12W	840Lm	160mm	White	170 X 170 X 02mm	*DL   WW
RIIGNT-WYF15W*	15W	1260Lm	60 - 130mm	White	175 X 175 X 10mm	*DL   WW
RIIGNT-PL8018SA*	18W	1260Lm	210mm	White	220 X 220 X 02mm	*DL   WW
RIIGNT-WYF20W*	20W	1260Lm	60 - 190mm	White	230 X 230 X 10mm	*DL   WW
RIIGOL-DL24W4	24W	1680Lm	270mm	White	300 X 300 X 05mm	DL

Voltage 175 - 265VAC | Beam Angle - 120° | Not Dimmable | CRI >70 | IP - 20 | SMD

Add Color to item code\*



**2 YEAR WARRANTY**




## LED RECESSED PANEL LIGHTS




ITEM CODE	WATTAGE	LUMENS	CUT OUT SIZE	MATERIAL COLOR	UNIT DIMENSIONS	COLOR
RIIGNT-JLFCG48W	48W	4000Lm	595 X 595mm	White	595 X 595 X 30mm	6500K
RIIGNT-LHZFG50W	50W	5000Lm	1180 X 275mm	White	1195 X 290 X 30mm	6500K
RIIGNT-LHZFG60W	60W	6000Lm	595 X 595mm	White	595 X 595 X 30mm	6000K
RIIGNT-LHZFG80W	80W	8000Lm	595 X 595mm	White	595 X 595 X 30mm	6500K

Voltage 175 - 265VAC | Beam Angle - 120° | Not Dimmable | CRI >70 | IP - 20 | SMD



**2 YEAR WARRANTY**



## LED SURFACEMOUNT DOWN LIGHTS



ITEM CODE	WATTAGE	LUMENS	CUT OUT SIZE	MATERIAL COLOR	UNIT DIMENSIONS	COLOR
RIIGOL-DL18W1	18W	1150Lm	-	White	Ø 220 X 30mm	6500K
RIIGNT-SM1024RA	24W	1680Lm	-	White	Ø 290 X 30mm	6000K
RIIGOL-DL24W1	24W	1650Lm	-	White	Ø 290 X 10mm	6500K

Voltage 175 - 265VAC | Beam Angle - 120° | Not Dimmable | CRI >70 | IP - 20 | SMD




ITEM CODE	WATTAGE	LUMENS	CUT OUT SIZE	MATERIAL COLOR	UNIT DIMENSIONS	COLOR
RIIGNT-SM8018SA	18W	1260Lm	-	White	200 X 200 X 30mm	6000K
RIIGOL-DL18W2	18W	1150Lm	-	White	220 X 220 X 30mm	6500K
RIIGOL-DL20W1	20W	1250Lm	-	White	300 X 300 X 10mm	6500K
RIIGNT-SM1024SA	24W	1680Lm	-	White	290 X 290 X 30mm	6000K
RIIGOL-DL24W2	24W	1650Lm	-	White	290 X 290 X 30mm	6500K

Voltage 175 - 265VAC | Beam Angle - 120° | Not Dimmable | CRI >70 | IP - 20 | SMD






## 2 YEAR WARRANTY 2 WIRE LED TRACK LIGHTS



ITEM CODE	WATTAGE	LUMENS	BEAM ANGLE	UNIT DIMENSIONS	COLOR
<b>R 0 0 0.00 INCL VAT</b> RIIGNT-BF10LB	10W	900LM	360°-90°	Ø 55 X 180mm	*DL   WW
<b>R 0 0 0.00 INCL VAT</b> RIIGNT-BF20LB	20W	1800LM	360°-90°	Ø 65 X 210mm	*DL   WW
<b>R 0 0 0.00 INCL VAT</b> RIIGNT-BF30LB	30W	2700LM	360°-90°	Ø 75 X 230mm	*DL   WW
<b>R 0 0 0.00 INCL VAT</b> RIIGNT-TLZC38LB	38W	3000LM	360°-90°	Ø 75 X 230mm	*DL   WW

Voltage 175 - 265VAC | IP - 20 | Beam Angle - 120° | CRI >80 | SMD \*Add color to item code



ITEM CODE	WATTAGE	LUMENS	BEAM ANGLE	UNIT DIMENSIONS	COLOR
<b>R 0 0 0.00 INCL VAT</b> RIIGNT-BF10LW	10W	900LM	360°-90°	Ø 55 X 180mm	*DL   WW
<b>R 0 0 0.00 INCL VAT</b> RIIGNT-BF20LW	20W	1800LM	360°-90°	Ø 65 X 210mm	*DL   WW
<b>R 0 0 0.00 INCL VAT</b> RIIGNT-BF30LW	30W	2700LM	360°-90°	Ø 75 X 230mm	*DL   WW
<b>R 0 0 0.00 INCL VAT</b> RIIGNT-TLZC38LW	38W	3000LM	360°-90°	Ø 75 X 230mm	*DL   WW

Voltage 175 - 265VAC | IP - 20 | Beam Angle - 120° | CRI >80 | SMD \*Add color to item code

## 2 YEAR WARRANTY LED TRACK LIGHT E27



**R 0 0 0.00 INCL VAT**



**R 0 0 0.00 INCL VAT**



**R 0 0 0.00 INCL VAT**



**R 0 0 0.00 INCL VAT**

ITEM CODE	RIIGNT-TLZPLB	RIIGNT-TLLPLW	RIIGNT-TLLPLB	RIIGNT-TLZPLW
BASE	E27	E27	E27	E27
MATERIAL COLOR	Black	White	Black	White
MATERIAL	Mild Steel	Mild Steel	Mild Steel	Mild Steel

Voltage 175 - 265VAC | IP - 20 | Beam Angle - 120° \*LIGHT NOT INCLUDED

## 2 YEAR WARRANTY 2 WIRE TRACKS




ITEM CODE	RIIGNT-FXGDT2.0W	RIIGNT-FXGDT2.0B	RIIGNT-FXGDT1.5W	RIIGNT-FXGDT1.5B	RIIGNT-FXGDT1.0W	RIIGNT-FXGDT1.0B
DIMENSIONS	2000 X 175 X 70mm	2000 X 175 X 70mm	1500 X 175 X 70mm	1500 X 175 X 70mm	1000 X 175 X 70mm	1000 X 175 X 70mm

Voltage 175 - 265VAC | IP - 20

## 2 YEAR WARRANTY STRIP LIGHTS | POWER SUPPLY



ITEM CODE	WATTAGE   m	LED   m	STRIP WIDTH	STRIP LENGTH	COLOR
RIIGNT-5730-180D-15MM-W	20 W   m	180 LED   m	15mm	100m	White
RIIGNT-2835-144D-12MM-6COLOR	24 W   m	144 LED   m	12mm	100m	6 color
RIIGNT-5050-60D-8MM-G	12 W   m	60 LED   m	8mm	100m	Green
RIIGNT-5050-60D-8MM-WW	28 W   m	60 LED   m	8mm	100m	Warm White
RIIGNT-2835-120D-10MM-W	8 W   m	120 LED   m	10mm	100m	White
RIIGNT-5730-180D-15MM-WW	20 W   m	180 LED   m	15mm	100m	Warm White
RIIGNV1354	4.8 W   m	120 LED   m	10mm	50m	Red
RIIGNV1356	4.8 W   m	120 LED   m	10mm	50m	Pink
RIIGNV1350	4.8 W   m	120 LED   m	10mm	50m	Yellow
RIIGNV1353	4.8 W   m	120 LED   m	10mm	50m	Green
RIIGNV1351	4.8 W   m	120 LED   m	10mm	50m	White

IP - 40 | Sold in rolls



ITEM CODE	WATTAGE   m	LED   m	STRIP WIDTH	STRIP LENGTH	COLOR
RIIGNT-2835-240D-12VW	23 W   m	240 LED   m	10mm	5m	White
RIIGNT-2835-120D-12VW	7 W   m	120 LED   m	8mm	5m	White
RIIGNT-2845-120D-12VWW	7 W   m	120 LED   m	8mm	5m	Warm White

Cutting length every 3rd LED | Max Length of 5m | Self Adhesive Backing

### POWER CORD

ITEM CODE	RIIGNV1280	RIIGNV1504	RIIGNV1337	RIIGNV1277	RIIGNV1358	RIIGNV1344
DIMENSIONS	10mm	12mm	10mm	8mm	10mm	10mm
VOLTAGE	230VAC	230VAC	230VAC	230VAC	230VAC	230VAC

Strip lights sold separately | Coupling, End cap and Mounting clips included



### POWER SUPPLY

ITEM CODE	RIIG12V/5A-60W	RIIG12V/8.5A-100W	RIIG12V/16.5A-200W
AMPS	5A	8.5A	16.5A
WATTAGE	60W	100W	200W
DIMENSIONS	110 X 35 X 80mm	160 X 40 X 100mm	20 X 40 X 100mm

12V Output | Compatible with 5m Strip Lights | Power cable sold separately



## 2 YEAR WARRANTY NEON FLEX





ITEM CODE	WATTAGE   m	LED   m	STRIP WIDTH	STRIP LENGTH	COLOR
RIIGNT-RH 2835R	24 W   m	120 LED   m	6mm	50m	Red
RIIGNT-RH2835G	24 W   m	120 LED   m	6mm	50m	Green
RIIGNT-RH2835Y	24 W   m	120 LED   m	8mm	50m	Yellow
RIIGNT-RH2835P	24 W   m	120 LED   m	8mm	50m	Pink

Soft LED easy bendable | IP65 | Sold in rolls



## 1 YEAR WARRANTY SELFIE RING LIGHTS CCT ADJUSTABLE



- CCT ADJUSTABLE RING LIGHT 2700K | 4200K | 6000K \*INCLUDED IN RIIGOL-FL\* RANGE
- FLEXIBLE PHONE SUPPORT BRACKET (ADJUSTABLE) \*INCLUDED IN RIIGOL-FL\* RANGE
- ANGLE & ADJUSTABLE ROTATABLE BALL POINT HEAD \*INCLUDED IN RIIGOL-FL\* RANGE
- FLOOR STANDING TRIPOD STAND COMPATIBLE WITH RIIGOL-FL\* RANGE \*EXCLUDING -RIIFOL-FL110



SELFIE RING LIGHT COMPLETE WITH TABLE TRIPOD STAND

**R 0 00.00 INCL VAT**

**END OF RANGE**

ITEM CODE	RIIGOL-FL110	ITEM CODE	RIIGOSS-210
RING LIGHT SIZE	10 inch	MATERIAL	Die - Cast
COLOR	3000K - 6000K	COLOR	Black
MAX HIGHT	19 cm	MAX HIGHT	1.88 m
MIN HIGHT	8.5 cm	MIN HIGHT	0.80 m

### CONTENT & FEATURES

CONTENT	FEATURES
Ring Light	3000K - 6000K Color Settings
Power Cable	Minimum Height 0.8m
Remote Control	5 Brightness Levels
Flexible Phone Support Bracket	Maximum Height 1.70m
Rotatable Ball Joint Head	360° Horizontal Turn Radius
x2 USB Port	180° Vertical Adjustment Radius
Carbon Steel Tripod Stand (Excluding RIIGOL-FL110)	USB Portable to Charge Phone in use

## 1 YEAR WARRANTY SELFIE RING LIGHTS COMPLETE WITH ADJUSTABLE TRIPOD STAND

**R 0 00.00 INCL VAT**

**R 0 00.00 INCL VAT**

**R 0 00.00 INCL VAT**

**END OF RANGE**

ITEM CODE	RIIGOL-FL09	RIIGOL-FL12	RIIGOL-FL15
RING LIGHT SIZE	9 inch	12 inch	15 inch
COLOR	3000K - 6000K	3000K - 6000K	3000K - 6000K
MAX HIGHT	1.88 m	1.88 m	1.88 m
MIN HIGHT	0.80 m	0.80 m	0.80 m

220VDC | IP - 20 | Comes with remote control, 2 x USB Ports, Phone stand | Floor Stand Tripod

## 2 YEAR WARRANTY LED SOLAR FLOOD LIGHTS



ITEM CODE	RIIGOSP-L40	RIIGOSP-L60	RIIGOSP-L100	RIIGOSP-L150
BATTERY LIFE	8 - 12 Hours	8 - 12 Hours	8 - 12 Hours	8 - 12 Hours
WATTAGE   LUMENS	40W   1200Lm	60W   1500Lm	100W   2200Lm	150W   3200Lm
PV PANEL	12W   Poly	15W   Poly	30W   Poly	40W   Poly
FEATURES	Remote control   Timer function   Auto or on / off   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output

IP - 67 | Beam Angle - 120° | Color temp - 6500K | CRI >80 | SMD



ITEM CODE	RIIGOL-01SFL-FSD-10W	RIIGOL-01SFL-FSD-25W	RIIGOL-01SFL-FSD-40W	RIIGOL-01SFL-FSD-60W
BATTERY LIFE	12hrs	12hrs	12hrs	12hrs
WATTAGE   LUMENS	10W   300Lm	25W   450Lm	40W   600Lm	60W   1000Lm
PV PANEL	6W   Poly	8W   Poly	10W   Poly	10W   Poly
FEATURES	Remote control   Timer function   Auto or on / of   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output

IP - 67 | Beam Angle - 120° | Color temp - 6500K | CRI >80 | SMD



ITEM CODE	RIIGOL-01SFL-FSD-120W	RIIGOL-01SFL-FSD-200W	RIIGOL-01SFL-FSD-300W	RIIGOLTQDZ-010-400W
BATTERY LIFE	12hrs	12hrs	12hrs	12hrs
WATTAGE   LUMENS	100W   1500Lm	200W   2500Lm	300W   3500Lm	400W   3350Lm
PV PANEL	15W   Poly	20W   Poly	25W   Poly	40W   Poly
FEATURES	Remote control   Timer function   Auto or on / of   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output	Remote control   Timer function   Auto or on / of   Adjustable light output

IP - 67 | Beam Angle - 120° | Color temp - 6500K | CRI >80 | SMD



**2 YEAR WARRANTY**



## LED SOLAR STREET LIGHTS

R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIGJY003A-60	RIGJY003A-90	RIGJY003A-120
LUMENS BRITE MODE	60W	90W	120W
SOLAR PANEL	9W	13W	16W
WORKING TIME	50W	50W	50W
INSTALLATION HIGHT	50W	50W	50W
BATTERY	3.2V   10AH	3.2V   13AH	3.2V   16AH
LAMP SIZE	485 x 217mm	620 x 238mm	722 x 238mm
SOLAR PANEL SIZE	398 x 213 x 2.5mm	508 x 231 x 2.5mm	608 x 231 x 2.5mm

IP - 65 | Color temp - 6500K | CRI >80 | SMD

R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT

SOLAR STREET LIGHT

ITEM CODE	RIGST-S200	RIGST-S400	RIIGHLZD034-02	RIIGHLZD035-02	RIIGHLZD-057
WATTAGE   LUMENS	200W   10000Lm	400W   20000Lm	30W	50W	150W   200W
SOLAR PANEL	6V   10W	6V   20W	10W   5V	12W   5V	6v   18W
WORKING TIME	11 - 13 Hours	11 - 13 Hours	11 - 13 Hours	11 - 13 Hours	8 - 15 Hours
INSTALLATION HIGHT	2 - 3m	2 - 3m	2 - 3m	2 - 3m	3 - 4m
BATTERY	3.7V   8Ah	3.7V   14Ah	3.2V   10Ah	3.2V   15Ah	3.2V   22Ah
LAMP SIZE	410 x 220 x 60mm	305 x 185 x 65mm	370 x 155 x 40mm	600 x 190 x 65mm	745 x 235 x 55mm

IP - 65 | Color temp - 6500K | CRI >80 | SMD

POLE NOT INCLUDED

Includes a remote controller

R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGRYS-SD01-100W	RIIGRYS-SD01-150W	RIIGRYS-SD01-200W	RIIGRYS-SD01-300W
WATTAGE   LUMENS	100W   1300Lm	150W   1950Lm	200W   2600Lm	300W   3250Lm
SOLAR PANEL	20W	25W	30W	35W
WORKING TIME	Up to 12 Hours	Up to 12 Hours	Up to 12 Hours	Up to 12 Hours
INSTALLATION HIGHT	3 - 4m	4 - 5m	4 - 6m	4 - 6m
BATTERY	3.2V   15Ah	3.2V   20Ah	3.2V   25Ah	3.2V   30Ah
LAMP SIZE	500 x 213 x 50mm	500 x 213 x 50mm	500 x 213 x 50mm	500 x 213 x 50mm
SOLAR PANEL SIZE	450 X 350 X 17mm	530 X 350 X 17mm	600 x 350 x 17mm	600 x 350 x 17mm

IP - 65 | Color temp - 6500K | CRI >80 | SMD

POLE NOT INCLUDED

**2 YEAR WARRANTY**



## LED SOLAR GARDEN LAMPS

### SOLAR WALL LIGHTS

R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGOL-SWL001	RIIGOL-SWL002	RIIGOL-SWL005	RIIGOL-SWL006
BATTERIES	Lithium - ion 4400MA   3.7V	Lithium - ion 2200MA   3.7V	Lithium - ion 2200MA   3.7V	Lithium - ion 4400MA   3.7V
TYPE	14 X LED   0.8W	6 X LED   0.4W	6 X LED   0.4W	6 X LED   0.4W
MATERIAL	Die - Cast   Alu   Glass	Die - Cast   Alu Glass	Die - Cast   Alu   Glass	Die - Cast   Alu   Opel Glass
UNIT DIMENSIONS	300 x 230 x 230mm	190 x 150 x 150mm	190 x 145 x 145mm	190 x 150 x 150mm
BOX DIMENSIONS	460 x 300 x 250mm	330 x 210 x 210mm	420 x 250 x 210mm	330 x 210 x 210mm

Solar Powered | IP - 65 | Color - DL Size does not include fitting

OMEGA

### SOLAR WALL LIGHTS

R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGOL-SWL003	RIIGOL-SWL004
BATTERIES	Lithium - ion 6600MA   3.7V	Lithium - ion 2200MA   3.7V
TYPE	24 X LED   1.5W	1 X LED   0.4W
MATERIAL	Stainless steel   glass	Stainless steel   Opel PC
UNIT DIMENSIONS	370 x 250mm Ø	340 x 210mm Ø
BOX DIMENSIONS	460 x 410 x 300mm	400 x 300 x 270mm

Solar Powered | IP - 65 | Color - DL Size does not include fitting

OMEGA

### SOLAR POST TOPS

R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGOL-SPL001	RIIGOL-SPL002	RIIGOL-SPL003	RIIGOL-SPL004
BATTERIES	Lithium - ion 6600MA   3.7V	Lithium - ion 2200MA   3.7V	Lithium - ion 2200MA   3.7V	Lithium - ion 4400MA   3.7V
TYPE	24 X LED   2.3W	6 X LED   0.4W	6 X LED   0.4W	14 X LED   0.8W
MATERIAL	Die - Cast   Alu   Glass	Die - Cast   Alu   Glass	Die - Cast   Alu   Glass	Die - Cast   Alu   Glass
UNIT DIMENSIONS	360 x 280 x 280mm	330 x 150 x 150mm	280 x 150 x 150mm	460 x 200 x 200mm
BOX DIMENSIONS	410 x 330 x 330mm	390 x 210 x 210mm	340 x 210 x 210mm	510 x 250 x 250mm

Solar Powered | IP - 65 | Color - DL

OMEGA

### SOLAR BOLLARDS

R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGOL-SGL001	RIIGOL-SGL002	RIIGOL-SGL003	RIIGOL-SGL004
BATTERIES	Lithium - ion 4400MA   3.7V	Lithium - ion 2200MA   3.7V	Lithium - ion 4400MA   3.7V	Lithium - ion 4400MA   3.7V
TYPE	9 X LED   1W	1 X LED   0.4W	24 X LED   2.3W	18 X LED   1.5W
MATERIAL	Stainless Steel   Glass	Stainless Steel   Opel Pc	Stainless Steel   Opel Pc	Die-Cast   Alu   Glass
UNIT DIMENSIONS	610 x 250mm Ø	580 x 190mm Ø	600 x 250mm Ø	610 x 180 x 180mm
BOX DIMENSIONS	680 x 300 x 300mm	640 x 240 x 240mm	680 x 300 x 300mm	640 x 240 x 240mm

Solar Powered | IP - 65 | Color - DL

OMEGA



**2 YEAR WARRANTY**

## LED SOLAR WALL LAMPS

R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGEL-155	RIIGEL-188	RIIG237CL-100	RIIGEL-1W
BATTERY LIFE	Dependant on Mode	10 - 12 Hours	Dependant on Mode	10 - 12 Hours
PV PANEL	0.55W	0.55W	0.55W	0.48W
FEATURES	Day Night Sensor: 10 Lux Auto On   Off Adjustable Light Output Sensor: 120, 5m	Auto On   Off 120 PIR   3m Adjustable Light Output	Auto On   Off 120 PIR   3m Adjustable Light Output	Light Mode: On   Off   High   Low Night Sensor: 10 Lux   Sensor 120, 3m Delay 30s


R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



R 0 00.00 INCL VAT



ITEM CODE	RIIGEL-080	RIIG HLZD-081	RIIGEL-830	RIIGEL-200
BATTERY LIFE	Dependant on Mode	Dependant on Mode	Dependant on Mode	Dependant on Mode
PV PANEL	5.5V   1.5W	5.5V   1.5W	3.7V   1.2W	3.7V   2.3W
FEATURES	3 Working Modes: Motion Sensing Always on, PV & Light Panel independently adjustable	3 Working Modes: Motion Sensing Always on, PV & Light Panel independently adjustable   c/w Mounting Kit	3 Working Modes: Motion Sensing Always on, PV & Light Panel independently adjustable   c/w Mounting Kit	3 Working Modes: Motion Sensing   Always on, PV & Light Panel independently adjustable   c/w Mounting Kit, 2 Adjustable Led Spot



ITEM CODE	RIIGJX001-20	RIIGJX001-40	RIIGJX001-60	RIIGJX002-20	RIIGJX002-40	RIIGJX002-60
BATTERY LIFE	6 - 8 Hrs (Depending on Mode)	6 - 8 Hrs (Depending on Mode)	6 - 8 Hrs (Depending on Mode)	6 - 8 Hrs (Depending on Mode)	6 - 8 Hrs (Depending on Mode)	6 - 8 Hrs (Depending on Mode)
PV PANEL	6V   4W	6V   4W	6V   4W	6V   2W	6V   2W	6V   2W
FEATURES	Light Mode: On   Off   High   Low Night Sensor: 10 Lux Sensor 120, 3m Delay 30s	Light Mode: On   Off   High   Low Night Sensor: 10 Lux Sensor 120, 3m Delay 30s	Light Mode: On   Off   High   Low Night Sensor: 10 Lux Sensor 120, 3m Delay 30s	Light Mode: On   Off   High   Low Night Sensor: 10 Lux Sensor 120, 3m Delay 30s	Light Mode: On   Off   High   Low Night Sensor: 10 Lux Sensor 120, 3m Delay 30s	Light Mode: On   Off   High   Low Night Sensor: 10 Lux Sensor 120, 3m Delay 30s

### SOLAR STRIP LIGHT

R 0 00.00 INCL VAT



### 2 in 1 Solar Light & Security Dummy Camera

R 0 00.00 INCL VAT



### Solar Wifi Camera CCTV

R 0 00.00 INCL VAT



ITEM CODE	RIIGEL-5050	RIIGHLZD-037-02	RIIGTQDZ-040
FEATURES	<ul style="list-style-type: none"> <li>This light strip uses solar energy as a power source, turns on automatically at night and off during the day</li> <li>With the IP - 65 waterproof feature, suitable to use outdoors</li> <li>Length of light strip: 5m   No. of lights: 150pcs LED (Light color: RGB)   Light modes: steady on or flash (8 modes)</li> <li>Dimensions of solar panel: 86 x 86mm</li> <li>Battery capacity: 1200mAh</li> <li>IP rating: IP65   Lumen of each LED: 24 - 26lm</li> <li>Charging time: 6h   Working time: 7 - 10h</li> <li>LED chip code: 2835   Operation temperature: -20 to +60°</li> </ul>	<ul style="list-style-type: none"> <li>Built - in PIR motion sensor   range of 120 Deg Adjustable, And 5 - axis rotation waterproof IP - 66</li> <li>Specifications: Lighting time: 8 - 10 hours Illumination range: About 30 m² Charging time: 4 - 6 hours Material used: ABS</li> <li>What's in the box: 1 X Solar Sensor Light wall 1 x Remote Control 1 x Attachments 1 x User's Manual</li> </ul>	<ul style="list-style-type: none"> <li>Solar Wifi Camera CCTV</li> <li>Image Sensor: 200W high performance CMOS sensor</li> <li>Lens: Support HD 20w Mega Pixel</li> <li>Viewing Angle: 100°</li> <li>Day Night Mode: Auto change with IR - CUT removable</li> <li>IR Distance Detection: 20m</li> <li>Display Resolution: 1080P (1280*720)</li> <li>Battery: 1 * Standard 18650 battery</li> <li>Support: Induction sensitivity, User adjustable</li> <li>Storage: Support TF Card max: 128GB</li> <li>Audio input: Built - in high sensitivity microphone</li> <li>Audio output: Built - in high-power speakers</li> <li>Connection mode: Supports wireless network   AP hot spot connection</li> </ul>

**1 YEAR WARRANTY**



## BATTERIES



GEL BATTERY RANGE	
ITEM CODE	RIIGOPB12-100
NORMAL VOLTAGE	12VAC
NORMAL CAPACITY	100Ah
COMUNICATION PORT	-
DIMENSIONS	525 x 115 x 270mm
WEIGHT	-kg
DESIGN LIFE	-years @ 25°C
CYCLE LIFE (@ DOD)	-Cycle @ 25°C

### SEALED LEAD ACID



ITEM CODE	TYPE	NORMAL VOLTAGE	NORMAL CAPACITY	TERMINAL TYPE	DIMENSIONS
RIIGSY612	Lead Acid	6V	1.2AH	Lug	98 x 25 x 56mm
RIIGSY632	Lead Acid	6V	3.2AH	Lug	125 x 33 x 72mm
RIIGSY640	Lead Acid	6V	4.0AH	Lug	70 x 47 x 107mm
RIIGSY245	Lead Acid	12V	4.5AH	Lug	90 x 70 x 107mm
RIIGSY270	Lead Acid	12V	7.2AH	Lug	150 x 65 x 102mm
RIIGSY2012	Lead Acid	12V	12AH	Lug	151 x 98 x 102mm
RIIGSY2024	Lead Acid	12V	24AH	Lug	165 x 126 x 126mm

### DEAP CYCLE CALCIUM ACID




ITEM CODE	TYPE	NORMAL VOLTAGE	NORMAL CAPACITY	TERMINAL TYPE	DIMENSIONS
RIIGSY2035	Calcium Lead	12V	35AH	SAE Post	230 x 200 x 135mm
RIIGSY2045	Calcium Lead	12V	45AH	SAE Post	230 x 240 x 135mm
RIIGSY2065	Calcium Lead	12V	65AH	SAE Post	230 x 265 x 190mm
RIIGSY2080	Calcium Lead	12V	80AH	SAE Post	226 x 352 x 175mm
RIIGSY270	Calcium Lead	12V	102AH	Nut	240 x 335 x 175mm
RIIGSY20102	Calcium Lead	12V	110AH	Nut	174 x 331 x 214mm
RIIGSY20110	Calcium Lead	12V	200AH	SAE Post	245 x 520 x 280mm



**1 YEAR WARRANTY**

## BATTERIES

**LITHIUM - ION BATTERY RANGE**



ITEM CODE	RIIGES-5.12KWH	RIIGDYN-A48100-4.8KWH	RIIGES-2.56KWH	RIIGES-10.24KWH
NORMAL VOLTAGE	51.2VDC	48VDC	25.6VDC	51.2VDC
NORMAL CAPACITY	5120Wh   110Ah	4800Wh   100Ah	2560Wh   100Ah	10240Wh   200Ah
COMUNICATION PORT	1x CAN Bus, 1x RS-485 Battery Link ports, 2x Parallel Instruction Ports	1x CAN Bus, 1x RS-485 Battery Link ports	1x Positive Socket, 1x Negative Socket, 1x Power switch	1x CAN Bus, 1x RS-485 Battery Link ports, 2x Parallel Instruction Ports
DIMENSIONS	505 x 162 x 543mm	504 x 597 x 155mm	484 x 420 x 133mm	673 x 618 x 193mm
WEIGHT	46 kg	45 kg	23.7 kg	98 kg
DESIGN LIFE	+/- 15 years @ 25°C	+/- 10 years @ 25°C	+/- 10 years @ 25°C	+/- 15 years @ 25°C
CYCLE LIFE (@ DOD)	+/- 4000 Cycle @ 25°C	+/- 6000 Cycle @ 90% DOD	+/- 2200 Cycle @ 100% DOD	+/- 4000 Cycle @ 100% DOD

**PYLONTECH LITHIUM BATTERY RANGE**



ITEM CODE	RIIGUS2000B-PLUS	RIIGUP2500	RIIGUS3000C	RIIGUP5000
NORMAL VOLTAGE	48VDC	25.6VDC	48VDC	48VDC
NORMAL CAPACITY	2400Wh   50Ah	2480Wh   110Ah	3552Wh   74Ah	4800Wh
COMUNICATION PORT	RS232   RS485   CAN	RS232   RS485   CAN	RS232   RS485   CAN	RS485   CAN
DIMENSIONS	440 x 410 x 89mm	442 x 420 x 119mm	442 x 420 x 132mm	442 x 420 x 160mm
WEIGHT	24kg	27.5g	32kg	45kg
DESIGN LIFE	10+ years @ 25°C	10+ years @ 25°C	10+ years @ 25°C	10+ years @ 25°C
CYCLE LIFE (@ DOD)	>4500 Cycle @ 25°C	>4500 Cycle @ 25°C	>4500 Cycle @ 25°C	> 4500 Cycle @ 25°C

Placeholder

ITEM CODE	TYPE	NORMAL VOLTAGE	NORMAL CAPACITY	TERMINAL TYPE	DIMENSIONS

**1 YEAR WARRANTY**

## INVERTERS | BACKUP POWER



ITEM CODE	RIIGOP-W150	RIIGOP-W200	RIIGOP-W450	RIIGOP-W800	RIIGOP-W1000
INPUT VOLTAGE	DC 10 - 14V	DC 10 - 14V	DC 10 - 14V	DC 10 - 14V	DC 10 - 14V
INPUT CURRENT	0.3 - 13A	0.3 - 18A	0.3 - 25A	0.3 - 67A	0.3 - 82A
OUTPUT VOLTAGE	180 - 255VAC	180 - 255VAC	180 - 255VAC	180 - 255VAC	180 - 255VAC
OUTPUT FREQUENCY	50 - 60 HZ	50 - 60 HZ	50 - 60 HZ	50 - 60 HZ	50 - 60 HZ
DIMENSIONS	197 x 100 x 160mm	197 x 100 x 160mm	235 x 420 x 150mm	235 x 420 x 150mm	290 x 200 x 100mm
NET WEIGHT	2 Kg	2.5Kg	5.5Kg	7Kg	8Kg

\*BATTERIES NOT INCLUDED\*



ITEM CODE	RIIGES-H3K 24VDC	RIIGPV18-3K 24VDC	RIIGDEYE-H-5K 48VDC	RIIGES-H5.5K 48VDC	RIIGPV18-5K 48VDC	RIIGDEYE-H-8K 48VDC
INPUT VOLTAGE	-V	230VAC	370V (100V-500V)	230VAC	230VAC	370V (100V-500V)
INPUT CURRENT	-	-	11A + 11A	18A	-	18A + 18A
OUTPUT VOLTAGE	180 - 255VAC	220 - 240VAC	180 - 255VAC	180 - 255VAC	220 - 240VAC	180 - 255VAC
OUTPUT FREQUENCY	50 - 60 HZ	50 - 60 HZ	50 - 60 HZ	50 - 60 HZ	50 - 60 HZ	50 - 60 HZ
DIMENSIONS	-mm	272 x 355 x 100 mm	580 x 330 x 208 mm	482 x 290 x 113 mm	297.5 x 468 x 125 mm	420 x 670 x 233 mm
NET WEIGHT	-kg	7.4 kg	20.5 kg	10 kg	13.3 kg	32 kg

\*BATTERIES NOT INCLUDED\*

**1 YEAR WARRANTY**

## DC PORTABLE SOLAR KITS



ITEM CODE	RIIGZJLC-002	RIIGOSP-L10	RIIGOSP-L13	RIIGOSP-L16	RIIGOSP-L17
WATTAGE	2W x 2LED   E27	0.8W x 3LED   E27	3 x 3LED   E27	3W x 2 LED	3W X 3LED
SOLAR PANNEL	2W   6V	5W   6V	5W   9V	5W   6V	5W   6V
BATTERY TYPE	6V Lithium	5000mah   5V	4AH   6 Lead - Acid	5AH   3.2VDC Lithium	5AH   3.2VDC Lithium
BATTERY LIFE	4 - 6 Hrs (Depending on mode)	6 - 8 Hrs (Full Charge)	4 Hrs (Depending on mode)	5 - 8 Hrs (Depending on mode)	5 - 8 Hrs (Depending on mode)
ACCESSORIES & FEATURES	<ul style="list-style-type: none"> <li>1 x USB Port (5V   400mA)</li> <li>Cell Charger (Android)</li> <li>2 X LED Bulbs</li> <li>Solar Panel 2W   6V</li> </ul>	<ul style="list-style-type: none"> <li>1 x USB Port (5V   400mA)</li> <li>Cell Accessories</li> <li>3 X E27 DC Bulbs</li> <li>Solar Panel 2W   6V</li> </ul>	<ul style="list-style-type: none"> <li>1 x USB Port (5V   400mA)</li> <li>Cell Accessories</li> <li>LED Torch Lamp</li> <li>3 X E27 DC Bulbs</li> <li>Solar Panel 5W   9V</li> </ul>	<ul style="list-style-type: none"> <li>1 x USB Port (5VDC   1A)</li> <li>Cell Accessories</li> <li>LED Flood light</li> <li>LED Torch</li> <li>2 X LED Bulbs</li> <li>Solar Panel 5W 6V</li> </ul>	<ul style="list-style-type: none"> <li>1 x USB Port (5VDC   1A)</li> <li>Cell Charger (Android)</li> <li>LED Flood light</li> <li>LED Torch</li> <li>3 X LED Bulbs</li> <li>Solar Panel 5W 6V</li> <li>Bluetooth   MP3   FM Radio   SD Card</li> <li>Remote Control</li> </ul>



**1 YEAR WARRANTY**



## PETROL GENERATORS



INVERTER | GENERATOR

ITEM CODE	RIIGOP-950DC	RIIGOP-1900DC	RIIGOP-2800DC	RIIGOP-3000DC	RIIGOP-3500E	RIIGOP-2000IC
RATED OUTPUT	720W   0.7 KvA	1300W   1.3 KvA	2000W   2 KvA	2200W   2.2 KvA	2300W   2.3 KvA	2000W   2 KvA
MAX OUTPUT	850W   0.8 KvA	1900W   1.9 KvA	2200W 2.2 KvA	2200W   2.2 KvA	2500W 2.5 KvA	2000W   2 KvA
RATED VOLTAGE	220V	220V	220V	220V	220V	220V
POWER FACTOR	1.0	1.0	1.0	1.0	1.0	1.0
PHASE	Single	Single	Single	Single	Single	Single
FUEL	2 Stroke oil and petrol	Petrol	Petrol	Petrol	Petrol	Petrol
TANK CAPACITY	4L	6L	12L	15L	5.5L	12L
ENGINE TYPE	2 Stroke force air cooled	4 Stroke force air cooled	4 Stroke Force air cooled	4 Stroke Force air cooled	4 Stroke Force air cooled	4 Stroke Force air cooled
DISPLACEMENT	63	98	200		210	
STARTING SYSTEM	Manual start	Manual start	Manual start	Manual start	Recoil & Electric	Manual start
USE OF OIL	2 Stroke oil (SAE15W-20)	SAE10W-30 (SAE15W-40)	SAE10W-30 (SAE15W-40)	SAE10W-30 (SAE15W-40)	SAE10W-30 (SAE15W-40)	SAE10W-30 (SAE15W-40)
OIL CAPACITY	50 : 1	0.45	0.65		0.40	
DIMENSIONS	395 x 323 x 340mm	475 x 370 x 385mm	605 x 445 x 445mm	600 x 465 x 435mm	602 x 445 x 450mm	
WEIGHT	16kg	23kg	42kg	38kg	41kg	35kg

**1 YEAR WARRANTY**



## DIESEL GENERATORS



SILENT DIESEL GENERATORS


ITEM CODE	RIIGOP-4500E	RIIGOP-6500E	RIIGOP-7500E	RIIGOP-6500S	RIIGOP-7500E
RATED OUTPUT	2500W   2.5 KvA	5000W   5 KvA	6000W   6 KvA	5000W   5 KvA	6000W   6 KvA
MAX OUTPUT	2700W   2.7 KvA	5500W   5.5 KvA	6500W   6.5 KvA	5500W   5.5 KvA	6500W   6.5 KvA
RATED VOLTAGE	220V	220V	220V	220V	220V
POWER FACTOR	1.0	1.0	1.0	1.0	1.0
PHASE	Single	Single	Single	Single	Single
FUEL	Petrol	Diesel	Diesel	Diesel	Diesel
TANK CAPACITY	12L	12.5L	12.5L	15L	15L
ENGINE TYPE	4 Stroke force air cooled	4 Stroke force air cooled, Fuel injection	4 Stroke force air cooled, Fuel injection	4 Stroke force air cooled, Fuel injection	4 Stroke force air cooled, Fuel injection
DISPLACEMENT	163	418	498	418	498
STARTING SYSTEM	Recoil & Electric	Recoil & Electric	Recoil & Electric	Recoil & Electric	Recoil & Electric
USE OF OIL	SAE10W-30 (SAE15W-40)	SAE10W-30 (SAE15W-40)	SAE10W-30 (SAE15W-40)	SAE10W-30 (SAE15W-40)	SAE10W-30 (SAE15W-40)
OIL CAPACITY	0.60	1.65	1.65	1.65	1.65
DIMENSIONS	602 x 445 x 450mm	720 x 510 x 630mm	720 x 510 x 630mm	940 x 540 x 730mm	940 x 540 x 730mm
WEIGHT	43kg	105kg	116kg	141kg	152kg

**12 YEAR WARRANTY**



## PV SOLAR PANELS

**25 LINEAR WARRANTY AT 90%**




ITEM CODE	MAXIMUM POWER (P <sub>max</sub>   W)   CELL TYPE	SHORT CIRCUIT CURRENT (I <sub>sc</sub>   A)	DIMENSIONS L x H x W (mm)	POWER WARRANTY	MODULE EFFICIENCY (%)	CURRENT @ P <sub>MAX</sub> (I <sub>pm</sub>   A)	VOLTAGE @ P <sub>MAX</sub> (V <sub>pm</sub>   V)	OPEN CIRCUIT VOLTAGE (V <sub>oc</sub>   V)
RIIGOSP-100	100W Mono-si	5.94A	670 x 1020 x 30mm	25yrs	-	5.56A	18V	21V
RIIGOSP-101	100W Mono-si	5.94A	670 x 1020 x 30mm	25yrs	-	5.56A	18V	21V
RIIGOSP-151	150W Mono-si	5.76A	670 x 1020 x 30mm	25yrs	-	5.43A	18V	22.08V
RIIGOSP-201	200W Mono-si	8.60A	700 x 1300 x 35mm	25yrs	-	8.11A	18V	22.20V
RIIGOSP-202	200W Mono-si	11.89A	680 x 1480 x 35mm	25yrs	-	8.11A	18V	21.60V
RIIGOSP-261	261W Mono-si	11.41A	700 x 1715 x 35mm	25yrs	-	10.75A	18V	22.32V
RIIGOSP-332	300W Mono-si	8.92A	992 x 1956 x 35mm	25yrs	-	8.33A	36V	43.2V
RIIGOSP-331	330W Mono-si	7.75A	990 x 1640 x 35mm	25yrs	-	11.5A	36V	41.04V
RIIGOSP-401	400W Mono-si	9.78A	992 x 1966 x 35mm	25yrs	-	13.90A	36V	38V
RIIGOSP-461	460W Mono-si			25yrs				

**25 YEAR WARRANTY**



## TIER 1 SOLAR PANELS



ITEM CODE	RIIGGPM410-M	RIIGGPM415-M	RIIGGPM420-M	RIIGGPM430-M	RIIGGPM450-M	RIIGGPM455-M	RIIGGPM540-M	RIIGGPM535-M
MAXIMUM POWER (P <sub>max</sub>   W)	410W	415W	420W	430W	450W	455W	540W	535W
VOLTAGE @ P <sub>MAX</sub> (V <sub>pm</sub>   V)	41.76V	42.18V	42.47V	37.1V	40.94V	41.14V	41.64V	49.45V
CURRENT @ P <sub>MAX</sub> (I <sub>pm</sub>   A)	9.82A	9.84A	9.89A	8.62A	11.0A	11.07A	12.97A	12.90A
OPEN CIRCUIT VOLTAGE (V <sub>oc</sub>   V)	50.12V	50.41V	50.70V	45.4V	49.48V	49.68V	49.60V	41.47V
SHORT CIRCUIT CURRENT (I <sub>sc</sub>   A)	10.37A	10.45A	10.56A	9.13A	11.53A	11.59A	13.86A	13.79A
DIMENSIONS L x W x H (mm)	2015 X 996 X 40	2015 X 996 X 40	2015 X 996 X 40	2180 X	2094 X 1035 X 35	2094 X 1038 X 35	2279 X 1134 X 35	2279 X 1134 X 35
POWER WARRANTY	25yrs	25yrs	25yrs	25yrs	25yrs	25yrs	25yrs	25yrs
MODULE EFFICIENCY (%)	20.4%	20.7%	20.9%	19.46%	20.7%	20.93%	20.9%	20.7%



2 YEAR WARRANTY



## DECORATIVE PENDANT LIGHT

R 175.<sup>00</sup>  
EX VAT



R 235.<sup>00</sup>  
EX VAT



R 275.<sup>00</sup>  
EX VAT



R 260.<sup>00</sup>  
EX VAT



ITEM CODE	RIIGOL-CH025-05	RIIGOL-CH025-08	RIIGOL-CH025-09	RIIGOL-CH026-09
LAMP	5 X 60W (MAX)	8 X 60W (MAX)	9 X 60W (MAX)	8 X 60W (MAX)
LAMP BASE	E27	E27	E27	E27
DIMENSIONS			300 x 1000mm	
MOUNTING TYPE	Ceiling Mountig Rose	Ceiling Mountig Rose	Ceiling Mountig Rose	Chain Mountig Rose

230VDC | IP - 20 Bulb not included



R 135.<sup>50</sup>  
EX VAT



R 157.<sup>50</sup>  
EX VAT



R 215.<sup>00</sup>  
EX VAT



R 305.<sup>00</sup>  
EX VAT



ITEM CODE	RIIGOL-CH032-03	RIIGOL-CH032-3+1	RIIGOL-CH032-05	RIIGOL-CH032-08
LAMP	3 X 60W (MAX)	4 X 60W (MAX)	8 X 60W (MAX)	10 X 60W (MAX)
LAMP BASE	E27	E27	E27	E27
DIMENSIONS				
MOUNTING TYPE	Chain Mounting Rose	Chain Mounting Rose	Chain Mounting Rose	Chain Mounting Rose

230VDC | IP - 20 Bulb not included



R 155.<sup>00</sup>  
EX VAT



R 242.<sup>50</sup>  
EX VAT



R 252.<sup>50</sup>  
EX VAT



R 327.<sup>50</sup>  
EX VAT



ITEM CODE	RIIGOL-CH015-5	RIIGOL-CH015-8	RIIGOL-CH024-8	RIIGOL-CH024-10
LAMP	5 X 60W (MAX)	8 X 60W (MAX)	8 X 60W (MAX)	10 X 60W (MAX)
LAMP BASE	E27	E27	E27	E27
DIMENSIONS		350 x 1300mm		
MOUNTING TYPE	Ceiling Mountig Rose	Ceiling Mountig Rose	Ceiling Mountig Rose	Ceiling Mountig Rose

230VDC | IP - 20 Bulb not included



R 277.<sup>50</sup>  
EX VAT



R 340.<sup>00</sup>  
EX VAT



R 457.<sup>50</sup>  
EX VAT



R 580.<sup>00</sup>  
EX VAT



R 695.<sup>00</sup>  
EX VAT



ITEM CODE	RIIGOL-CH022-08	RIIGOL-CH022-09	RIIGOL-CH022-12	RIIGOL-CH022-15	RIIGOL-CH022-18
LAMP	8 X 60W (MAX)	9 X 60W (MAX)	12 X 60W (MAX)	15 X 60W (MAX)	18 X 60W (MAX)
LAMP BASE	E27	E27	E27	E27	E27
DIMENSIONS					
MOUNTING TYPE	Ceiling Mountig Rose	Ceiling Mountig Rose	Ceiling Mountig Rose	Ceiling Mountig Rose	Ceiling Mountig Rose

230VDC | IP - 20 Bulb not included



2 YEAR WARRANTY



## DECORATIVE PENDANT LIGHT

END OF RANGE

R 237.<sup>50</sup>  
EX VAT



R 192.<sup>50</sup>  
EX VAT



R 303.<sup>00</sup>  
EX VAT



ITEM CODE	RIIGOL-CH023-08	RIIGOL-CH029-05	RIIGOL-CH021-08
LAMP	8 X 60W (MAX)	5 X 60W (MAX)	9 X 60W (MAX)
LAMP BASE	E27	E14	E27
DIMENSIONS			
MOUNTING TYPE	Ceiling Mounting Rose	Ceiling Mounting Rose	Chain Mounting Rose

230VAC | IP - 20 Bulb not included




END OF RANGE

R 337.<sup>50</sup>  
EX VAT



R 102.<sup>50</sup>  
EX VAT



R 185.<sup>00</sup>  
EX VAT



ITEM CODE	RIIGOL-CH030-08	RIIGOL-CH033   450mm-03	RIIGOL-CH028-03
LAMP	8 X 60W (MAX)	3 X 60W (MAX)	3 X 60W (MAX)
LAMP BASE	E27	E27	E27
DIMENSIONS			
MOUNTING TYPE	Ceiling Mounting Rose	Ceiling Mounting Rose	Ceiling Mounting Rose

230VAC | IP - 20 Bulb not included



END OF RANGE

R 165.<sup>00</sup>  
EX VAT



R 205.<sup>00</sup>  
EX VAT



R 225.<sup>00</sup>  
EX VAT



R 217.<sup>50</sup>  
EX VAT



R 340.<sup>00</sup>  
EX VAT



ITEM CODE	RIIGOL-CH031-4	RIIGOL-CH031-5	RIIGOL-CH031-5+1	RIIGOL-CH031-6	RIIGOL-CH031-9
LAMP	4 X 60W (MAX)	5 X 60W (MAX)	6 X 60W (MAX)	6 X 60W (MAX)	9 X 60W (MAX)
LAMP BASE	E27	E27	E27	E27	E27
DIMENSIONS					
MOUNTING TYPE	Ceiling Mounting Rose	Ceiling Mounting Rose	Ceiling Mounting Rose	Chain Mounting Rose	Chain Mounting Rose

230VAC | IP - 20 Bulb not included



2 YEAR WARRANTY



## LED CEILING LIGHTS

SOLD OUT

R 27.<sup>45</sup>  
EX VAT



R 79.<sup>90</sup>  
EX VAT



R 58.<sup>95</sup>  
EX VAT



R 79.<sup>90</sup>  
EX VAT



ITEM CODE	RIIGNT-FLD24W	RIIGNT-72RLB-W	RIIGNT-36RLB-Y	RIIGNT-72RLB-Y
WATTAGE	24W	72W	36W	72W
LEDs	24	72	40	72
COLOR	Day-light	Day-light   cool white   Warm white	Day-light   cool white   Warm white	Day-light   cool white   Warm white
DIMENSIONS	∅ 370 x 60	∅ 1000 x 80	∅ 420 X 80	∅ 1000 X 80
MATERIAL	Aluminum Base + Pc Diffuser	Aluminum Base + Pc Diffuser	Aluminum Base + Pc Diffuser	Aluminum Base + Pc Diffuser

230VDC | IP - 20 Bulb not included





**2 YEAR WARRANTY**

## DECORATIVE PENDANT LIGHT



ITEM CODE	WATTAGE	LAMP HOLDER	DIMENSIONS	MATERIAL	COLOR
RIIGNT-320GW	MAX 60W	E27	∅ 330mm	Aluminum	Green
RIIGNT-320VW	MAX 60W	E27	∅ 330mm	Aluminum	-
RIIGNT-320BW	MAX 60W	E27	∅ 330mm	Aluminum	Black
RIIGNT-320RW	MAX 60W	E27	∅ 330mm	Aluminum	Red
RIIGNT-320YW	MAX 60W	E27	∅ 330mm	Aluminum	Yellow
RIIGNT-320LW	MAX 60W	E27	∅ 330mm	Aluminum	-
RIIGNT-320W	MAX 60W	E27	∅ 330mm	Aluminum	White

Lamps not included



**1 YEAR WARRANTY**

## OSCILLATING FANS



ITEM CODE	RIIGOM-F12T	RIIGOM-F16	RIIGOM-F16S
DESCRIPTION	OMEGA 30CM 12" 3-Speed	OMEGA 16" Floor Standing	OMEGA 40CM 16" 3-Speed Pedestal
COLOUR	White & Pastel Green	White & Blue	White & Dark Green



ITEM CODE	RIIGOM-F16T	RIIGOM-F19	RIIGOM-F21
DESCRIPTION	OMEGA 40CM 16" 3-Speed	OMEGA 46CM 18" 3-Speed Pedestal	OMEGA 46CM 18" 3-Speed Pedestal
COLOUR	White & Dark Green	Black	Black & Red



**2 YEAR WARRANTY**

## CHANDELIERS



R 6 875.00 EX VAT

R 13 625.00 EX VAT

R 11 750.00 EX VAT



ITEM CODE	RIIGSL-CH1S05	RIIGSL-CH1S02	RIIGSL-CH1S06
LAMP	28 X 60W (MAX)	96 X 60W (MAX)	56 X 60W (MAX)
BASE	E14	E14	E14
DIMENSIONS	800 x 2800mm	1800 x 2800mm	800 x 3000mm
MATERIALS	Gold Frame   Crystal Glass	Gold Frame   Crystal Glass	Gold Frame   Crystal Glass
MOUNTING TYPE	Ceiling Mounting Rose	Chain Mounting Rose	Ceiling Mounting Rose

230VDC | IP - 20 Bulb not included

END OF RANGE



R 7 050.00 EX VAT

R 7 175.00 EX VAT

R 10 387.50 EX VAT



ITEM CODE	RIIGSL-CH1S04	RIIGSL-CH1S08	RIIGSL-CH1S03
LAMP	31 X 60W (MAX)	43 X 60W (MAX)	56 X 60W (MAX)
BASE	E14	E14	E14
DIMENSIONS	700 x 2000mm	600 x 2500mm	800 x 2500mm
MATERIALS	Gold Frame   Crystal Glass	Gold Frame   Crystal Glass	Gold Frame   Crystal Glass
MOUNTING TYPE	Chain Mounting Rose	Chain Mounting Rose	Ceiling Mounting Rose

230VDC | IP - 20 Bulb not included

END OF RANGE











+27 11 568-7166



sales@bshockedelectrical.co.za



<https://bshockedelectrical.co.za>



B | SHOCKED  
ELECTRICAL