

www.antibodiesinc.com orders@antibodiesinc.com 530-758-4400

Product Datasheet

Anti-PSD-95 Antibody FL594 Conjugate



KO Validated

Overview

Catalog #	75-028-FL594
Conjugate	FL594 Ex: 594 nm, Em: 615 nm
Isotype	lgG2a
Clone Number	K28/43
Size	200 μL
Concentration	0.5 mg/mL
	Mouse Monoclonal
Host Species	
Format	Purified by Protein A chromatography
Buffer	PBS with 0.09% azide
Applications	ICC, IHC
Species Reactivity	Chicken, Human, Mouse, Non-Human Primate, and Rat
Immunogen	Fusion protein amino acids 77-299 (PDZ domains 1 and 2) of human PSD-95 (accession number P78352) produced recombinantly in E. Coli
Molecular Weight	95-110 kDa (varies with cell background due to phosphorylation)
Cite this Antibody	Antibodies Inc Cat# 75-028-FL594, RRID: AB_2939170
Details	
Details	
Details Target Description	PSD-95 is a member of the MAGUK (membrane associated guanylate kinase) family (which also includes PSD-93, SAP97 and SAP102) and functions as a scaffold protein that can cluster membrane receptors, ion channels, including NMDA receptor subunits, Kv1 potassium channels and Caspr2. The protein is encoded by DLG4, contains hallmark PDZ, SH3 and GuK domains and is found at post synaptic densities where it plays an important role in the formation and maintenance of synaptic junctions (Zhou and Blumberg, 2003). Indeed, overexpression or depletion of DLG4 changes the ratio of excitatory to inhibitory synapses in hippocampal neurons. Antibodies against PSD95/DLG4 are frequently used in conjunction with pre-synaptic markers to localize synapses by microscopy
	includes PSD-93, SAP97 and SAP102) and functions as a scaffold protein that can cluster membrane receptors, ion channels, including NMDA receptor subunits, Kv1 potassium channels and Caspr2. The protein is encoded by DLG4, contains hallmark PDZ, SH3 and GuK domains and is found at post synaptic densities where it plays an important role in the formation and maintenance of synaptic junctions (Zhou and Blumberg, 2003). Indeed, overexpression or depletion of DLG4 changes the ratio of excitatory to inhibitory synapses in hippocampal neurons. Antibodies against PSD95/DLG4
Target Description	includes PSD-93, SAP97 and SAP102) and functions as a scaffold protein that can cluster membrane receptors, ion channels, including NMDA receptor subunits, Kv1 potassium channels and Caspr2. The protein is encoded by DLG4, contains hallmark PDZ, SH3 and GuK domains and is found at post synaptic densities where it plays an important role in the formation and maintenance of synaptic junctions (Zhou and Blumberg, 2003). Indeed, overexpression or depletion of DLG4 changes the ratio of excitatory to inhibitory synapses in hippocampal neurons. Antibodies against PSD95/DLG4 are frequently used in conjunction with pre-synaptic markers to localize synapses by microscopy

Storage

Aliquot and store at \leq -20°C for long term storage. For short term storage, store at 2-8°C. For maximum recovery of product, centrifuge the vial prior to removing the cap.

Our Guarantee

As an original manufacturer, we are dedicated to creating quality and reproducible antibodies that further your research. We provide personalized customer support from the scientists that made the antibody and offer a free replacement or 100% refund if we cannot resolve an issue. Order today and experience our 50+ year passion for science.

Note: For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, viewable on our website.