

www.antibodiesinc.com orders@antibodiesinc.com 530-758-4400

Product Datasheet

Anti-VDAC1 Antibody FL550 Conjugate



KO Validated

Overview

Catalog #	75-204-FL550
Conjugate	FL550 Ex: 550 nm, Em: 575 nm
lsotype	lgG2a
Clone Number	N152B/23
Size	200 μL
Concentration	0.5 mg/mL
Host Species	Mouse Monoclonal
Format	Purified by Protein A chromatography
Buffer	PBS with 0.09% azide
Applications	ICC, IHC
Species Reactivity	Human, Mouse, and Rat
Immunogen	Fusion protein amino acids 1-283 (full-length) of human VDAC1 (accession number P21796) produced recombinantly in E. Coli
Molecular Weight	30 kDa
Cite this Antibody	Antibodies Inc Cat# 75-204-FL550, RRID: AB_2939757
Details	
Details Target Description	Voltage-dependent anion-selective channel protein 1 or Outer Mitochondrial Membrane Protein Porin 1 is encoded by the gene VDAC1 and belongs to the mitochondrial porin family. VDAC1 is a voltage-dependent anion channel protein that is a major component of the outer mitochondrial membrane and is also found on the plasma membrane of cells. VDAC1 can act as a scaffold for many proteins and allows for the passage of ions and metabolites, including ATP, through interactions within the pore. VDAC1 in the plasma membrane plays a role in the regulation of cell volume and apoptosis. VDAC1 is expressed in several tissues including heart, brain, liver and skeletal muscle. Diseases associated with VDAC1 include Influenza and Typhoid Fever.
	Porin 1 is encoded by the gene VDAC1 and belongs to the mitochondrial porin family. VDAC1 is a voltage-dependent anion channel protein that is a major component of the outer mitochondrial membrane and is also found on the plasma membrane of cells. VDAC1 can act as a scaffold for many proteins and allows for the passage of ions and metabolites, including ATP, through interactions within the pore. VDAC1 in the plasma membrane plays a role in the regulation of cell volume and apoptosis. VDAC1 is expressed in several tissues including heart, brain, liver and
Target Description	Porin 1 is encoded by the gene VDAC1 and belongs to the mitochondrial porin family. VDAC1 is a voltage-dependent anion channel protein that is a major component of the outer mitochondrial membrane and is also found on the plasma membrane of cells. VDAC1 can act as a scaffold for many proteins and allows for the passage of ions and metabolites, including ATP, through interactions within the pore. VDAC1 in the plasma membrane plays a role in the regulation of cell volume and apoptosis. VDAC1 is expressed in several tissues including heart, brain, liver and skeletal muscle. Diseases associated with VDAC1 include Influenza and Typhoid Fever.

Storage

Aliquot and store at \leq -20°C for long term storage. For short term storage, store at 2-8°C. For maximum recovery of product, centrifuge the vial prior to removing the cap.

Our Guarantee

As an original manufacturer, we are dedicated to creating quality and reproducible antibodies that further your research. We provide personalized customer support from the scientists that made the antibody and offer a free replacement or 100% refund if we cannot resolve an issue. Order today and experience our 50+ year passion for science.

Note: For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, viewable on our website.