

www.antibodiesinc.com orders@antibodiesinc.com 530-758-4400

Product Datasheet

Anti-Dopamine D2 Receptor Antibody FL650 Conjugate



Overview

_	
Catalog #	75-230-FL650
Conjugate	FL650 Ex: 655 nm, Em: 676 nm
Isotype	lgG1
Clone Number	N186/29
Size	200 μL
Concentration	0.5 mg/mL
Host Species	Mouse Monoclonal
Format	Purified by Protein A chromatography
Buffer	PBS with 0.09% azide
Applications	IHC
Species Reactivity	Mouse and Rat
Immunogen	Fusion protein amino acids 211-374 (cytoplasmic, long form) of rat Dopamine D2 receptor (accession number P61169) produced recombinantly in E. Coli
Molecular Weight	50 kDa
Cite this Antibody	Antibodies Inc Cat# 75-230-FL650, RRID: AB_2939839
Details	
Details Target Description	Dopamine D2 receptor is encoded by the gene DRD2. DRD2 is a member of the G-protein coupled receptor 1 family that also includes D1, D3, D4 and D5. This G-protein coupled receptor inhibits adenylyl cyclase activity. DRD2 is expressed in the brain, colon, testis, and skeletal muscle tissue. Diseases associated with DRD2 include cocaine dependence, pathological gambling, and delusional disorder.
	receptor 1 family that also includes D1, D3, D4 and D5. This G-protein coupled receptor inhibits adenylyl cyclase activity. DRD2 is expressed in the brain, colon, testis, and skeletal muscle tissue. Diseases associated with DRD2 include cocaine dependence, pathological gambling, and delusional
Target Description	receptor 1 family that also includes D1, D3, D4 and D5. This G-protein coupled receptor inhibits adenylyl cyclase activity. DRD2 is expressed in the brain, colon, testis, and skeletal muscle tissue. Diseases associated with DRD2 include cocaine dependence, pathological gambling, and delusional disorder.
Target Description Specificity	 receptor 1 family that also includes D1, D3, D4 and D5. This G-protein coupled receptor inhibits adenylyl cyclase activity. DRD2 is expressed in the brain, colon, testis, and skeletal muscle tissue. Diseases associated with DRD2 include cocaine dependence, pathological gambling, and delusional disorder. Reacts with both Long and Short formsDoes not cross-react with Dopamine D3 receptor Produced by in vitro bioreactor culture of hybridoma line followed by Protein A affinity

Our Guarantee

As an original manufacturer, we are dedicated to creating quality and reproducible antibodies that further your research. We provide personalized customer support from the scientists that made the antibody and offer a free replacement or 100% refund if we cannot resolve an issue. Order today and experience our 50+ year passion for science.

Note: For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, viewable on our website.