

## Product Datasheet

## Anti-Gamma-Protocadherin-C3 Antibody FL650 Conjugate



## Overview

|                           |  |
|---------------------------|--|
| <b>Catalog #</b>          | 75-237-FL650   |
| <b>Conjugate</b>          | FL650 Ex: 655 nm, Em: 676 nm   |
| <b>Isotype</b>            | IgG1   |
| <b>Clone Number</b>       | N174B/27   |
| <b>Size</b>               | 200 µL   |
| <b>Concentration</b>      | 0.5 mg/mL  |
| <b>Host Species</b>       | Mouse Monoclonal   |
| <b>Format</b>             | Purified by Protein A chromatography   |
| <b>Buffer</b>             | PBS with 0.09% azide   |
| <b>Applications</b>       | ICC  |
| <b>Species Reactivity</b> | Mouse  |
| <b>Immunogen</b>          | Fusion protein amino acids 720-804 (variable cytoplasmic domain) of mouse Gamma-protocadherin-C3 (accession number Q91XX1) produced recombinantly in E. Coli |
| <b>Molecular Weight</b>   | 100 kDa  |
| <b>Cite this Antibody</b> | Antibodies Inc Cat# 75-237-FL650, RRID: AB_2939863   |

## Details

|                              |   |
|------------------------------|---|
| <b>Target Description</b>    | Protocadherin Gamma Subfamily C, 3 is encoded by the gene PCDHGC3. PCDHGC3 is a member of the protocadherin gamma gene cluster. PCDHGC3 is a neural cadherin-like cell adhesion protein that most likely plays a critical role in the establishment and function of specific cell-cell connections in the brain. PCDHGC3 is expressed in the nervous system, liver, and skin. Diseases associated with PCDHGC3 include Corneal Dystrophy, Endothelial, X-Linked and Brachydactyly, Type A3. |
| <b>Specificity</b>           | No cross-reactivity against other Gamma-protocadherin-A, -B or -C proteins  |
| <b>Purification Method</b>   | Produced by in vitro bioreactor culture of hybridoma line followed by Protein A affinity chromatography and conjugation of purified mAb. Purified mAbs are >90% specific antibody.  |
| <b>Quality Control Tests</b> | Each new lot of antibody is quality control tested on cells overexpressing target protein and confirmed to give the expected staining pattern.  |

**Storage**

Aliquot and store at  $\leq -20^{\circ}\text{C}$  for long term storage. For short term storage, store at  $2-8^{\circ}\text{C}$ . For maximum recovery of product, centrifuge the vial prior to removing the cap.

**Our Guarantee**

---

As an original manufacturer, we are dedicated to creating quality and reproducible antibodies that further your research. We provide personalized customer support from the scientists that made the antibody and offer a free replacement or 100% refund if we cannot resolve an issue. Order today and experience our 50+ year passion for science.

**Note:** For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, viewable on our website.