

www.antibodiesinc.com orders@antibodiesinc.com 530-758-4400

# **Product Datasheet**

# Anti-KA2 Kainate Receptor Antibody FL650 Conjugate



## Overview

Catalog #	75-362-FL650
Conjugate	FL650 Ex: 655 nm, Em: 676 nm
Isotype	lgG2a
Clone Number	N279B/27
Size	200 μL
Concentration	0.5 mg/mL
Host Species	Mouse Monoclonal
Format	Purified by Protein A chromatography
Buffer	PBS with 0.09% azide
Applications	ICC, IHC
Species Reactivity	Mouse and Rat
Immunogen	Fusion protein amino acids 825-979 (cytoplasmic C-terminus) of rat KA2 kainate receptor (accession number Q63273) produced recombinantly in E. Coli
Molecular Weight	110 kDa
Cite this Antibody	Antibodies Inc Cat# 75-362-FL650, RRID: AB_2940215
Details	
Details Target Description	Glutamate lonotropic Receptor Kainate Type Subunit 5 is encoded by the gene GRIK5. GRIK5 is a member of the glutamate-gated ion channel (TC 1.A.10.1) family, GRIK5 subfamily. GRIK5 forms functional heteromeric kainate-preferring ionic channels with the subunits encoded by related gene family members. GRIK5 is highly expressed in the cerebral cortex, pyriform cortex, caudate-putamen, hippocampal complex, medial habenulata, and granule cell layer of the cerebellum. GRIK5 is weakly expressed in the globus pallidus, thalamus, colliculi, and the reticular thalamic nucleus. Diseases associated with GRIK5 include Schizophrenia and Autosomal Recessive Non-Syndromic Intellectual Disability.
	member of the glutamate-gated ion channel (TC 1.A.10.1) family, GRIK5 subfamily. GRIK5 forms functional heteromeric kainate-preferring ionic channels with the subunits encoded by related gene family members. GRIK5 is highly expressed in the cerebral cortex, pyriform cortex, caudate-putamen, hippocampal complex, medial habenulata, and granule cell layer of the cerebellum. GRIK5 is weakly expressed in the globus pallidus, thalamus, colliculi, and the reticular thalamic nucleus. Diseases associated with GRIK5 include Schizophrenia and Autosomal Recessive Non-
Target Description	member of the glutamate-gated ion channel (TC 1.A.10.1) family, GRIK5 subfamily. GRIK5 forms functional heteromeric kainate-preferring ionic channels with the subunits encoded by related gene family members. GRIK5 is highly expressed in the cerebral cortex, pyriform cortex, caudate-putamen, hippocampal complex, medial habenulata, and granule cell layer of the cerebellum. GRIK5 is weakly expressed in the globus pallidus, thalamus, colliculi, and the reticular thalamic nucleus. Diseases associated with GRIK5 include Schizophrenia and Autosomal Recessive Non-Syndromic Intellectual Disability.

## Storage

Aliquot and store at  $\leq$  -20°C for long term storage. For short term storage, store at 2-8°C. For maximum recovery of product, centrifuge the vial prior to removing the cap.

## **Our Guarantee**

As an original manufacturer, we are dedicated to creating quality and reproducible antibodies that further your research. We provide personalized customer support from the scientists that made the antibody and offer a free replacement or 100% refund if we cannot resolve an issue. Order today and experience our 50+ year passion for science.

Note: For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, viewable on our website.