

www.antibodiesinc.com orders@antibodiesinc.com 530-758-4400

Product Datasheet

Anti-GABA-A-R-Gamma2L Antibody FL550 Conjugate



Overview

Catalog #	75-442-FL550
Conjugate	FL550 Ex: 550 nm, Em: 575 nm
Isotype	lgG2a
Clone Number	N452/69
Size	200 μL
Concentration	0.5 mg/mL
Host Species	Mouse Monoclonal
Format	Purified by Protein A chromatography
Buffer	PBS with 0.09% azide
Applications	ICC, IHC
Species Reactivity	Human, Mouse, and Rat
Immunogen	Fusion protein amino acids 360-445 (cytoplasmic C-terminus) of human GABA-A-R-Gamma2L (accession number P18507-2) produced recombinantly in E. Coli
Molecular Weight	45 kDa
Cite this Antibody	Antibodies Inc Cat# 75-442-FL550, RRID: AB_2940469
Dataila	
Details	
Details Target Description	Gamma-aminobutyric acid receptor subunit gamma-2, or GABA AR gamma2 is encoded by the gene GABRG2. GABA A receptors are members of the Cys-loop family of ligand-gated ion channels. GABA AR gamma2 is a subunit of the pentameric GABA receptors where GABA is the major inhibitory neurotransmitter in the vertebrate brain and mediates neuronal inhibition by binding to the GABA receptor and opening an integral chloride channel. GABA AR gamma2 has been found expressed in stomach and bladder. In brain, GABA AR gamma2 is expressed at the cell junction, synapse, postsynaptic cell membrane and cytoplasmic vesicle membrane. Mutations in this gene have been associated with epilepsy and febrile seizures. Note that GABA AR y2 subunit has two forms, designated "short" (y2S) and "long" (y2L) that differ only in eight amino acids inserted into the large intracellular loop of the subunit (Whiting et al., 1990).
	GABRG2. GABA A receptors are members of the Cys-loop family of ligand-gated ion channels. GABA AR gamma2 is a subunit of the pentameric GABA receptors where GABA is the major inhibitory neurotransmitter in the vertebrate brain and mediates neuronal inhibition by binding to the GABA receptor and opening an integral chloride channel. GABA AR gamma2 has been found expressed in stomach and bladder. In brain, GABA AR gamma2 is expressed at the cell junction, synapse, postsynaptic cell membrane and cytoplasmic vesicle membrane. Mutations in this gene have been associated with epilepsy and febrile seizures. Note that GABA AR γ 2 subunit has two forms, designated "short" (γ 2S) and "long" (γ 2L) that differ only in eight amino acids inserted into the

Quality Control Tests	Each new lot of antibody is quality control tested by western blot on rat whole brain lysate and confirmed to stain the expected molecular weight band.
Storage	Aliquot and store at ≤ -20°C for long term storage. For short term storage, store at 2-8°C. For maximum recovery of product, centrifuge the vial prior to removing the cap.

Our Guarantee

As an original manufacturer, we are dedicated to creating quality and reproducible antibodies that further your research. We provide personalized customer support from the scientists that made the antibody and offer a free replacement or 100% refund if we cannot resolve an issue. Order today and experience our 50+ year passion for science.

Note: For research use only. Not intended for therapeutic or diagnostic use. Use of all products is subject to our terms and conditions, viewable on our website.