



## 1 Identification

- **Product identifier**
- **Trade name:** PRESS WASH LV
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Chemical Consultants Inc.  
1850 Wild Turkey Circle  
Corona, CA 92878  
USA  
+1 (951) 735-5511  
ncollins@ccidom.com
- **Information department:** Product safety department
- **Emergency telephone number:** INFOTRAC 1-800-535-5053

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.  
Carc. 1B H350 May cause cancer.  
Repr. 1B H360 May damage fertility or the unborn child.  
STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.  
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.  
STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**  
Solvent naphtha (petroleum), light arom.



Trade name: **PRESS WASH LV**

(Contd. of page 1)

*N-methyl-2-pyrrolidone  
1-methoxy-2-propanol  
citrus terpene*

· **Hazard statements**

- H226 *Flammable liquid and vapor.*
- H315 *Causes skin irritation.*
- H319 *Causes serious eye irritation.*
- H317 *May cause an allergic skin reaction.*
- H340 *May cause genetic defects.*
- H350 *May cause cancer.*
- H360 *May damage fertility or the unborn child.*
- H335-H336 *May cause respiratory irritation. May cause drowsiness or dizziness.*
- H372 *Causes damage to the central nervous system through prolonged or repeated exposure.*
- H304 *May be fatal if swallowed and enters airways.*

· **Precautionary statements**

- P201 *Obtain special instructions before use.*
- P202 *Do not handle until all safety precautions have been read and understood.*
- P210 *Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*
- P240 *Ground/bond container and receiving equipment.*
- P241 *Use explosion-proof electrical/ventilating/lighting/equipment.*
- P242 *Use only non-sparking tools.*
- P243 *Take precautionary measures against static discharge.*
- P260 *Do not breathe dust/fume/gas/mist/vapors/spray.*
- P264 *Wash thoroughly after handling.*
- P270 *Do not eat, drink or smoke when using this product.*
- P271 *Use only outdoors or in a well-ventilated area.*
- P272 *Contaminated work clothing must not be allowed out of the workplace.*
- P280 *Wear protective gloves/protective clothing/eye protection/face protection.*
- P301+P310 *If swallowed: Immediately call a poison center/doctor.*
- P321 *Specific treatment (see on this label).*
- P331 *Do NOT induce vomiting.*
- P303+P361+P353 *If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*
- P304+P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*
- P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P308+P313 *IF exposed or concerned: Get medical advice/attention.*
- P312 *Call a poison center/doctor if you feel unwell.*
- P314 *Get medical advice/attention if you feel unwell.*
- P362+P364 *Take off contaminated clothing and wash it before reuse.*
- P333+P313 *If skin irritation or rash occurs: Get medical advice/attention.*
- P337+P313 *If eye irritation persists: Get medical advice/attention.*
- P363 *Wash contaminated clothing before reuse.*
- P370+P378 *In case of fire: Use for extinction: CO2, powder or water spray.*
- P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*
- P403+P235 *Store in a well-ventilated place. Keep cool.*
- P405 *Store locked up.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)



Trade name: PRESS WASH LV

· **vPvB:** Not applicable.

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Solvent mixture

· **Dangerous components:**

107-98-2	1-methoxy-2-propanol	30-50%
64742-95-6	Solvent naphtha (petroleum), light arom.	10-20%
872-50-4	N-methyl-2-pyrrolidone	10-20%
95-63-6	1,2,4-trimethylbenzene (contaminant)	10-20%
8052-41-3	Stoddard solvent	1-10%
94266-47-4	citrus terpene	1-5%
108-67-8	mesitylene (contaminant)	<3%
98-82-8	cumene (contaminant)	<1%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**  
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.  
· **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** For large spills: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)



Trade name: PRESS WASH LV

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

107-98-2	1-methoxy-2-propanol	100 ppm
872-50-4	N-methyl-2-pyrrolidone	30 ppm
95-63-6	1,2,4-trimethylbenzene (contaminant)	140 ppm
108-67-8	mesitylene (contaminant)	140 ppm
1330-20-7	xylene (contaminant)	130 ppm
25340-17-4	diethylbenzene (contaminant)	10 ppm
98-82-8	cumene (contaminant)	50 ppm

· **PAC-2:**

107-98-2	1-methoxy-2-propanol	160 ppm
872-50-4	N-methyl-2-pyrrolidone	32 ppm
95-63-6	1,2,4-trimethylbenzene (contaminant)	360 ppm
108-67-8	mesitylene (contaminant)	360 ppm
1330-20-7	xylene (contaminant)	920* ppm
25340-17-4	diethylbenzene (contaminant)	100 ppm
98-82-8	cumene (contaminant)	300 ppm

· **PAC-3:**

107-98-2	1-methoxy-2-propanol	660 ppm
872-50-4	N-methyl-2-pyrrolidone	190 ppm
95-63-6	1,2,4-trimethylbenzene (contaminant)	480 ppm
108-67-8	mesitylene (contaminant)	480 ppm
1330-20-7	xylene (contaminant)	2500* ppm
25340-17-4	diethylbenzene (contaminant)	500 ppm
98-82-8	cumene (contaminant)	730 ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.

(Contd. on page 5)



Trade name: PRESS WASH LV

(Contd. of page 4)

Keep respiratory protective device available.

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

### 107-98-2 1-methoxy-2-propanol

REL	Short-term value: 540 mg/m <sup>3</sup> , 150 ppm Long-term value: 360 mg/m <sup>3</sup> , 100 ppm
TLV	Short-term value: 369 mg/m <sup>3</sup> , 100 ppm Long-term value: 184 mg/m <sup>3</sup> , 50 ppm

### 872-50-4 N-methyl-2-pyrrolidone

WEEL	Long-term value: 10 ppm Skin
------	---------------------------------

### 95-63-6 1,2,4-trimethylbenzene (contaminant)

REL	Long-term value: 125 mg/m <sup>3</sup> , 25 ppm
TLV	Long-term value: 123 mg/m <sup>3</sup> , 25 ppm

### 8052-41-3 Stoddard solvent

PEL	Long-term value: 2900 mg/m <sup>3</sup> , 500 ppm
REL	Long-term value: 350 ppm Ceiling limit value: 1800* mg/m <sup>3</sup> *15-min
TLV	Long-term value: 525 mg/m <sup>3</sup> , 100 ppm

### 108-67-8 mesitylene (contaminant)

REL	Long-term value: 125 mg/m <sup>3</sup> , 25 ppm
TLV	Long-term value: 123 mg/m <sup>3</sup> , 25 ppm

· **Ingredients with biological limit values:**

### 872-50-4 N-methyl-2-pyrrolidone

BEI	100 mg/L Medium: urine Time: end of shift Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone
-----	--

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.

(Contd. on page 6)



Trade name: PRESS WASH LV

(Contd. of page 5)

Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Color:</b>	According to product specification
· <b>Odor:</b>	Characteristic
· <b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	150 °C (302 °F)

· **Flash point:** 44 °C (111.2 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 230 °C (446 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

(Contd. on page 7)



Trade name: PRESS WASH LV

(Contd. of page 6)

· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b>	
Lower:	1.3 Vol %
Upper:	20.0 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	12 hPa (9 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.8958 g/cm <sup>3</sup> (7.47545 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Solvent content:</b>	
VOC content:	745.0 g/l / 6.22 lb/gl
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>64742-95-6 Solvent naphtha (petroleum), light arom.</b>		
Oral	LD50	>6800 mg/kg (rat)
Dermal	LD50	>3400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)
<b>872-50-4 N-methyl-2-pyrrolidone</b>		
Oral	LD50	3914 mg/kg (rat)
Dermal	LD50	8000 mg/kg (rabbit)
<b>95-63-6 1,2,4-trimethylbenzene (contaminant)</b>		
Oral	LD50	5000 mg/kg (rat)

(Contd. on page 8)



Trade name: PRESS WASH LV

(Contd. of page 7)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

1330-20-7	xylene (contaminant)	3
98-82-8	cumene (contaminant)	2B

· **NTP (National Toxicology Program)**

98-82-8	cumene (contaminant)	R
---------	----------------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Dispose of content and/or container in accordance with local, regional, national and/or international regulations.
- **Uncleaned packagings:**
- **Recommendation:**  
Dispose of content and/or container in accordance with local, regional, national and/or international regulations

## 14 Transport information

- **UN-Number**
- **IMDG, IATA** UNI993

(Contd. on page 9)





**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/14/2021

Reviewed on 05/14/2021

Trade name: PRESS WASH LV

(Contd. of page 8)

· **UN proper shipping name**  
· **IMDG**  
· **IATA**

*FLAMMABLE LIQUID, N.O.S. (1-METHOXY-2-PROPANOL, Solvent naphtha (petroleum), light arom.), MARINE POLLUTANT  
FLAMMABLE LIQUID, N.O.S. (1-METHOXY-2-PROPANOL, Solvent naphtha (petroleum), light arom.)*

· **Transport hazard class(es)**  
· **IMDG**



· **Class**  
· **Label**

*3 Flammable liquids  
3*

· **IATA**



· **Class**  
· **Label**

*3 Flammable liquids  
3*

· **Packing group**  
· **IMDG, IATA**

*III*

· **Environmental hazards:**  
· **Marine pollutant:**

*No  
Symbol (fish and tree)*

· **Special precautions for user**  
· **Hazard identification number (Kemler code):**  
· **EMS Number:**

*Warning: Flammable liquids  
30  
F-E,S-E*

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

*Not applicable.*

· **Transport/Additional information:**

· **IMDG**  
· **Limited quantities (LQ)**  
· **Excepted quantities (EQ)**

*5L  
Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml*

· **UN "Model Regulation":**

*UN 1993 FLAMMABLE LIQUIDS, N.O.S. (1-METHOXY-2-PROPANOL, SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.), 3, III*

(Contd. on page 10)



Trade name: PRESS WASH LV

(Contd. of page 9)

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

872-50-4	N-methyl-2-pyrrolidone
95-63-6	1,2,4-trimethylbenzene (contaminant)
1330-20-7	xylene (contaminant)
98-82-8	cumene (contaminant)

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

1330-20-7	xylene (contaminant)
98-82-8	cumene (contaminant)

· **Proposition 65**

· **Chemicals known to cause cancer:**

This product contains a chemical known to the state of California to cause cancer

98-82-8	cumene (contaminant)
---------	----------------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

872-50-4	N-methyl-2-pyrrolidone
----------	------------------------

· **New Jersey Special Hazardous Substance List:**

107-98-2	1-methoxy-2-propanol	F3
872-50-4	N-methyl-2-pyrrolidone	TE, F2
1330-20-7	xylene (contaminant)	F3
98-82-8	cumene (contaminant)	F3, RI

· **Pennsylvania Right-to-Know List:**

107-98-2	1-methoxy-2-propanol
872-50-4	N-methyl-2-pyrrolidone
95-63-6	1,2,4-trimethylbenzene (contaminant)
1330-20-7	xylene (contaminant)
98-82-8	cumene (contaminant)

· **Pennsylvania Special Hazardous Substance List:**

95-63-6	1,2,4-trimethylbenzene (contaminant)	E
1330-20-7	xylene (contaminant)	E
98-82-8	cumene (contaminant)	E

(Contd. on page 11)



Trade name: PRESS WASH LV

(Contd. of page 10)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

95-63-6	1,2,4-trimethylbenzene (contaminant)	II
108-67-8	mesitylene (contaminant)	II
1330-20-7	xylene (contaminant)	I
98-82-8	cumene (contaminant)	D, CBD

· **TLV (Threshold Limit Value)**

1330-20-7	xylene (contaminant)	A4
-----------	----------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Solvent naphtha (petroleum), light arom.

N-methyl-2-pyrrolidone

1-methoxy-2-propanol

citrus terpene

· **Hazard statements**

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

· **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P321 Specific treatment (see on this label).

(Contd. on page 12)



**Trade name: PRESS WASH LV**

(Contd. of page 11)

- P331 Do NOT induce vomiting.
  - P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
  - P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
  - P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P308+P313 IF exposed or concerned: Get medical advice/attention.
  - P312 Call a poison center/doctor if you feel unwell.
  - P314 Get medical advice/attention if you feel unwell.
  - P362+P364 Take off contaminated clothing and wash it before reuse.
  - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
  - P337+P313 If eye irritation persists: Get medical advice/attention.
  - P363 Wash contaminated clothing before reuse.
  - P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
  - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
  - P403+P235 Store in a well-ventilated place. Keep cool.
  - P405 Store locked up.
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- **Contact:** Mr. Collins
- **Date of preparation / last revision** 05/14/2021 / -
- **Abbreviations and acronyms:**
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - VOC: Volatile Organic Compounds (USA, EU)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - NIOSH: National Institute for Occupational Safety
  - OSHA: Occupational Safety & Health
  - TLV: Threshold Limit Value
  - PEL: Permissible Exposure Limit
  - REL: Recommended Exposure Limit
  - BEI: Biological Exposure Limit
  - Flam. Liq. 3: Flammable liquids – Category 3
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
  - Skin Sens. 1: Skin sensitisation – Category 1
  - Muta. 1B: Germ cell mutagenicity – Category 1B
  - Carc. 1B: Carcinogenicity – Category 1B
  - Repr. 1B: Reproductive toxicity – Category 1B
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
  - STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
  - Asp. Tox. 1: Aspiration hazard – Category 1