Printing date 07/08/2015

Reviewed on 04/27/2015

1 Identification

- · Product identifier
- · Trade name: <u>RE-STOR</u>
- · Article number: RE-STOR
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Chemical Consultants Inc. 1850 Wild Turkey Circle Corona, CA 92880 USA +1 (951) 735-5511 ncollins@ccidom.com

• Information department: Product safety department

• Emergency telephone number: INFOTRAC 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: sodium hydroxide
Citrus terpene
2-aminoethanol
Hazard statements
Combustible liquid.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Precautionary statements
Keep away from flames and hot surfaces. – No smoking. Do not breathe dusts or mists.
Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

US

Printing date 07/08/2015

Reviewed on 04/27/2015

Trade name: RE-STOR

(Contd. of page 1) Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) *Health* = 3Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
112-34-5	2-(2-butoxyethoxy)ethanol	10-20%		
1310-73-2	sodium hydroxide	1-10%		
102-71-6	2,2',2"-nitrilotriethanol	1-10%		
141-43-5	2-aminoethanol	1-10%		
5989-27-5	Citrus terpene	1-10%		

4 First-aid measures

• Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

US

Printing date 07/08/2015

Reviewed on 04/27/2015

Trade name: RE-STOR

• After inhalation:

Supply fresh air.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

· Environmental precautions: Dilute with plenty of water.

For large spills: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

(Contd. of page 2)

US

Printing date 07/08/2015

Reviewed on 04/27/2015

Trade name: RE-STOR

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- 112-34-5 2-(2-butoxyethoxy)ethanol
- TLV Long-term value: 67.5* mg/m³, 10* ppm *Inhalable fraction and vapor
- 1310-73-2 sodium hydroxide
- PEL Long-term value: 2 mg/m³
- *REL Ceiling limit value: 2 mg/m³*
- TLV Ceiling limit value: 2 mg/m³
- 102-71-6 2,2',2''-nitrilotriethanol
- TLV Long-term value: 5 mg/m³
- 141-43-5 2-aminoethanol
- PEL Long-term value: 6 mg/m³, 3 ppm
- REL Short-term value: 15 mg/m³, 6 ppm Long-term value: 8 mg/m³, 3 ppm
- *TLV* Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

(Contd. of page 3)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/08/2015

Reviewed on 04/27/2015

Trade name: RE-STOR

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and c	hemical properties	
General Information		
Appearance: Form:	Fluid	
Color:	According to product specification	
Odor:	<i>Characteristic</i>	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	170 °C (338 °F)	
Flash point:	62 °C (144 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	225 °C (437 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	0.9 Vol %	
Upper:	9.7 Vol %	
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	1.18901 g/cm ³ (9.922 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	408.0 g/l / 3.40 lb/gl	

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/08/2015

Reviewed on 04/27/2015

Trade name: RE-STOR

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

141-43-5 2-aminoethanol

Oral LD50 2050 mg/kg (rat)

Dermal LD50 1000 mg/kg (rabbit)

5989-27-5 Citrus terpene

Oral LD50 4400 mg/kg (rat)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye: Strong caustic effect.

· Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

US

Printing date 07/08/2015

Trade name: RE-STOR

· Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot **Mobility in soil** No further relevant information available.
- · Ecotoxical effects:
- Remark: Toxic for fish
- · Additional ecological information:
- · General notes:
- *Must not reach bodies of water or drainage ditch undiluted or unneutralized. Toxic for aquatic organisms*
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations • **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Sodium hydroxide)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8

Reviewed on 04/27/2015

(Contd. of page 6)

Printing date 07/08/2015

Reviewed on 04/27/2015

Trade name: RE-STOR

	(Contd. of page
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Alkalis
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN1760, Corrosive liquids, n.o.s. (Sodium hydroxide), 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

112-34-5 2-(2-butoxyethoxy)ethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

US

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/08/2015

Reviewed on 04/27/2015

Trade name: RE-STOR

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger · Hazard-determining components of labeling: sodium hydroxide Citrus terpene 2-aminoethanol · Hazard statements Combustible liquid. Causes severe skin burns and eye damage. May cause an allergic skin reaction. · Precautionary statements Keep away from flames and hot surfaces. – No smoking. Do not breathe dusts or mists. Wear protective gloves / eye protection / face protection. Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

California AQMD Rule 1171 : Compliant

(Contd. on page 10)

_____US

Printing date 07/08/2015

Reviewed on 04/27/2015

Trade name: RE-STOR

(Contd. of page 9)	
· Department issuing SDS: Environment protection department.	
· Contact: Mr. Collins	
· Date of preparation / last revision 07/08/2015 / -	
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International	
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
Flam. Liq. 4: Flammable liquids, Hazard Category 4	
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Shin Sung la Sumittanting, Shin Hazard Category 1	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	