







# RACK-IT™ SERIES

## DRYING AND STORAGE RACKS

*For Screen Printing, Industrial and Educational Applications*



*Your Complete Manufacturing Source for Screen Printing Equipment, Supplies & Parts*



**A.W.T. World Trade Inc.**  
*A Division of The A.W.T. World Trade Group*

# HEAVY-DUTY MODELS


*Steel center brace  
on larger models*




*Steel backstops prevent  
stock from sliding off*



*Individual adjustable  
spring tension*



## THE DR-46-40 WITH ALL-STEEL CONSTRUCTION



- 30 x 46" shelves
- All-steel construction
- For lightweight applications
- 40 adjustable spring tension shelves
- Front metal spacer bumpers
- Heavy-duty casters
- Shipping weight: 290 lbs.

**OFFERS GREAT PERFORMANCE  
AT AN ECONOMICAL PRICE!**


*Outside steel bumper position  
maximizes usable shelf space*



*Heavy-duty casters  
for easy mobility*







**DR-68-50**

A.W.T.'s Rack-It™ heavy-duty drying racks are the perfect choice for industrial drying applications.

Built on a welded steel frame, these racks provide a safe and sturdy resting place for your substrates as they dry. Longer lasting than rubber, steel bumpers come standard on all of our heavy-duty racks and are welded to the outside of the shelf for maximum drying room. For smooth up/down operation, the individually adjustable shelf springs give you tension control over each shelf, and all shelves feature a rust- and solvent-resistant, powder-coated finish to extend the life of your rack. To promote quick evaporation, racks come with non-warping shelves spaced at 1" or 2" intervals.

Available in heat-resistant models for baking applications, these heavy-duty racks stand ready to fulfill all your industrial drying needs.

### STANDARD FEATURES

- Accepts sheet sizes up to 52 x 80" (132 x 203 cm)
- Welded steel frame construction
- Individual adjustment of spring tension
- Permanent steel spacers
- Rust/solvent resistant powder-coated shelf finish
- Heavy-duty casters
- Optimum shelf spacing for solvent evaporation
- Back stops prevent stock slide

### OPTIONS AND ACCESSORIES



- Extra welded center metal bumpers for models DR-36-40 through DR-68-50
- Rack assembly
- Heat-resistant models

CATALOG NO.	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS	SHIPPING WEIGHT*
DR-32-40	22 x 32" (55 x 81 cm)	40	4 x 5" (10 x 13 cm)	300 lbs. (136 kg)
DR-32-50	22 x 32" (55 x 81 cm)	50	4 x 5" (10 x 13 cm)	345 lbs. (156 kg)
DR-36-40	26 x 36" (66 x 91 cm)	40	4 x 5" (10 x 13 cm)	333 lbs. (151 kg)
DR-36-50	26 x 36" (66 x 91 cm)	50	4 x 5" (10 x 13 cm)	393 lbs. (178 kg)
DR-46-40	30 x 46" (76 x 117 cm)	40	4 x 5" (10 x 13 cm)	290 lbs. (132 kg)
DR-48-40	31 x 48" (79 x 123 cm)	40	4 x 5" (10 x 13 cm)	415 lbs. (188 kg)
DR-48-50	31 x 48" (79 x 123 cm)	50	4 x 5" (10 x 13 cm)	493 lbs. (223 kg)
DR-50-50	37 x 50" (94 x 127 cm)	50	4 x 5" (10 x 13 cm)	535 lbs. (243 kg)
DR-55-50	42 x 55" (107 x 140 cm)	50	5 x 5" (13 x 13 cm)	664 lbs. (301 kg)
DR-68-50	45 x 68" (114 x 173 cm)	50	5 x 5" (13 x 13 cm)	933 lbs. (423 kg)
DR-80-50	52 x 80" (132 x 203 cm)	50	5 x 5" (13 x 13 cm)	1,048 lbs. (476 kg)
DR-36-40-20	26 x 36" (66 x 91 cm)	20	4 x 5" (10 x 13 cm)	233 lbs. (106 kg)
DR-36-50-25	26 x 36" (66 x 91 cm)	25	4 x 5" (10 x 13 cm)	268 lbs. (122 kg)
DR-48-40-20	31 x 48" (79 x 123 cm)	20	4 x 5" (10 x 13 cm)	279 lbs. (127 kg)
DR-48-50-25	31 x 48" (79 x 123 cm)	25	4 x 5" (10 x 13 cm)	323 lbs. (147 kg)
DR-50-50-25	37 x 50" (94 x 127 cm)	25	4 x 5" (10 x 13 cm)	350 lbs. (159 kg)
DR-55-50-25	42 x 55" (107 x 140 cm)	25	5 x 5" (13 x 13 cm)	459 lbs. (208 kg)
DR-68-50-25	45 x 68" (114 x 173 cm)	25	5 x 5" (13 x 13 cm)	631 lbs. (286 kg)
DR-80-50-25	52 x 80" (132 x 203 cm)	25	5 x 5" (13 x 13 cm)	718 lbs. (326 kg)
<b>Lightweight Applications</b>				
DR-46-40	30 x 46" (55 x 55 cm)	40	7.75 x 9.75" (20 x 25 cm)	290 lbs. (132 kg)


\* Weight includes skid. Skid weights may vary and are subject to change.

# MID-RANGE MODELS

*Snap-in shelves for easy assembly*



*Rubber bumpers ensure proper shelf spacing*




*Powder-coated shelf finish resists rust and solvent*




*Casters for easy shop mobility*





DR-24-40A



DR-24-80

## Unique design allows narrow, rigid products such as fiberboard, cardboard or plastic to extend beyond shelf size

Perfect for commercial shops, educational and institutional use, these models combine both economy and mobility. Featuring a new frame design for faster assembly, lightweight shelves snap into place quickly and easily. Rubber bumpers maintain the proper shelf spacing while all steel-construction provides a super sturdy frame. A true mid-range marvel offering many of the same features found on our larger racks!

### STANDARD FEATURES

- 40, 50, 80 or 100—18 x 24" shelves
- 40 or 50—20 x 26" shelves
- Sturdy, all-steel welded frame construction
- Rust-resistant, powder-coated shelf finish
- Casters for easy mobility
- Shelves snap easily into frame
- Rubber bumpers ensure proper shelf spacing for effective drying
- Ships via ground parcel service

### OPTIONS AND ACCESSORIES


- Rack assembly
- Extra rubber bumpers

CATALOG NO.	SHELF SIZES	MAX. SUBSTRATE SIZES	NO. OF SHELVES	MESH OPENINGS	SHIPPING WEIGHT*
DR-24-40A	18 x 24" (46 x 61 cm)	17.5 x 24" (44 x 61 cm)	40	6 x 6" (15 x 15 cm)	72 lbs. (33 kg)
DR-24-50	18 x 24" (46 x 61 cm)	17.5 x 24" (44 x 61 cm)	50	6 x 6" (15 x 15 cm)	76 lbs. (35 kg)
DR-24-80	18 x 24" (46 x 61 cm)	17.5 x 24" (44 x 61 cm)	80	6 x 6" (15 x 15 cm)	127 lbs. (58 kg)
DR-24-100	18 x 24" (46 x 61 cm)	17.5 x 24" (44 x 61 cm)	100	6 x 6" (15 x 15 cm)	160 lbs. (73 kg)
DR-26-40	20 x 26" (51 x 66 cm)	19.5 x 26" (49 x 66 cm)	40	6 x 6" (15 x 15 cm)	75 lbs. (34 kg)
DR-26-50	20 x 26" (51 x 66 cm)	19.5 x 26" (49 x 66 cm)	50	6 x 6" (15 x 15 cm)	91 lbs. (41 kg)

\* All racks ship via ground parcel service.




Ideal shelf spacing promotes quick evaporation.




Lock strips securely hold shelves.

773.777.7100 • Fax: 773.777.0909 • sales@awt-gpi.com

©2019 A.W.T. World Trade Inc. No part of this literature may be reproduced without written permission. Specifications subject to change without notice. #LIT-425 6/11/19




**DR-18-50**




**DR-18-100**




**DR-18-30WD**



**DR-16-8**



**DR-16-8**



**DR-16-13**

- All-steel construction
- Powder-coated, rust-resistant shelf finish
- Casters for easy mobility (DR-18-100)

Where space is limited, these specialty racks furnish the solution to your drying and storage needs. Whether you are storing artwork in your classroom or drying prints at your studio, A.W.T. specialty racks offer an affordable air-drying option. Available in door, portable or tabletop versions, our specialty racks help you get the most out of your working environment.

With a variety of shelving options, you'll always have enough storage space for your substrate. DR-18-30 and DR-18-30WD racks come assembled, and the upper and lower sections of the DR-18-100 slide together with ease. Like most of our smaller models, these racks ship using ground parcel service.

- All-steel construction
- Powder-coated, rust-resistant shelf finish
- Designed for vertical or horizontal placement to handle all storage or drying needs
- Wheels for easy mobility (DR-16-13)


**NEW! Our Lightest & Most Versatile Rack Series Yet**

The new Versa-Rack™ has hundreds of uses for drying or storing rigid or semi-rigid objects. Use it at the shop or office, classroom or home.


The tabletop model features eight shelves capable of holding objects up to about 12x18" (30 x 46 cm) or larger with a 3" clearance. The floor model has 13 shelves and convenient wheels for easy mobility. Both are ideal for storing or drying items such as screen print frames, stretched canvasses, canvas boards, cardboard, heavy felt, construction paper, poster board and much, much more.

CATALOG NO.	DESCRIPTION	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS	SHIPPING WEIGHT
DR-16-8	Tabletop, single-sided, vertical or horizontal	12 x 18" (30 X 46 cm)	8	N/A	7 lbs. (3.175 kg)
DR-16-13	Single-sided, vertical or horizontal with wheels	12 x 18" (30 X 46 cm)	13	N/A	9 lbs. (4.082 kg)
DR-16-25	Tabletop, single-sided	12 x 16" (30 X 40.6 cm)	25	6 x 10" (15 x 25 cm)	21 lbs. (9.534 kg)
DR-18-30	Tabletop, single-sided	12 x 18" (30 X 46 cm)	30	6 x 10" (15 x 25 cm)	26 lbs. (11.804 kg)
DR-18-30WD	Door hanging	12 x 18" (30 X 46 cm)	30	6 x 10" (15 x 25 cm)	23 lbs. (10.442 kg)
DR-18-50	Tabletop, double-sided	10 x 18" (30 X 46 cm)	50	6 x 10" (15 x 25 cm)	32 lbs. (14.528 kg)
DR-18-100	Portable	10 x 18" (30 X 46 cm)	100	6 x 10" (15 x 25 cm)	68 lbs. (30.872 kg)


\* All racks ship via ground parcel service.



Over-the-top door hanger on DR-18-30WD mounts instantly without drilling.




Powder-coated shelves provide non-scratch substrate handling.



Swivel casters allow portability and easy positioning.

## RACK DIMENSIONS



To make sure you select a rack that fits your needs as well as the physical space you have to work with, we've compiled a list of dimensions for your convenience.

When looking at the diagram to your left, you will notice four different measurements: **H1**, **H2**, **H3**, and **depth**. Because it is a side view diagram, total unit width has been omitted but can be found in the first column on the chart below.

**H1:** represents the maximum working height of the unit when the top shelf is raised completely.

**H2:** is the unit's height with all shelves in their horizontal position.

**H3:** is the height of the stop bracket used to keep the shelf from traveling too far on our heavy duty industrial models. On mid-range and lightweight racks, this measurement usually coincides with the angle of shelf elevation in its maximum safe position.

If you are unsure about which rack is best for your particular application, contact A.W.T. and we'll be glad to assist you with your selection process.

CATALOG NO.	WIDTH	DEPTH	HEIGHT	H1	H2	H3
DR-16-8	21.00" (53 cm)	9.00" (23 cm)	26.00" (66 cm)	N/A	N/A	N/A
DR-16-13	21.50" (55 cm)	10.00" (25 cm)	43.00" (109 cm)	N/A	N/A	N/A
DR-16-25	17.50" (44 cm)	17.50" (44 cm)	31.0" (79 cm)	N/A	N/A	N/A
DR-18-30	19.50" (50 cm)	19.25" (49 cm)	37.50" (95 cm)	N/A	N/A	N/A
DR-18-30WD	19.50" (50 cm)	19.25" (49 cm)	37.50" (95 cm)	N/A	N/A	N/A
DR-18-50	19.00" (48 cm)	22.25" (56 cm)	32.00" (81 cm)	N/A	N/A	N/A
DR-18-100	19.00" (48 cm)	22.25" (56 cm)	63.50" (161 cm)	N/A	N/A	N/A
DR-24-40A	25.50" (65 cm)	24.50" (62 cm)	45.50" (115 cm)	53.50" (136 cm)	N/A	N/A
DR-24-50	25.25" (64 cm)	24.50" (62 cm)	54.25" (138 cm)	64.00" (162 cm)	N/A	N/A
DR-24-80	39.25" (100 cm)	25.00" (63 cm)	43.00" (109 cm)	53.50" (136 cm)	N/A	N/A
DR-24-100	39.25" (100 cm)	25.00" (63 cm)	54.25" (138 cm)	64.00" (162 cm)	N/A	N/A
DR-26-40	27.25" (69 cm)	24.25" (61 cm)	45.00" (114 cm)	53.50" (136 cm)	N/A	N/A
DR-26-50	27.25" (69 cm)	24.25" (61 cm)	54.25" (138 cm)	64.00" (162 cm)	N/A	N/A
DR-32-40	35.00" (88.90 cm)	28.50" (72.39 cm)	N/A	64.50" (163.83 cm)	50.00" (127 cm)	58.00" (147.32 cm)
DR-32-50	35.00" (88.90 cm)	28.50" (72.39 cm)	N/A	75.62" (192.07 cm)	62.00" (157.48 cm)	69.00" (175.26 cm)
DR-36-40	38.50" (98 cm)	32.00" (81 cm)	N/A	64.50" (163 cm)	55.00" (140 cm)	59.00" (150 cm)
DR-36-50	38.50" (98 cm)	32.00" (81 cm)	N/A	79.00" (200 cm)	62.75" (159 cm)	68.25" (173 cm)
DR-46-40	50.25" (128 cm)	33.50" (85 cm)	N/A	65.25" (166 cm)	52.25" (133 cm)	57.75" (147 cm)
DR-48-40	51.75" (131 cm)	36.50" (93 cm)	N/A	70.00" (178 cm)	52.25" (133 cm)	57.75" (147 cm)
DR-48-50	51.75" (131 cm)	36.50" (93 cm)	N/A	81.00" (206 cm)	62.75" (159 cm)	68.25" (173 cm)
DR-50-50	53.50" (136 cm)	43.00" (109 cm)	N/A	83.25" (211 cm)	62.75" (159 cm)	68.25" (173 cm)
DR-55-50	58.50" (148 cm)	47.75" (121 cm)	N/A	88.25" (224 cm)	62.75" (159 cm)	68.25" (173 cm)
DR-68-50	72.75" (185 cm)	52" (132 cm)	N/A	103.5" (263 cm)	62.75" (159 cm)	73.5" (187 cm)
DR-80-50	84.75" (215 cm)	58.25" (148 cm)	N/A	89.25" (226 cm)	62.75" (159 cm)	68.25" (173 cm)

**773.777.7100 • Fax: 773.777.0909 • sales@awt-gpi.com**

©2019 A.W.T. World Trade Inc. No part of this literature may be reproduced without written permission. Specifications subject to change without notice. #LIT-425 6/11/19



## ADDITIONAL A.W.T. PRODUCTS

### SCREEN-EZE™

#### Professional Small-Format Screen Printer




A.W.T.'s versatile Screen-Eze™ table-top printing press is made for high-quality manual screen printing.

Ideal for short-run decals, labels, 3D parts, CDs and ad specialties, this precision engineered machine comes packed with performance features. The horizontal screen lift provides optimal ink control, and the lock-in head ensures exact registration for multicolor jobs. An adjustable off-contact allows 3D printing while providing additional print quality control, and the all-aluminum vacuum table lets you hand print with the same results you get from a flatbed press. Perfect for prototypes!

### FRAME-MATE™


#### Mobile Frame Rack

Perfect for staging heavy screens near presses, the Frame-Mate™ mobile frame rack holds up to 12 frames with 2" spacing between dividers and accepts wood, aluminum and roller frames up to 50 x 60". Heavy-duty swivel casters allow easy shop mobility and access to even the heaviest frames. A six-frame unit, with 4-1/4" spacing between the dividers, is also available to allow deeper frames.



### SERI-GLIDE™

#### One-Man Squeegee Screen Printing Unit



The A.W.T. Seri-Glide™ offers an economical solution for high-quality, short-run screen printing jobs. An all-aluminum Stay-Flat™ vacuum table provides a flat, warp-resistant printing surface and is powered by the

quietest, maintenance-free motor in the industry. Micro-registration, holddown, and blowback controls are all located up front for maximum operator control. Both squeegee assembly and screen holders are counterbalanced for effortless printing with easy screen lifting.

### ACCU-PRINT HIGH-TECH MICRO™


#### Small-Format Flatbed Printer

A.W.T.'s Accu-Print High-Tech Micro™ flatbed printer was developed in response to demand for high performance in a smaller format. Offering many advantages of larger High-Tech models, the computer-controlled Micro features independent carriage stroke and headlift drives for smooth, vibration-free cycling. Constructed from tubular steel, the heavy-duty chassis houses a belt drive and ball-bearing print carriage designed for extended runs. Factor in our Stay-Flat™ vacuum table and this state-of-the-art press leaves the competition far behind.



### SAFETY SPRING COVERS

#### For all racks and textile carousel presses



Over the years springs will start to fatigue and break. As springs break they can and will "SNAP" and recoil at such tensions that you actually can get badly hurt if one hits you. GPI's safety covers, when installed properly, fully cover the spring and will help reduce and, in most cases, prevent these springs from shooting off your press and hurting someone.

Our covers will work on most t-shirt printers, racks that have springs, or with any spring that needs to be protected.

*Corporate Headquarters &  
Manufacturing Facility*

**A.W.T. World Trade Inc.**

4321 N. Knox Avenue,  
Chicago, IL 60641 USA  
773.777.7100 • Fax: 773.777.0909

**www.awt-gpi.com**  
**sales@awt-gpi.com**

**773.777.7100 • Fax: 773.777.0909 • sales@awt-gpi.com**

©2019 A.W.T. World Trade Inc. No part of this literature may be reproduced without written permission. Specifications subject to change without notice. #LIT-425 5/14/19