Printing date 03/27/2020 Reviewed on 03/27/2020

### 1 Identification

· Product identifier

· Trade name: Hand Sanitizer

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Chemical Consultants Inc. 1850 Wild Turkey Circle Corona, CA 92880

USA

+1 (951) 735-5511 ncollins@ccidom.com

· Information department: Product safety department

· Emergency telephone number: INFOTRAC 1-800-535-5053

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

- · **Signal word** Danger
- · Hazard-determining components of labeling: propan-2-ol
- · Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray

*P264 Wash thoroughly after handling.* 

P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 2)



Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

67-63-0 propan-2-ol 75.0%

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

US



Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

(Contd. of page 2)

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

For large spills: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

All components have the value 400 ppm.

· PAC-2:

All components have the value 2000\* ppm.

· PAC-3:

All components have the value 12000\*\* ppm.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

(Contd. of page 3)

### · Control parameters

# · Components with limit values that require monitoring at the workplace: 67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

BEI

### · Ingredients with biological limit values:

#### 67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

# Printing date 03/27/2020

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

| Physical and chemical proper   | tios  |
|--|---|
|  |   |
| <ul> <li>Information on basic physical and of<br/>General Information</li> </ul> | chemical properties   |
| · Generai Injormation<br>· Appearance:   |   |
| Form:  | Fluid   |
| Color:   | According to product specification  |
| · Odor:  | Characteristic  |
| · Odor threshold:  | Not determined.   |
| · pH-value:  | Not determined.   |
| · Change in condition  |   |
| Melting point/Melting range:   | Undetermined.   |
| Boiling point/Boiling range:   | 82 °C (179.6 °F)  |
| Flash point:   | 13 °C (55.4 °F)   |
| Flammability (solid, gaseous):   | Not applicable.   |
| · Ignition temperature:  | 425 °C (797 °F)   |
| Decomposition temperature:   | Not determined.   |
| · Auto igniting:   | Product is not selfigniting.  |
| · Danger of explosion:   | Product is not explosive. However, formation of explosive air/vapmixtures are possible. |
| · Explosion limits:  |   |
| Lower:   | 2 Vol %   |
| Upper:   | 12 Vol %  |
| Vapor pressure at 20 °C (68 °F):   | 43 hPa (32.3 mm Hg)   |
| Density at 20 °C (68 °F):  | 0.785 g/cm³ (6.55083 lbs/gal)   |
| Relative density   | Not determined.   |
| · Vapor density  | Not determined.   |
| Evaporation rate   | Not determined.   |
| Solubility in / Miscibility with   |   |
| Water:   | Fully miscible.   |
| Partition coefficient (n-octanol/wat   | er): Not determined.  |
| Viscosity:   |   |
| Dynamic:   | Not determined.   |
| Kinematic:   | Not determined.   |
| Solvent content:   |   |
| Organic solvents:  | 75.0 %  |
| VOC content:   | 75.00 %   |
|  | 588.8 g/l / 4.91 lb/gal   |

(Contd. on page 6)



Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 value | s that are | relevant for | · classification: |
|-----------------|------------|--------------|-------------------|
|-----------------|------------|--------------|-------------------|

### 67-63-0 propan-2-ol

| Oral       | LD50     | 5,045 mg/kg (rat)     |
|------------|----------|-----------------------|
| Dermal     | LD50     | 12,800 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 30 mg/l (rat)         |

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

All components have the value 3.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)



Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

(Contd. of page 6)

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

· Recommended cleansing agent: Water, if necessary with cleansing agents.

| 1 4 77 | 7     |        | C     |       |
|--------|-------|--------|-------|-------|
| 14 1   | ransp | ort in | torma | ation |

|  | UN- | -Number |  |
|--|-----|---------|--|
|--|-----|---------|--|

· DOT, IMDG, IATA

· UN proper shipping name

 $\cdot DOT$ 

Isopropanol solution

· IMDG, IATA ISOPROPANOL (ISOPROPYL ALCOHOL) solution

UN1219

- · Transport hazard class(es)
- $\cdot DOT$



· Class

3 Flammable liquids

· Label

· IMDG, IATA



· Class 3 Flammable liquids

· Label

· Packing group

II · DOT, IMDG, IATA

· Environmental hazards: Not applicable.

Warning: Flammable liquids · Special precautions for user

· Hazard identification number (Kemler code): 33

· EMS Number: F-E,S-D

В · Stowage Category

(Contd. on page 8)



Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

|  | (Contd. of page                                  |
|--|--|
| · Transport in bulk according to Annex II of<br>MARPOL73/78 and the IBC Code | Not applicable.                                  |
| · Transport/Additional information:  |  |
| $\cdot$ DOT  |  |
| · Quantity limitations   | On passenger aircraft/rail: 5 L                  |
| -  | On cargo aircraft only: 60 L                     |
| · IMDG   |  |
| · Limited quantities (LQ)  | IL   |
| · Excepted quantities (EQ)   | Code: E2   |
| · · · · · · ·  | Maximum net quantity per inner packaging: 30 ml  |
|  | Maximum net quantity per outer packaging: 500 ml |
| · UN ''Model Regulation'':   | UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) SOLUTIO  |
| -  | 3, II  |

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

All components have the value F3.

· Pennsylvania Right-to-Know List:

All ingredients are listed.

· Pennsylvania Special Hazardous Substance List:

All components have the value E.

(Contd. on page 9)



Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

(Contd. of page 8)

· Carcinogenic categories

### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

### · TLV (Threshold Limit Value established by ACGIH)

All components have the value A4.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02 GE

- · Signal word Danger
- · Hazard-determining components of labeling:

propan-2-ol

· Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

*P264* Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)



Printing date 03/27/2020 Reviewed on 03/27/2020

Trade name: Hand Sanitizer

(Contd. of page 9)

### Date de révision

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Collins
- · Date of preparation / last revision 03/27/2020 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

HS