FISHEYE USER GUIDE


TRNDlabs

Welcome to the world of TRNDlabs products!


TRNDlabs products are design focused electronics, engineered to combine ultimate performance and aesthetics.

WWW.TRNDLABS.COM

PACKAGE CONTENTS



FUNCTIONS



SPECIFICATIONS

Weight 14 grams (0.49 ounces)

Size lens 25 mm x 25 mm x 15 mm (W x L x H)

(0.98 in x 0.98 in x 0.59 in)


Size clip 71 mm x 21 mm x 28 mm (W x L x H)

(2.8 in x 0.83 in x 1.1 in)

Angle 198°

SETUP


- 1 Place the FISHEYE Lens onto the lens mount.
- 2 Turn the Lens clockwise until it is fastened securely.



ATTACH TO YOUR PHONE

1 Press the ends of the clip together to open the clip.

② Slide the now opened clip over the phone and position it exactly above the camera of your phone and carefully release the pressure on the clip. The clip will fasten securely over the phone's camera.



TROUBLESHOOTING



There is a black circle around the photo.
The black circle or halo is caused by the Lens



itself.

This is normal for fisheye photos.



The view is skewed.

The FISHEYE Lens is mounted incorrectly.



Remove the FISHEYELens from the mount and remount it.

SAFETY PRECAUTIONS

Do not use FISHEYE in temperatures below -20 °C or above 40 °C or in settings with humidity higher than 85%

Store FISHEYE in a dry place. Never store it in a moist environement.

Do not try to alter or disassemble FISHEYE. If there is a problem with FISHEYE, contact the retailer for further assistance.

This product is not a toy, please keep it away from children.





The contents of this document are subject to change.

Download the latest version from

www.trndlabs.com.

If you have any questions about this document, please contact TRNDlabs by sending a message to hello@trndlabs.com.

© 2017 TRNDlabs. All rights reserved.



WWW.TRNDLABS.COM