

WALL CHARGER

TRNDlabs

WWW.TRNDLABS.COM

Thank you for purchasing WALL CHARGER and welcome to the world of TRNDlabs products.


WALL CHARGER is a versatile compact charger for

use at home, the office or on the go.

Table of Contents

Parts Identification	5
Functions	6
Setup and Charging	8
Specifications	8
Safety Information	9


Parts Identification



Functions

CHARGING DEVICES WITH WALL CHARGER

Plug the charger into a wall outlet ③. Now connect the USB plug of a USB charging cable to one of the USB ports of the charger ③. After connecting the USB charging cable to the charger, connect the USB charging cable with your device ③.



Specifications

Input Voltage: 100V-240V ~ 50/60Hz 500mA (Max)

Output 1: 5V == 1A (Max) Output 2: 5V == 1A Output 3: 5V == 1A

Output 4: 5V == 2.4A Output Max: 5V == 4.8A

Dimensions: 76 mm (length) x 51 mm (height) x 27mm (width)

Weight: 103 grams

Safety Information

- Do not modify or disassemble WALL CHARGER.
- Do not keep WALL CHARGER in an environment of excessively high temperatures, including intense sunshine. Only use the product within the following temperatures: 0° - 40°.
- Do not expose WALL CHARGER to any form of liquids
- All of TRNDlabs' products have been tested comprehensively. If you encounter any unusual heat, discoloration or product distortion during charging or storage, please stop using it immediately and contact the dealer. These issues may cause heat, smoke or ignition of WALI CHARCEF.
- WALL CHARGER is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities (or lack of experience and knowledge) unless they have been given supervision or instructions concerning the use of WALL CHARGER by a person responsible for their safety.





The contents of this document are subject to change. Download the latest version from www.trndlabs.com.

If you have any questions about this document, please contact TRNDlabs by sending a message to hello@trndlabs.com.

© 2018 TRNDlabs. All rights reserved.



2792/1/EN