

Mira

LED Travel Mirror

USER GUIDE

TRNDlabs
B E A U T Y

TRNDlabs
B E A U T Y

WWW.TRNDLABS.COM

Thank you for purchasing the
MIRA LED Travel Mirror and welcome
to the world of TRNDlabs products.


The MIRA brings style and convenience to your
beauty routine, making on-the-go touch-ups
effortlessly chic. Customizable lighting and
adjustable angles ensure you always look your
best, no matter where you are.

TABLE OF CONTENTS

Parts Identification	5
Functions	6
How to Use	7
Specifications	8
Troubleshooting	9
Safety Information	10

PARTS IDENTIFICATION


MIRA LED Travel Mirror



USB Charging Cable



FUNCTIONS



HOW TO USE

- Make sure the MIRA is fully charged.
- Set the mirror in the right angle, using the adjustable stand.
- Press the Smart Touch Button to turn on the LED light.
- Press the same button again to switch between the 3 color modes.
- After the third mode, press again to turn off.

SPECIFICATIONS

Battery:	1200 mAh Li-polymer
Battery Life:	3 hours
Charging Voltage:	5V
Dimensions:	18.0 x 13.0 x 2.0 cm (7.1 x 5.1 x 0.8")
Weight:	190 grams (6.7 ounces)

TROUBLESHOOTING

Problem: LED lights are not turning on.

Solution:

- Make sure the MIRA is charged. Connect it to a power source using the USB charging cable and try again.
- Make sure the USB charging cable is properly plugged in while charging.

SAFETY INFORMATION

- Keep the MIRA away from water and other liquids to avoid damage or malfunction.
- Do not disassemble, puncture, or damage the mirror or its battery.
- Store the MIRA in a cool, dry place, away from direct sunlight or extreme temperatures.
- To clean the mirror, use a soft, non-abrasive cloth.
- Do not use harsh chemicals or abrasive cleaning materials.

TRNDlabs

B E A U T Y

WWW.TRNDLABS.COM

The contents of this document are subject to change.
Download the latest version from
www.trndlabs.com.

If you have any questions about this document, please
contact TRNDlabs by sending a message
to hello@trndlabs.com.

© 2023 TRNDlabs. All rights reserved.

TRNDlabs
B E A U T Y

4064/1/EN