

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

### 1 Identification

- **Product Identifier**
- **Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Clean Priming Shampoo
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
 AMR Labs  
 7922 Haskell Ave  
 Van Nuys, CA 91406  
 (818) 787-4008  
 Monday thru Friday (7:00 am – 4:00 pm PST)
- **Emergency telephone number:** (818) 787-4008 Monday thru Friday (7:00 am – 4:00 pm PST)

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
 Eye Irritation 2B H320 Causes eye irritation.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Warning
- **Hazard-determining components of labeling:**  
 Sodium C14-16 Olefin Sulfonate  
 Heptyl D-glucoside  
 2-phenoxyethanol  
 3-(2-ethylhexyloxy)propane-1,2-diol
- **Hazard statements:**  
 H320 Causes eye irritation.
- **Precautionary statements:**  
 P264+P265 Wash thoroughly after handling. Do not touch eyes.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P317 If eye irritation persists: Get medical help.
- **Unknown acute toxicity:**  
 This value refers to knowledge of known, established toxicological or ecotoxicological values.  
 7 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

|            |   |                     |
|------------|---|---------------------|
| HEALTH     | 1 | Health = *1         |
| FIRE       | 0 | Fire = 0            |
| REACTIVITY | 0 | Physical Hazard = 0 |

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

**Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**

· **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

· **Chemical characterization: Substance**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

|                                     |  |       |
|-------------------------------------|--|-------|
| CAS: 56-81-5<br>RTECS: MA 8050000   | Glycerol   | 2-12% |
| CAS: 63439-57-6                     | Sodium C14-16 Olefin Sulfonate<br>⚠ Eye Damage 1, H318; ⚠ Skin Irritation 2, H315  | 2-12% |
|                                     | Sodium Lauroyl Methyl Isethionate<br>⚠ Eye Irritation 2A, H319   | 2-12% |
|                                     | Heptyl D-glucoside<br>⚠ Eye Damage 1, H318   | 2-12% |
| CAS: 122-99-6<br>RTECS: KM 0350000  | 2-phenoxyethanol<br>⚠ Eye Damage 1, H318; ⚠ Acute Toxicity - Oral 4, H302; Specific Target Organ Toxicity - Single Exposure 3, H335  | ≤2.5% |
| CAS: 1117-86-8                      | Caprylyl Glycol<br>Eye Irritation 2B, H320   | ≤2.5% |
| CAS: 70445-33-9                     | 3-(2-ethylhexyloxy)propane-1,2-diol<br>⚠ Eye Damage 1, H318  | ≤2.5% |
| CAS: 85251-63-4                     | Apple extract<br>⚠ Flammable Liquids 2, H225   | ≤2.5% |
| CAS: 74-79-3                        | Arginine<br>⚠ Eye Irritation 2A, H319  | ≤2.5% |
| CAS: 77-92-9<br>RTECS: GE 7350000   | citric acid<br>⚠ Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335   | ≤2.5% |
| CAS: 97-59-6                        | Allantoin<br>⚠ Skin Irritation 2, H315; Eye Irritation 2B, H320  | ≤2.5% |
| CAS: 107-41-5<br>RTECS: SA 0810000  | Hexylene Glycol<br>⚠ Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227   | ≤2.5% |
| CAS: 532-32-1                       | Sodium Benzoate<br>⚠ Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335  | ≤2.5% |
| CAS: 1310-73-2                      | Sodium Hydroxide<br>⚠ Skin Corrosion 1A, H314; ⚠ Acute Toxicity - Oral 4, H302<br>Specific concentration limits: Skin Corrosion 1A; H314: C ≥ 5 %<br>Skin Corrosion 1B; H314: 2 % ≤ C < 5 %<br>Skin Irritation 2; H315: 0.5 % ≤ C < 2 %<br>Eye Irritation 2; H319: 0.5 % ≤ C < 2 % | ≤2.5% |
| CAS: 8001-79-4<br>RTECS: FI 4100000 | Castor oil<br>Eye Irritation 2B, H320  | ≤2.5% |

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

**Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

· **Description of first aid measures**

- **General information:** If symptoms persist, call a physician.
- **After inhalation:** Consult a doctor if symptoms are present.
- **After skin contact:** Not expected unless allergic to an ingredient
- **After eye contact:** Causes eye irritation with redness, tearing.
- **After swallowing:** May be harmful if swallowed.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

### 5 Fire-Fighting Measures

· **Extinguishing media**

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

· **PAC-1:**

|            |                  |                       |
|------------|------------------|-----------------------|
| 56-81-5    | Glycerol         | 45 mg/m <sup>3</sup>  |
| 122-99-6   | 2-phenoxyethanol | 1.5 ppm               |
| 26590-05-6 | POLYQUATERNIUM   | 30 mg/m <sup>3</sup>  |
| 72-17-3    | sodium lactate   | 7.6 mg/m <sup>3</sup> |
| 107-41-5   | Hexylene Glycol  | 2.3 ppm               |
| 532-32-1   | Sodium Benzoate  | 61 mg/m <sup>3</sup>  |
| 1310-73-2  | Sodium Hydroxide | 0.5 mg/m <sup>3</sup> |

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

**Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**

| · <b>PAC-2:</b> |                  |                         |
|-----------------|------------------|-------------------------|
| 56-81-5         | Glycerol         | 180 mg/m <sup>3</sup>   |
| 122-99-6        | 2-phenoxyethanol | 16 ppm                  |
| 26590-05-6      | POLYQUATERNIUM   | 330 mg/m <sup>3</sup>   |
| 72-17-3         | sodium lactate   | 84 mg/m <sup>3</sup>    |
| 107-41-5        | Hexylene Glycol  | 25 ppm                  |
| 532-32-1        | Sodium Benzoate  | 680 mg/m <sup>3</sup>   |
| 1310-73-2       | Sodium Hydroxide | 5 mg/m <sup>3</sup>     |
| · <b>PAC-3:</b> |                  |                         |
| 56-81-5         | Glycerol         | 1,100 mg/m <sup>3</sup> |
| 122-99-6        | 2-phenoxyethanol | 97 ppm                  |
| 26590-05-6      | POLYQUATERNIUM   | 2,000 mg/m <sup>3</sup> |
| 72-17-3         | sodium lactate   | 790 mg/m <sup>3</sup>   |
| 107-41-5        | Hexylene Glycol  | 150 ppm                 |
| 532-32-1        | Sodium Benzoate  | 810 mg/m <sup>3</sup>   |
| 1310-73-2       | Sodium Hydroxide | 50 mg/m <sup>3</sup>    |

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
Store in a dry area at normal room temperatures. Avoid high heat and freezing temperatures.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

| <b>56-81-5 Glycerol</b> |   |
|-------------------------|---|
| PEL                     | Long-term value: 15* 5** mg/m <sup>3</sup><br>mist; *total dust **respirable fraction |
| TLV                     | TLV withdrawn-insufficient data human occup. exp.                                     |

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

**Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**

|                                   |  |
|-----------------------------------|--|
| <b>107-41-5 Hexylene Glycol</b>   |  |
| REL                               | Ceiling limit value: 125 mg/m <sup>3</sup> , 25 ppm  |
| TLV                               | Short-term value: 10** mg/m <sup>3</sup> , 50* ppm<br>Long-term value: 25* ppm<br>*vapor **inh. fraction, aerosol only |
| <b>532-32-1 Sodium Benzoate</b>   |  |
| TLV                               | Long-term value: 2.5 mg/m <sup>3</sup><br>inh. fraction, Skin, A5  |
| <b>1310-73-2 Sodium Hydroxide</b> |  |
| PEL                               | Long-term value: 2 mg/m <sup>3</sup>   |
| REL                               | Ceiling limit value: 2 mg/m <sup>3</sup>   |
| TLV                               | Ceiling limit value: 2 mg/m <sup>3</sup>   |

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:** Not required.

· **Material of gloves:** Not applicable.

· **Penetration time of glove material:** Not applicable.

· **Eye protection:** Not required.

· **Limitation and supervision of exposure into the environment:** None

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Gel

Color:

Translucent

· **Odor:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

Melting point/Melting range:

Not determined.

Boiling point/Boiling range:

Not determined.

· **Flash point:**

None

· **Flammability (solid, gaseous):**

Not applicable.

· **Auto igniting:**

Not applicable

· **Decomposition temperature:**

Not determined.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

### Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo

- **Ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure:** Not determined.
- **Density:** Not determined.
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 7.0 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 56-81-5 Glycerol

|            |               |                        |
|------------|---------------|------------------------|
| Oral       | LD50          | 12,600 mg/kg (Rat)     |
| Dermal     | LD50          | >10,000 mg/kg (rabbit) |
| Inhalative | LC50/96 hours | >50,000 mg/l (Trout)   |

#### 122-99-6 2-phenoxyethanol

|        |      |  |
|--------|------|--|
| Oral   | LD50 | 1,394 mg/kg (ATE)<br>1,260 mg/kg (Rat) |
| Dermal | LD50 | 5,000 mg/kg (rabbit)                   |

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

**Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**

|                                   |               |                                 |
|-----------------------------------|---------------|---------------------------------|
| <b>1117-86-8 Caprylyl Glycol</b>  |               |                                 |
| Dermal                            | LD50          | 14,422 mg/kg (rabbit)           |
| <b>77-92-9 citric acid</b>        |               |                                 |
| Oral                              | LD50          | 5,040 mg/kg (mouse)             |
|                                   |               | 5,400 mg/kg (Rat)               |
| Dermal                            | LD50          | >2,000 mg/kg (Rat)              |
|                                   | LC50/48 hrs   | 440 mg/l (Daphnia)              |
| <b>107-41-5 Hexylene Glycol</b>   |               |                                 |
| Oral                              | LD50          | 3,700 mg/kg (Rat)               |
| Dermal                            | LD50          | 8,560 mg/kg (rabbit)            |
| <b>532-32-1 Sodium Benzoate</b>   |               |                                 |
| Oral                              | LD50          | 1,600 mg/kg (mouse)             |
|                                   |               | 4,070 mg/kg (Rat)               |
|                                   |               | 2,000 mg/kg (rabbit)            |
| <b>1310-73-2 Sodium Hydroxide</b> |               |                                 |
| Oral                              | LD50          | 2,000 mg/kg (Rat)               |
| Inhalative                        | LC50/96 hours | 45.4 mg/l (Oncorhynchus mykiss) |
| <b>8001-79-4 Castor oil</b>       |               |                                 |
| Oral                              | LD50          | >4,952 mg/kg (Rat)              |

· **Primary irritant effect:**

· **On the skin:** Irritant to skin and mucous membranes.

· **On the eye:** Irritating effect.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

### 12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

**122-99-6 2-phenoxyethanol**

EC50 >500 mg/l (Daphnia)

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

**Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**

|                                   |                      |
|-----------------------------------|----------------------|
| <b>77-92-9 citric acid</b>        |                      |
| EC50                              | 1,534 mg/l (Daphnia) |
| <b>1310-73-2 Sodium Hydroxide</b> |                      |
| EC50                              | 40 mg/l (Daphnia)    |

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, IMDG, IATA** Non-Regulated Material
- **ADR/ADN** UN-
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**  
No further relevant information available.

(Contd. on page 9)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

**Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**

· **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

122-99-6 2-phenoxyethanol

· **TSCA (Toxic Substances Control Act):**

|            |   |        |
|------------|---|--------|
| 7732-18-5  | Water, distilled water, deionized water | ACTIVE |
| 56-81-5    | Glycerol                                | ACTIVE |
| 81-13-0    | Panthenol                               | ACTIVE |
| 122-99-6   | 2-phenoxyethanol                        | ACTIVE |
| 1117-86-8  | Caprylyl Glycol                         | ACTIVE |
| 19019-43-3 | Trisodium ethylenediaminetriacetate     | ACTIVE |
| 26590-05-6 | POLYQUATERNIUM                          | ACTIVE |
| 56-41-7    | L-alanine                               | ACTIVE |
| 56-45-1    | L-serine                                | ACTIVE |
| 56-84-8    | aspartic acid                           | ACTIVE |
| 72-17-3    | sodium lactate                          | ACTIVE |
| 72-18-4    | valine                                  | ACTIVE |
| 72-19-5    | L-threonine                             | ACTIVE |
| 73-32-5    | L-isoleucine                            | ACTIVE |
| 74-79-3    | Arginine                                | ACTIVE |
| 77-92-9    | citric acid                             | ACTIVE |
| 97-59-6    | Allantoin                               | ACTIVE |
| 107-41-5   | Hexylene Glycol                         | ACTIVE |
| 147-85-3   | L-proline                               | ACTIVE |
| 532-32-1   | Sodium Benzoate                         | ACTIVE |
| 1310-73-2  | Sodium Hydroxide                        | ACTIVE |
| 8001-79-4  | Castor oil                              | ACTIVE |

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

(Contd. on page 10)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

**Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo**

|   |  |        |
|---|--|--------|
| · <b>New Jersey Right-to-Know List:</b>   |  |        |
| 56-81-5   | Glycerol   |        |
| 107-41-5  | Hexylene Glycol  |        |
| 1310-73-2   | Sodium Hydroxide   |        |
| · <b>New Jersey Special Hazardous Substance List:</b>   |  |        |
| 1310-73-2   | Sodium Hydroxide   | CO, R1 |
| · <b>Pennsylvania Right-to-Know List:</b>   |  |        |
| 56-81-5   | Glycerol   |        |
| 107-41-5  | Hexylene Glycol  |        |
| 1310-73-2   | Sodium Hydroxide   |        |
| · <b>Pennsylvania Special Hazardous Substance List:</b>   |  |        |
| 1310-73-2   | Sodium Hydroxide   | E      |
| · <b>Carcinogenic categories:</b>   |  |        |
| · <b>EPA (Environmental Protection Agency):</b>   |  |        |
| None of the ingredients are listed.   |  |        |
| · <b>TLV (Threshold Limit Value established by ACGIH):</b>  |  |        |
| None of the ingredients are listed.   |  |        |
| · <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>  |  |        |
| None of the ingredients are listed.   |  |        |
| · <b>GHS label elements</b>   |  |        |
| The product is classified and labeled according to the Globally Harmonized System (GHS).                                    |  |        |
| · <b>Hazard pictograms:</b> Non-Regulated Material  |  |        |
| · <b>Signal word:</b> Warning   |  |        |
| · <b>Hazard-determining components of labeling:</b>   |  |        |
| Sodium C14-16 Olefin Sulfonate  |  |        |
| Heptyl D-glucoside  |  |        |
| 2-phenoxyethanol  |  |        |
| 3-(2-ethylhexyloxy)propane-1,2-diol   |  |        |
| · <b>Hazard statements:</b>   |  |        |
| H320 Causes eye irritation.   |  |        |
| · <b>Precautionary statements:</b>  |  |        |
| P264+P265   | Wash thoroughly after handling. Do not touch eyes.   |        |
| P305+P351+P338  | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |        |
| P337+P317   | If eye irritation persists: Get medical help.  |        |
| · <b>National regulations:</b>  |  |        |
| The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances. |  |        |
| · <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.                                 |  |        |

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of

(Contd. on page 11)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/03/2024

Reviewed on 03/03/2024

### Trade Name: Gussi Hair LLC - Squeaky Clean Priming Shampoo

this information and the suitability of the material or product for any particular purpose.

· **Contact:**

· **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flammable Liquids 2: Flammable liquids – Category 2
- Flammable Liquids 4: Flammable liquids – Category 4
- Acute Toxicity - Oral 4: Acute toxicity – Category 4
- Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
- Skin Irritation 2: Skin corrosion/irritation – Category 2
- Eye Damage 1: Serious eye damage/eye irritation – Category 1
- Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
- Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B
- Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106