



ock Options	Standard Door and Side Panel Colors
Manual Lock Keypad	Almond Glacier White
	Premium Door and Side Panel Colors
	Fusion Maple Arctic Ribbon*
	Majestic Walnut* Royal Canyon*

\* Majestic Walnut, Arctic Ribbon and Royal Canyon colors available for side panels only Door and side panel colors other than white or almond may be subject to a minimum order of 5 units

> Certified WBEN®

# carstens.

L

Key

6

CARSTENS.COM 1.800.782.1524

#### DIMENSIONS

### EXTERIOR DIMENSIONS

 UPPER COMPARTMENT
 24.7" W x 14.1" H x 3.12" D


 LOWER COMPARTMENT
 24.7" W x 17.8" H x 3.12" D


WORK SURFACE 26.625" W x 18.5" D ( SUPPORTS 50 LBS )

WEIGHT

59.0 LBS ( 26.8 KG )

28.3" W x 41.3" H x 4" D





SHIPPING

CARTON SIZE


GROSS WEIGHT

UNITS PER CARTON

ONE

65 LBS

44" L x 31" W x 8" D



BACK

#### MATERIALS & CONSTRUCTION

#### MATERIALS

Cold Rolled Steel Powder Coat Finish Clear Anodized Aluminum Alloy Medium Density Wood Composite

#### CONSTRUCTION

Mig Welded Steel Assemblies Stiffeners and Braces at Critical Locations Gas Spring Provided for Door Closure Recessed Door Handle

#### DOOR

Door inside cabinet forms a large work surface when fully open. Two choices of closure action, specified at the time of order:

- 1. Automatic If not held in fully open position, door automatically closes with slow, steady motion.
- 2. Semi-Automatic Door remains stable at fully open position. When pushed close, door swings freely for about 30 degrees, then closes automatically with slow, steady motion.

#### SHELVES

Shelves are powder coated steel. Standard configuration does not include repositionable shelves. Alternate configurations are available, based on customer requirements.

#### MOUNTING

Cabinet to be hung from building studs or other secure mounting, on #10 to 1/4" lag bolts or screws (hardware not provided), via two upper keyholes on 16" C/C, and locked onto wall by similar fasteners through two lower round holes at 11.4" C/C below keyholes. Work surface height is determined by mounting height. For work surface at 42" above floor, place hanging holes at 58.3" and 76.2" above floor. Due to the various types of wall construction, hardware to be used and method of installation should be approved by an appropriate engineering, architectural or construction professional to ensure that all anchoring hardware will support the required loads.

Certified WBEN®

## WALLAroo<sup>®</sup> 6670 Series

#### SPECIFICATIONS

# carstens.

CARSTENS.COM 1.800.782.1524