

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Certificate of Analysis

1 of 1

Live Resin Delta 8 Disposable 1 Gram (1000mg)

Sample ID: SA-230503-21248 Batch: 02/21/23 Type: Finished Product - Inhalable Matrix: Concentrate - Vape Unit Mass (g):

Received: 05/05/2023 Completed: 05/17/2023 Client

Elyxr 330 Wall St #1 Los Angeles, CA 90013 USA



Summary

Test	
Cannabinoids	

Date Tested 05/17/2023 Status Tested

0.231 %	80.4 %	92.7 %	Not Tested	Not Tested	Yes
Total ∆9-THC	∆8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095		(78) ND	ND
		0.0284		
CBCA	0.0181	0.0543	0.399	3.99
CBCV	0.006	0,018	ND	ND
CBD	0.0081	0.0242	0.200	2.00
CBDA	0.0043	0.013	7.89	78.9
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	0.324	3.24
CBGA	0.0049	0.0147	1.48	14.8
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND A	ND
CBN	0.0056	0.0169	1.08	10.8
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.147	1.47
Δ8-THC	0.0104	0.0312	80.4	804
Δ8-THCV	0.0067	0.02	0.232	2.32
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	0.263	2.63
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
Δ8-iso-THC	0.0067	0.02	ND	ND
Δ4,8-iso-THC	0.0067	0.02	0.286	2.86
Total Δ9-THC			0.231	2.31
Total			92.7	927

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 05/17/2023



Tested By: Scott Caudill Senior Scientist Date: 05/17/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories can be detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories can provide measurement uncertainty upon request.