



KCA Laboratories
 232 North Plaza Drive
 Nicholasville, KY 40356

+1-833-KCA-LABS
<https://kcalabs.com>
 KDA Lic.# P_0058

Live Resin Galactic Blend (HHC, HHCo, THCP, HHCP, D9o) Cartridge 1 Gram (1000mg)

Sample ID: SA-230503-21259
 Batch: 03/02/23
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

Received: 05/05/2023
 Completed: 05/17/2023

Client
 Elyxr
 330 Wall St #1
 Los Angeles, CA 90013
 USA



Summary

Test	Date Tested	Status
Cannabinoids	05/17/2023	Tested

0.316 % Total Δ9-THC	35.0 % Δ9-THC acetate	84.5 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
--------------------------------	---------------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---



Generated By: Ryan Bellone
 CCO
 Date: 05/17/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

Live Resin Galactico Blend (HHC, HHC_o, THCP, HHCP, D9_o) Cartridge 1 Gram (1000mg)

Sample ID: SA-230503-21259
Batch: 03/02/23
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 05/05/2023
Completed: 05/17/2023

Client
Elyxr
330 Wall St #1
Los Angeles, CA 90013
USA



Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	0.395	3.95
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	0.362	3.62
CBDA	0.0043	0.013	4.44	44.4
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	1.01	10.1
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	0.316	3.16
Δ8-THC acetate	0.0067	0.02	2.11	21.1
Δ8-THCP	0.0067	0.02	0.0880	0.880
Δ9-THC	0.0076	0.0227	0.316	3.16
Δ9-THC acetate	0.0067	0.02	35.0	350
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCP	0.0067	0.02	2.39	23.9
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	13.6	136
(6aR,9S,10aR)-HHC	0.0067	0.02	9.73	97.3
(6aR,9R,10aR)-HHC acetate	0.0067	0.02	12.5	125
(6aR,9S,10aR)-HHC acetate	0.0067	0.02	1.89	18.9
9R-HHCP	0.0067	0.02	0.212	2.12
9S-HHCP	0.0067	0.02	0.188	1.88
Total Δ9-THC			0.316	3.16
Total			84.5	845

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

RBD

Generated By: Ryan Bellone
CCO
Date: 05/17/2023

Scott Caudill

Tested By: Scott Caudill
Senior Scientist
Date: 05/17/2023



ISO/IEC 17025:2017 Accredited
Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.