

# 1 Gram Joint - Sativa ~ Passion Fruit

 Sample ID: SA-220517-9336  
 Batch:  
 Type: Finished Products  
 Matrix: Plant - Fortified / Sprayed  
 Unit Mass (g):

 Received: 05/31/2022  
 Completed: 06/06/2022

**Client**  
 Elyxr  
 330 Wall St #1  
 Los Angeles, CA 90013  
 USA


## Summary

<b>Test</b> Cannabinoids	<b>Date Tested</b> 06/06/2022	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>0.216 %</b> Total Δ9-THC	<b>7.83 %</b> CBGA	<b>18.0 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
--------------------------------	-----------------------	-------------------------------------	---------------------------------------	-------------------------------------	-----------------------------------------------

## Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.00095	0.0028	0.182	1.82
CBCA	0.00181	0.0054	0.145	1.45
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	0.218	2.18
CBDA	0.00043	0.0013	0.473	4.73
CBDV	0.00061	0.0018	ND	ND
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	0.928	9.28
CBGA	0.00049	0.0015	7.83	78.3
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	0.176	1.76
CBNA	0.0006	0.0018	ND	ND
CBT	0.0018	0.0054	0.0668	0.668
Δ8-THC	0.00104	0.0031	7.81	78.1
Δ9-THC	0.00076	0.0023	0.191	1.91
Δ9-THCA	0.00084	0.0025	0.0283	0.283
Δ9-THCV	0.00069	0.0021	ND	ND
Δ9-THCVA	0.00062	0.0019	ND	ND
Δ9-cis-THC	0.00099	0.003	ND	ND
<b>Total Δ9-THC</b>			<b>0.216</b>	<b>2.16</b>
<b>Total CBD</b>			<b>0.633</b>	<b>6.33</b>
<b>Total</b>			<b>18.0</b>	<b>180</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Alex Morris  
 Quality Assurance Manager  
 Date: 06/06/2022



 Tested By: Scott Caudill  
 Senior Scientist  
 Date: 06/06/2022

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651
