

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Live Resin Mutant Blend (THC-H, THC-B, & THC-P) Gummies 1000mg

Sample ID: SA-220923-12456 Batch: Type: Finished Products Matrix: Edible - Gummy Unit Mass (g): 3.53374

Received: 09/27/2022 Completed: 10/05/2022 Client Elyxr 330 Wall St #1 Los Angeles, CA 90013 USA



Summary

TestDate TestedCannabinoids10/05/2022

Status Tested



<loq< th=""><th>1.14 %</th><th>1.22 %</th><th>Not Tested</th><th>Not Tested</th><th>Yes</th></loq<>	1.14 %	1.22 %	Not Tested	Not Tested	Yes
Total ∆9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/unit)
СВС	0.00095	0.00284	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	0.00582	0.206
CBDA	0.00043	0.0013	0.0365	1.29
BDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
BG	0.00057	0.00172	ND	ND
BGA	0.00049	0.00147	ND	ND
BL	0.00112	0.00335	ND	ND
BLA	0.00124	0.00371	ND	ND ND
BN	0.00056	0.00169	0.0168	0.594
BNA	0.0006	0.00181	ND	ND
BT	0.0018	0.0054	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
8-THC	0.00104	0.00312	1.14	40.3
.8-THCP	0.0067	0.02	ND	ND
9-THC	0.00076	0.00227	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
19-THCA	0.00084	0.00251	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
19-THCB	0.0067	0.02	0.0237	0.836
19-THCP	0.0067	0.02	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
19-THCV	0.00069	0.00206	ND	ND
19-THCVA	0.00062	0.00186	ND	ND
īotal Δ9-THC			<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
otal CBD			0.0378	1.34
Fotal			1.22	43.2

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

TYPE

Generated By: Alex Morris Quality Assurance Manager Date: 10/06/2022

Testéd By: Jared Burkhart Technical Manager Date: 10/05/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.