

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Thca joint

Sample ID: SA-221205-14615 Batch: Type: Finished Products Matrix: Plant - Flower Unit Mass (g):

Received: 12/07/2022 Completed: 12/14/2022 Client

Elyxr 330 Wall St #1 Los Angeles, CA 90013 USA



Summary

Test Cannabinoids Date Tested 12/14/2022 Status Tested



| 20.7 % | 23.4 % | 31.8 % | Not Tested | Not Tested | Yes |
|--------------|---------|--------------------|------------------|----------------|------------------------------------|
| Total ∆9-THC | Δ9-ΤΗϹΑ | Total Cannabinoids | Moisture Content | Foreign Matter | Internal Standard Normalization |

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

| Analyte | LOD (%) | LOQ (%) | Result (%) | Result (mg/g) |
|--------------|------------|------------|---------------|------------------|
| СВС | 0.00095 | 0.0028 | 0.0671 | 0.671 |
| CBCA | 0.00181 | 0.0054 | 0.379 | 3.79 |
| CBCV | 0.0006 | 0.0018 | ND | ND |
| CBD | 0.00081 | 0.0024 | 0.520 | 5.20 |
| CBDA | 0.00043 | 0.0013 | 6.58 | 65.8 |
| CBDV | 0.00061 | 0.0018 | 0.00527 | 0.0527 |
| CBDVA | 0.00021 | 0.0006 | 0.0500 | 0.500 |
| CBG | 0.00057 | 0.0017 | 0.0595 | 0.595 |
| CBGA | 0.00049 | 0.0015 | 0.467 | 4.67 |
| CBL | 0.00112 | 0.0033 | ND | ND |
| CBLA | 0.00124 | 0.0037 | 0.0101 | 0.101 |
| CBN | 0.00056 | 0.0017 | 0.00362 | 0.0362 |
| CBNA | 0.0006 | 0.0018 | 0.0515 | 0.515 |
| CBT | 0.0018 | 0.0054 | ND | ND |
| ∆8-THC | 0.00104 | 0.0031 | 0.0121 | 0.121 |
| Δ9-THC | 0.00076 | 0.0023 | 0.177 | 1.77 |
| Δ9-ΤΗCΑ | 0.00084 | 0.0025 | 23.4 | 234 |
| Δ9-THCV | 0.00069 | 0.0021 | ND | ND |
| Δ9-ΤΗϹVΑ | 0.00062 | 0.0019 | 0.0688 | 0.688 |
| Total Δ9-THC | | | 20.7 | 207 |
| Total CBD | | | 6.29 | 62.9 |
| Total | | | 31.8 | 318 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 12/14/2022

Sulphon

Testéd By: Jared Burkhart Technical Manager Date: 12/14/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.