

Elyxr THC-P Cartridge 1ml (1000mg)

 Sample ID: SA-240125-33765
 Batch: ELTHCP1GCT-NFJ121923
 Type: Finished Product - Inhalable
 Matrix: Concentrate - Vape
 Unit Mass (g):

 Received: 01/29/2024
 Completed: 02/07/2024

Client
 Elyxr
 330 Wall St #1
 Los Angeles, CA 90013
 USA


Summary

Test Cannabinoids	Date Tested 02/07/2024	Status Tested
-----------------------------	----------------------------------	-------------------------

0.180 % Total Δ9-THC	73.4 % Δ8-THC	89.4 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
--------------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDP	0.0067	0.02	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	ND	ND
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	0.637	6.37
Δ8-iso-THC	0.0067	0.02	0.0438	0.438
Δ8-THC	0.0104	0.0312	73.4	734
Δ8-THCP	0.0067	0.02	0.900	9.00
Δ8-THCV	0.0067	0.02	0.125	1.25
Δ9-THC	0.0076	0.0227	0.180	1.80
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCP	0.0067	0.02	14.0	140
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
exo-THC	0.0067	0.02	0.172	1.72
Total Δ9-THC			0.180	1.80
Total			89.4	894

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Alex Morris
 Quality Manager
 Date: 02/07/2024



 Tested By: Scott Caudill
 Laboratory Manager
 Date: 02/07/2024

 ISO/IEC 17025:2017 Accredited
 Accreditation #108651
