

## Live Resin Mutant Blend

 Sample ID: SA-240206-34544  
 Batch: EL-MBDAB-BBS020624  
 Type: Finished Product - Inhalable  
 Matrix: Concentrate - Distillate  
 Unit Mass (g):

 Received: 02/08/2024  
 Completed: 02/23/2024

**Client**  
 Elyxr  
 330 Wall St #1  
 Los Angeles, CA 90013  
 USA


## Summary




<b>Test</b> Cannabinoids	<b>Date Tested</b> 02/23/2024	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>1.34 %</b> Total Δ9-THC	<b>67.8 %</b> Δ8-THC	<b>84.9 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
-------------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

## Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	3.61	36.1
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	0.0985	0.985
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.151	1.51
CBN acetate	0.0067	0.02	0.0229	0.229
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ4,8-iso-THC	0.0067	0.02	7.21	72.1
Δ8-iso-THC	0.0067	0.02	0.121	1.21
Δ8-THC	0.0104	0.0312	67.8	678
Δ8-THC acetate	0.0067	0.02	4.19	41.9
Δ8-THCV	0.0067	0.02	0.124	1.24
Δ9-THC	0.0076	0.0227	1.34	13.4
Δ9-THC acetate	0.0067	0.02	0.166	1.66
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
exo-THC	0.0067	0.02	0.0967	0.967
<b>Total Δ9-THC</b>			<b>1.34</b>	<b>13.4</b>
<b>Total</b>			<b>84.9</b>	<b>849</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA

DA \* 0.877 + CBD;


 Generated By: Ryan Bellone  
 CCO  
 Date: 02/23/2024

 Tested By: Scott Caudill  
 Laboratory Manager  
 Date: 02/23/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651



**KCA Laboratories**  
232 North Plaza Drive  
Nicholasville, KY 40356

+1-833-KCA-LABS  
<https://kcalabs.com>  
KDA Lic.# P\_0058

**Live Resin Mutant Blend**

Sample ID: SA-240206-34544  
Batch: EL-MBDAB-BBS020624  
Type: Finished Product - Inhalable  
Matrix: Concentrate - Distillate  
Unit Mass (g):

Received: 02/08/2024  
Completed: 02/23/2024

**Client**  
Elyxr  
330 Wall St #1  
Los Angeles, CA 90013  
USA



Generated By: Ryan Bellone  
CCO  
Date: 02/23/2024

