**KCA Laboratories** 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

## **CBG Tincture**

Sample ID: SA-240206-34546 Batch: EL-T020624-CBG Type: Finished Product - Ingestible Matrix: Oil / Liquid - Alcohol (Tincture) Unit Mass (g):

Received: 02/08/2024 Completed: 02/22/2024 Client

Elyxr 330 Wall St #1 Los Angeles, CA 90013



1 of 1



Summary

Test Cannabinoids

**Date Tested** 02/22/2024

**Status Tested** 

0.334 mg/mL

Total Δ9-THC

33.2 mg/mL

CBG

40.9 mg/mL

Total Cannabinoids

**Not Tested** 

Moisture Content

**Not Tested** 

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	0.11131	0.0121	3.34
CBCA	0.00181	0.00543	ND	ND	ND
CBCV	0.0006	0.0018	/ / ND	ND	ND
CBD	0.00081	0.00242	4.1363	0.449	124
CBDA	0.00043	0.0013	ND	ND	ND
CBDV	0.00061	0.00182	ND	ND	ND
CBDVA	0.00021	0.00063	ND	ND	ND
CBG	0.00057	0.00172	33.17876	3.60	995
CBGA	0.00049	0.00147	ND	ND	ND
CBL	0.00112	0.00335	ND	ND	ND
CBLA	0.00124	0.00371	ND	ND	ND
CBN	0.00056	0.00169	ND	ND	ND
CBNA	0.0006	0.00181	ND	ND	ND
CBT	0.0018	0.0054	ND	ND	ND
Δ8-ΤΗС	0.00104	0.00312	3.16756	0.344	95.0
Δ9-ΤΗС	0.00076	0.00227	0.33355	0.0362	10.0
Δ9-ΤΗCΑ	0.00084	0.00251	ND	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND	ND
Total Δ9-THC			0.334	0.0362	10.0
Total			40.9	4.44	1230

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 02/23/2024

Tested By: Scott Caudill Laboratory Manager Date: 02/22/2024







This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories can provide measurement uncertainty upon request.