

Certificate of Analysis

Analytical Licence No. 48/04/2005

Certificate no. : ANU/GP/001/170922

Manufacturer/Party Name	ANANTA HEMPWORKS SOLUTIONS PVT LTD. Add. Ward No 2 , Industrial Area. Khajri, Chhindwara MP -480001.				
Sample Name	Canna Ease Skin Protect (Vijaya Leaf Extract, Virgin Coconut oil)				
Batch No.	AHW-SP18/22	Batch size	NA	Sample Qty.	1 X 50 ml
Received Date	17/09/2022	Mfg.Date	08/2022	Exp. Date	01/2024
Reference no.	NM	Reference date	NM	Lic. No.	MP25E/21/841
Protocol of test applied	IN HOUSE SPECIFICATION	Date of Analysis	17/09/2022	Date of Completion	23/09/2022
Condition:	NA	Station	NA		

Physico-Chemical Parameters

**As per The Ayurvedic
Pharmacopoeia
In House Specification**

S. ro.	Parameters	Results	As per The Ayurvedic Pharmacopoeia In House Specification
(1)	Appearance	Dark green coloured oil	Dark green coloured oil
(2)	Taste	Tasteless	Tasteless
(3)	Odour	Characteristic odour	Should be Characteristic odour
(4)	pH	5.68	4.0 to 7.0
(5)	Relative density	0.9552	NLT 0.900
(6)	Refractive Index @25°C	1.4820	1.4600 – 1.5450
(7)	Iodine Value	135	100-200
(8)	Saponification Value	172	160 - 220
(9)	Acid Value	2.0	NMT 5.0
(10)	Viscosity	82 cps	NLT 40 cps
(11)	Peroxide value	2.5	NMT 5.0
(12)	Rancidity test	Complies	Should be comply
(13)	Identification-TLC/HPTLC/GLC	For Vijaya Leaf Extract - Positive For Virgin coconut oil - Positive	Should positive for Vijaya Leaf Extract and Virgin coconut oil

Date: 23/09/2022

Administrator



Signature of person-in-charge in testing

Certificate of Analysis

Certificate no. : ANU/GP/001/170922

Microbial Contamination			As per The Ayurvedic Pharmacopoeia
1	Total Aerobic Bacterial count	22X10 ²	NMT 10 X 10 ⁵ Cfu/ml
2	Yeast and Mould Count	Less than 10 cfu	NMT 1000 Cfu/ml
3	E.coli	Absent	Absent
4	Salmonella	Absent	Absent
5	S. Aureus	Absent	Absent
6	Pseudomonas aeruginosa	Absent	Absent

----- End of Report -----

Note: Above Parameters as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume-II first Edition Publisher The controller of publication Govt of India.

In the opinion of undersigned the sample referred to above is of STANDARD QUALITY as defined in the Act & rules made there under for the reason given below with respect to the test/tests performed.

Date: 23/09/2022

Administrator



Signature of person-in-charge in testing