## Vital Earth's®

# Seabird Guano High Phos.

## 0-11-0

### Material Safety Data Sheet

I. PRODUC	T NAMI	E/TRADE NA	ME:	<b>Emergency Telephone Number:</b>
Vital Earth's®	Seabird	Guano High P	hos.	503-493-2784
0-11-0				Information Telephone Number:
Sizes: Sample	e, 1 lb/0.4	1536 kg, 4.4 lb/	1.9958 kg,	, 503-493-2784
10 lb/4.5359 l	kg, 22 lb/	9.9790 kg, 44 l	b/19.958	Date Prepared:
kg				01/15/08
EPA REGIST	RATIO	N #: none		
CHEMICAL	NAME/O	COMMON NA	ME:	
Seabird Guan	o/Seabiro	d Guano		Is not a controlled product and is not covered
				under Hazardous Product Act and WHIMIS.
WHIMIS Cla	ssificatio	n of Product:		Fertilizer (Natural)
Product use:				
II. HAZARD	OUS IN	GREDIENTS		
Ingredient	%	CAS #	LD50	D LC50 OSHA PEL ACGIH
TLV				

NA	NA	NA	NA	NA	NE	NE
III. PHYSICA	L/CH	IEMICAL CH	IARACTER	ISTICS		
Boiling Point:		NE	S	specific Gravity (H	20=1):	NA
Vapor Pressure	•		Ν	Aelting Point:		NA
(mmHg):		NA	-			
			F	Freezing Point:		NA
Vapor Density						
(Air = 1):		NE	Ε	Evaporation Rate		
			(	Butyl Acetate + 1)	:	NA
% Volatiles by	vol.:	NE				
			Ι	Density:	V	/ariable
Solubility in W	ater:	Soluble				
Appearance and	d					
Odor:		Beige colored	dry			
		material, sligh	-			
		odor	-			
Flash Point/Me	ethod:	NA				
pH:		NA				
IV. FIRE ANI	) EXI	PLOSION HA	ZARD DAT	Α		
Flash point				Flammable Limits	: This	material is slightly
(Method Used)	):	NA			com	bustible due to

			residual protein. Direct
Extinguishing Media:	Water, Carbon Dioxide	2,	flame results in short
	Dry Chemicals		lived sustained flame.
			Dust explosion
Hazardous Combustion	1		conditions unknown.
Products:	Dioxides from fire		Use water to extinguish.
Sensitivity to		LEL:	NA
Mechanical Impact:	NA		
		UEL:	NA
Sensitivity to Static			
Discharge:	NA	Conditions of	
		Flammability:	Will burn in a fire
Auto Ignition (°C):	NA		
Special Fire Fighting			
Procedures:	Treat as class A. Fight		
	fire upwind. Wear		
	positive pressure self-		
	contained breathing		
	apparatus and full		
	protective equipment		
	Do not breathe smoke		
	or spray mist. Avoid		
	fallout and runoff. Dike		
	to prevent entering		
	drains, sewers, or wate	r	

	courses. Evacuate
	people downwind from
	fire.
Unusual Fire and	
Explosion Hazards:	Avoid production of an
	extremely dusty air
	space in areas of local
	burning or electrical
	sparking.

### V. REACTIVITY DATA

Chemical Stability:	Stable
Incompatibility (Products to Avoid):	Fire, Water
Hazardous Decomposition or Byproducts:	COx, SOx
Hazardous Polymerization:	Will Not Occur
Condition to Avoid:	Exposure to heat and acid
Reactivity, and under what conditions:	NA

### VI. TOXICOLOGICAL PROPERTIES/HEALTH HAZARD DATA

Route(s) of Entry

Skin:

	Wear proper personal protective equipment to	
	reduce skin exposure.	
Ingestion:		
	Do not ingest. Wash thoroughly before eating,	
	drinking or smoking.	
Inhalation:		
	Wear proper respiratory protection for the	
	exposures encountered.	
Eye Contact:		
	Can cause eye irritation. Wear proper eye	
	protection to reduce exposure. If contact occurs,	
	flush eyes with water for a minimum of 15	
	minutes.	
Health Hazard (Acute of Chronic):		
	NA	
Carcinogenicity:		
	IARC monographs NTP OSHA	
	None Known None Known None	
Signs and Symptoms of Exposure:	Known	
	NA	
Irritancy of product:	NA	
Sensitization to Product:	NA	
Teratogenicity:	None	

Reproductive Toxicity:	None
Mutagenecity:	None
Synergistic Products:	None
VII. PRECAUTION FOR SAFE HANDLIN	G AND USE
Personal Protective Equipment	
Respiratory:	When dust is present, use a NIOSH/MSHA approved half- or a full-face respirator with a High Efficiency Particle Aerosol (HEPA) cartridge
Skin:	Wear proper personal protective equipment to reduce skin exposure.
Eyes:	Use appropriate eye protection e.g.: goggles, to minimize contact with dust.
Other:	Wear sturdy work clothing and footwear for the specific application.
Environmental Hazards:	Dike area to prevent entering drains, sewers or water courses.

Engineering controls:

In restricted spaces, use effective ventilation, e.g. Local Air Ventilation. Do not permit excessive accumulation of dust in work areas. Best practice is to clean up with a vacuum equipped with a HEPA filter.

Steps to be taken in case material is released or spilled:

If uncontaminated, collect for reuse or disposal. Use a clean up system which does not create dust, e.g. a vacuum equipped with a HEPA filter. If contaminated or not required for reuse, dispose in approved landfill in accordance with local regulations.

Waste Disposal Method:

If uncontaminated, dispose as a non-metallic mineral. If contaminated, use appropriate method for containment with applicable local regulation(s).

Precaution to be taken in handling and storing:

Product should be kept in a dry place. Avoid creation of respirable dust if possible. Protect workers as above. Use effective ventilation and dust collection. Avoid eye and skin contact with wet product during use.

Special shipping information:

#### VIII. CONTROL/FIRST AID MEASURES/HEALTH PRECAUTION DATA

Respirator Protections:	Use only NIOSH/MSHA - approved respiratory protection for nuisance particles up to 10 times the PEL/TLV. Positive pressure self-contained breathing apparatus should be used for confined space entry and high exposures above the nuisance particulate PEL/TLV.
Ventilation:	Local exhaust/general ventilation to control nuisance dust.
Protective/Work Gloves:	Rubber, latex, vinyl, or other impervious gloves recommended
Eye Protection:	Safety Goggles or glasses with side shields and brow protection Recommended.
Other Protective Clothing or Equipment:	Not required
Work / Hygienic Practices:	Wash to remove dust after use
Eyes:	Flush with tempered water for at least 20 minutes. Obtain medical attention
Skin:	Wash with soap and water. For caustic burns to skin consult a doctor.

Ingestion:	Drink large amounts of water. Do not induce
	vomiting. Seek immediate medical attention.
Gross inhalation of dust:	Remove victim to fresh air and administer CPR
	if necessary.
IX. SPECIAL PRECAUTIONS	
Keep out of reach of children. Do not wash dov	vn storm or sanitary sewer system. Read and
follow all label instructions.	
X. REGULATORY DATA	

SARA HAZ	ARD CLASS	S:	Acute	
SARA 313:			NO	
SARA 302:			NO	
		TPQ:		
CERCLA:			NO	
		RQ:		
RCRA:			NO	
NFPA HAZ	ARD RATIN	G:	NFPA HAZARD	RATING SCALE:
Health:	[1]		0 = Minimal	3 = Serious
Fire:	[2]		1 = Slight	4 = Severe
Reactivity:	[0]		2 = Moderate	
Special:	[]			

HMIS CODES:		HMIS HAZARD RATING SCALE:		
Health:	[1]	0 = Minimal	3 = Serious	
Fire:	[2]	1 = Slight	4 = Severe	
Reactivity:	[0]	2 = Moderate		

#### **XI. PREPARATION DATE OF MSDS**

Prepared by:	Conscious Earthworks, LLC
Phone:	503-493-2784
Date:	01/15/08

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate as of the effective date given above, CONSCIOUS EARTHWORKS, LLC makes no representations as to its accuracy or sufficiency. Conditions of use are beyond CONSCIOUS EARTHWORKS' LLC control. Therefore, users are responsible for determining whether under their own operating conditions the product is suitable for their particular use. Users assume all risks of use, handling, and disposal of the product. The publication, use of, or reliance upon information contained herein does not relate to the use of this product in combination with any other material or in any other process.

Furthermore, CONSCIOUS EARTHWORKS' LLC products are sold subject to the following LIMITATION OF LIABILITY AND DISCLAIMER

LIMITATION OF LIABILITY AND DISCLAIMER:

NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS OR IMPLIED, CONCERNING THE RESULTS TO BE OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS AND/OR GENERALLY ACCEPTED APPLICATION PROCEDURES AND PRECAUTIONS. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF LIABILITY OF

CONSCIOUS EARTHWORKS, LLC FOR ANY LOSSES, DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE REFUND OF THE PURCHASE PRICE. **CONSCIOUS EARTHWORKS, LLC, EXPRESSLY EXCLUDES AND DISCLAIMS ANY WARRANTIES OF FITNESS FOR ANY PARTICULAR PURPOSE OR USE.**