SAFETY DATA SHEET

SECTION 1: *IDENTIFICATION*

Product Name: Unity #0327

Product Use: Automotive Detailing

Manufacturer/Supplier:

American Detailer Garage LLC. 5600 Old Cane Run Rd Louisville, KY 40258

Telephone Number: 270 872-7590

E-mail: americandetailergaragellc@gmail.com

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification:

| Health Environmental | Phy | sical |
|----------------------|-----|-------|
| | | |

| Eye Effects – Category 2B (Mild Irritant) | Flammable Liquid – N/A |
|--|---|
| Skin Corrosion – N/A | Explosives – N/A |
| Acute Toxicity – Category 5 (oral) | Flammable Gases – N/A |
| N/A (inhalation), | Flammable Aerosols – N/A |
| N/A (dermal) | Oxidizing Gases – N/A |
| Skin Sensitization – N/A | Gases Under Pressure – N/A |
| Mutagenicity – N/A | Flammable Solid – N/A |
| Carcinogenicity- N/A | Self-reactive substances – N/A |
| Reproductive/Developmental- N/A | Pyrophoric solids – N/A |
| Target Organ Toxicity – N/A | Self-Heating substances – N/A |
| Toxicity – N/A | Oxidizing Liquids – N/A |
| Aspiration Hazard – N/A | Oxidizing Solids – N/A |
| Environmental Hazards – N/A | Organic Peroxides – N/A |
| Hazardous to the aquatic environment – N/A | Corrosive to Metal – N/A |
| | Substances which, in contact with water emit flammable gasses – N/A |

| | Precautionary Statements | | |
|-----------------------------------|---|--|--|
| Pictogram: N/A | General: | | |
| | P101 If medical advice is needed, have product or label at | | |
| Hazard Statements | hand. P102 Keep out of reach of children P103 Read label | | |
| | before use. | | |
| WARNING! | Prevention: | | |
| H303 May be harmful if swallowed. | P264 Wash thoroughly after handling. | | |
| | Response: | | |
| H320 Causes eye irritation. | P301 + P312 If Swallowed: Call a POISON CONTROL CENTER or | | |
| | doctor/physician. Rinse Mouth. | | |
| | P305 +P351+P338 If In eyes: Rinse cautiously with water for several minutes. | | |
| | Remove contact lenses, if present and easy to do. Continue rinsing. | | |
| | P337+313 If eye irritation persists get medical advice/attention. Storage: N/A | | |
| | <u>Disposal:</u> | | |
| | P501 Dispose of contents/container in accordance with | | |
| | local/regional/national/international regulations. | | |
| | | | |

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

| Component | CAS Number | Weight % |
|--|---------------------|------------|
| Water | 7732-18-5 | 80 - 100 |
| Polydimethyl Siloxane | 63148-62-9 | 35 - 45 |
| Glycerin | 56-81-5 | 5 – 15 |
| Polymer Blend | 9003-01-4 | ≤1 |
| Polyethylene Glycol Trimethylnonyl Ether | 60828-78-6 | ≤ 5 |
| Preservative | 4080-31-3 | ≤1 |
| Fragrance | Proprietary Mixture | ≤1 |
| Colorant | Proprietary Mixture | < 1 |
| | | |

SECTION 4: FIRST AID MEASURES

Eye Contact: Flush immediately with large amounts of clean water for at least 15 minutes; Eyelids should be held away from the eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.

Skin Contact: Rinse area with soap and water. Seek medical attention if any redness or irritation persists.

Inhalation: If breathing is difficult or irritating, move to fresh air immediately. If symptoms persist, get medical

attention.

Ingestion: Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective

but should be used to cool fire-exposed containers, structures and to protect personnel.

Use water to dilute spills and to flush them away from sources of ignition.

Fire Fighting Procedures: No special protective action for fire fighters are anticipated.

Unusual Fire and Explosion: N/A

Combustion Products: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

SECTION 7: HANDLING AND STORAGE

Handling: Do not get in eyes, on skin or on clothing. Use good personal hygiene practices. Wash hands before

eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Keep operating temperatures below ignition temperatures at all times. Chemical resistant splash goggles and chemical

resistant gloves are always recommended when using chemicals.

Storage: Keep container tightly closed in a cool, dry, well-ventilated area away from heat, source of ignition and

incompatibles.

Do not store below 32 degrees F or above 100 degrees F. Do not store in direct sunlight. Keep away from

children.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits: No occupational exposure limit values exist for any of the components list in section 3 of this

SDS.

Engineering Controls: No engineering control recommendations.

Personal Protective Equipment (PPE):

Eye Protection: Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.

Skin Protection: Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron.

Respiratory Protection: N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Flashpoint: No flash point Lower Flammability Limit: No data available Auto-ignition Temperature: No data available Upper Flammability Limit: No data available **Boiling Point:** Volatile Organic Compound: >95°C .1% weight [CARB] Melting Point: No data available Volatile Organic Compound: 1 g/l [SCAQMD 443.1 Vapor Pressure: No data available Evaporation Rate (Water=1): No data available Vapor Density (Air = 1): No data available Viscosity: 900 -1500 cSt

Solubility: Negligible pH: $10 \pm .5$ Pour Point: Not available Molecular Weight: Mixture Molecular Formula: Mixture Spec. Grav. / Density: 8.901 lbs. /gal.

Odor/Appearance: Fruit Scent / Yellow Cream

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None Chemical Stability: Stable

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: None

Incompatible materials: Strong acids and oxidizers. Hazardous

Decomposition: None know.

SECTION 11: TOXICOLOGICAL INFORMATION

Signs and Systems of Exposure: Based on the test data and/or information on the components, this material may produce the following health effects:

Inhalation: Respiratory Tract Irritation: N/A

Skin Contact: Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact: Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion: Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Target Organ Effects: Allergic Skin Reaction (non-photo induced) in sensitive people. Signs/symptoms may include redness, swelling, blistering, and itching.

Toxicological Data: If a component is disclosed in section 3 but does not appear in a table below, either no data is available for that endpoint or the data is not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--------------------------|------------|---------|----------------------|
| Polydimethyl siloxane | Oral | Rat | LD 50 >5000 mg/kg |
| Polydimethyl siloxane | Inhalation | - | No data available |
| Polydimethyl siloxane | Dermal | Rat | LD 50 >2008 mg/kg |
| Glycerin | Oral | Rat | LD 50: 12,600 mg/kg |
| Glycerin | Inhalation | Rat | LC 50 >570 mg/m3, 1h |
| Glycerin | Dermal | Rabbit | LD 50 > 10g/kg |
| Polyethylene Glycol Trim | Oral | Rat | LD 50 3,300 mg/kg |
| Polyethylene Glycol Trim | Inhalation | - | No data available |
| Polyethylene Glycol Trim | Dermal | Rabbit | LD 50 : 8,874 mg/kg |

Skin Corrosion/Irritation

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

Serious Eye Damage/Irritation

| Name | Route | Species | Value |
|-----------|--------|---------|-------|
| 1 (001110 | 110000 | ~ p | |

Skin Sensitization

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

Respiratory Sensitization

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

Germ Cell Mutagenicity

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

Carcinogenicity

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

Target Organ (s)

Specific Target Organ Toxicity – Single Exposure

| Name Route Species Value |
|--------------------------|
|--------------------------|

Specific Target Organ Toxicity – repeated exposure

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

Aspiration Hazard

| Name Route Species Value |
|--------------------------|
|--------------------------|

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity

Acute and Prolonged Toxicity to Fish:

No Data

Acute Toxicity to Aquatic Invertebrates:

No Data

Environmental Fate and pathways

No Data

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

SECTION 14: TRANSPORT INFORMATION

- 14: Transport information Product is not classified as dangerous for transport.
- 14.1 UN number Not applicable.
- 14.2 UN proper shipping name Not applicable.
- 14.3 Transport hazard class(es) Not applicable.
- 14.4 Packing group Not applicable.
- 14.5 Environmental hazards Environmentally hazardous and/or Marine Pollutant: No
- 14.6 Special precautions for user Not applicable.
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Rightto-Know Act of 1986) Section 313 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103 This material does not contain any components with a CERCLA RQ

California Prop. 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

United States TSCA Inventory (TSCA) All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200

-SECTION 16: OTHER INFORMATION

NFPA Hazardous Classification

Health: 1 Flammability: 0 Instability: 0 Special Hazard: None

Revision Indicator: SDS Revision #4/Issued July 9, 2018

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.