# SAFETY DATA SHEET

#### **SECTION 1:** *IDENTIFICATION*

**Product Name: Wipeout Fuzion #1936** 

Product Use: Automotive Detailing

# Manufacturer/Supplier:

American Detailer Garage LLC.

Telephone Number: 270 872-7590

E-mail: americandetailergaragellc@gmail.com

## **SECTION 2:** HAZARD(S) IDENTIFICATION

#### **GHS** Classification:

Health Environmental	<u>Physical</u>

Eye Effects – Category 2B (Mild Irritation) Flammable Liquid – N/A Skin Corrosion – N/A Explosives – N/A Acute Toxicity – Category 5 (oral) Flammable Gases – N/A N/A (inhalation), Flammable Aerosols – N/A N/A (oral/dermal) Oxidizing Gases – N/A Skin Sensitization – N/A Gases Under Pressure – N/A Mutagenicity – N/A Flammable Solid – N/A Carcinogenicity- N/A Self-reactive substances – N/A

Carcinogenicity- N/A
Self-reactive substances – N/A

Reproductive/Developmental- N/A Pyrophoric solids – N/A

Target Organ Toxicity – N/A Self-Heating substances – N/A

Toxicity - N/A Oxidizing Liquids - N/A

Hazardous to the aquatic environment -N/A | Corrosive to Metal -N/A

Substances which, in contact with water emit flammable gasses – N/A

## Precautionary Statements General: P101 If medical advice is needed, have product or label at Pictogram: N/A hand. P102 Keep out of reach of children P103 Read label **Hazard Statements** before use. **Prevention:** WARNING! P264 Wash thoroughly after handling. H303 May be harmful if swallowed. **Response:** H320 Causes eye irritation. P301 + P312 If Swallowed: Call a POISON CONTROL CENTER or doctor/physician. Rinse Mouth. P305 +P351+P338 **If In eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 If eye irritation persists get medical advice/attention. **Storage:** N/A **Disposal:** P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### **SECTION 3:** COMPOSITION / INFORMATION ON INGREDIENTS

Water	7732-18-5	60 - 100	
Isopropyl alcohol ≤ 1	67-63-0		
Polyethylene Glycol Trimethylnonyl Etl	her 60828-78-6		≤ 8
Polydimethyl siloxane	63148-62-9		≤ 10
Fragrance	Proprietary Mixture		< 1
Colorant	Proprietary Mixture		< 1

Weight %

CAS Number

**SECTION 4:** FIRST AID MEASURES

Component

Eye Contact: Flush immediately with large amounts of clean water for at least 15 minutes; Eyelids should be held away from the eyeball to ensure thorough rinsing. If any irritation persists, seek medical attention.

Skin Contact: Rinse area with soap and water. Seek medical attention if any redness or irritation persists

Inhalation: If breathing is difficult or irritating, move to fresh air immediately. If symptoms persist, get medical

attention.

Ingestion: Get immediate medical attention. Do not induce vomiting unless directed by medical personnel.

#### **SECTION 5:** FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, foam, or carbon dioxide to extinguish fire. Water may be ineffective

but should be used to cool fire-exposed containers, structures and to protect personnel.

Use water to dilute spills and to flush them away from sources of ignition.

Fire Fighting Procedures: No special protective action for fire fighters are anticipated.

Unusual Fire and Explosion: N/A

## **SECTION 6:** ACCIDENTAL RELEASE MEASURES

Contain large spills with dikes to prevent entry to waterways and sanitary sewers and transfer the material to appropriate containers for reclamation or disposal. Absorb/trap remaining material or small spills with inert material (dirt, sand, industrial absorbent) and then place in chemical waste containers. Flush residual spill area with large amounts of water. Dispose of all clean up materials in accordance with all applicable federal, state, and local health and environmental regulations.

### **SECTION 7:** HANDLING AND STORAGE

Handling: Do not get in eyes, on skin or on clothing. Do not breathe vapor or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, Page 4 of 8 smoking. Remove contaminated clothing and clean before re —use. Keep away from heat and flame. Keep operating temperatures below ignition temperatures at all times. Use non-sparking tools. Chemical

resistant splash goggles and chemical resistant gloves are always recommended when using chemicals.

Storage:

Keep container tightly closed in a cool, dry, well-ventilated area away from heat, source of ignition and incompatibles.

Do not store below 32 degrees F or above 100 degrees F. Do not store in direct sunlight. Keep away from children.

#### **SECTION 8:** EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits: Isopropyl alcohol 67-63-0

ACGIH	PEL	400 ppm			
ACGIH	TWA	200 ppm			
OSHA Z1	PEL	400 ppm – 980 mg/m3			
OSHA Z1A	TWA	400 ppm – 980 mg/m3			
OSHA Z1A	STEL	500 ppm – 1,225 mg/m3			

Engineering Controls: Local exhaust ventilation may be necessary to control air contaminants to their exposure limits.

The use of local ventilation is recommended to control emissions near the source. Provide mechanical ventilation for confined spaces. Use explosion-proof ventilation equipment.

### Personal Protective Equipment (PPE):

Eye Protection: Wear chemical safety goggles and face shield. Have eye-wash stations available where eye contact can occur.

Skin Protection: Avoid prolonged skin contact. Wear gloves impervious to conditions of use. Additional protection may be necessary to prevent skin contact including use of apron. A safety shower should be located in the work area.

Respiratory Protection: If exposure limits are exceeded, NIOSH approved respiratory protection should be worn. A NIOSH approved respirator for organic vapors is generally acceptable.

#### **SECTION 9:** PHYSICAL AND CHEMICAL PROPERTIES

No flash point Flashpoint: Lower Flammability Limit: No data available Auto-ignition Temperature: No data available Upper Flammability Limit: No data available **Boiling Point:** >95°C Volatile Organic Compound: .5% weight [CARB] Melting Point: Volatile Organic Compound: 5 g/l [SCAQMD 443.1 No data available Vapor Pressure: No data available Evaporation Rate (Water=1): No data available Vapor Density (Air = 1): No data available Viscosity: No data available

Solubility: Soluble in water pH: 7

Pour Point: Not available Molecular Weight: Mixture

Molecular Formula: Spec. Grav. / Density: 8.185 lbs. /gal.

Odor/Appearance: Mild Fruit Scent / orange Liquid

### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: This material may be reactive with certain agents under certain conditions.

Chemical Stability: Stable

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Keep away from ignition sources, heat, sparks or flames.

Incompatible materials: Strong acids and oxidizers. Hazardous Decomposition:

None know.

### **SECTION 11:** TOXICOLOGICAL INFORMATION

Signs and Systems of Exposure: Based on the test data and/or information on the components, this material may produce the following health effects:

Inhalation: Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact: Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact: Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion: Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Target Organ Effects: Allergic Skin Reaction (non-photo induced) in sensitive people. Signs/symptoms may include redness, swelling, blistering, and itching.

Toxicological Data: If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

## **Acute Toxicity**

Name	Route	Species	Value
Polyethylene Glycol Trim	Oral	Rat	LD 50 3,300 mg/kg
Polyethylene Glycol Trim	Inhalation	-	No data available

Polyethylene Glycol Trim	Dermal	Rabbit	LD 50 : 8,874 mg/kg
--------------------------	--------	--------	---------------------

Oral	Rat	LD 50 >5000 mg/kg
Inhalation	-	No data available
Dermal	Rat	LD 50 >2008 mg/kg
Oral	Rat	LD50 > 2000 mg/kg
Inhalation	Rat	LC 50 > 5000 mg/kg
Dermal	Rabbit	LD50 > 2000 mg/kg
Oral	-	Conclusive but not sufficient for classification
Inhalation	-	Conclusive but not sufficient for classification
Dermal	-	Conclusive but not sufficient for classification
I		
Route	Species	Value
Route	Species	Value
Route	Species	Value
	1	
Doute	Species	Value
Route	Species	v and
Route	Species	Value
Route	Species	Value
	Inhalation Dermal Oral Inhalation Dermal Oral Inhalation Dermal  Route Route Route Route Route Route	Inhalation - Dermal Rat Oral Rat Inhalation Rat Dermal Rabbit Oral - Inhalation - Dermal - Dermal - Route Species Route Species Route Species Route Species Route Species

n	1	4 *		•	٠,
Rei	nrod	uctive	. 17	7X1	C1fV
		ucu i c		0/11	$\mathbf{v}_{1}\mathbf{v}_{1}$

Name Route Species Value
--------------------------

# Target Organ (s)

# Specific Target Organ Toxicity - Single Expo sure

Name	Route	Species	Value
------	-------	---------	-------

# Specific Target Organ Toxicity – repeated exposure

Name	Route	Species	Value
------	-------	---------	-------

# **Aspiration Hazard**

Name	Route	Species	Value
------	-------	---------	-------

### **SECTION 12:** ECOLOGICAL INFORMATION

**Aquatic Toxicity** 

Acute and Prolonged Toxicity to Fish:

No Data

Acute Toxicity to Aquatic Invertebrates:

No Data

Environmental Fate and pathways

## **SECTION 13:** DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

### **SECTION 14:** TRANSPORT INFORMATION

- 14: Transport information Product is not classified as dangerous for transport.
- 14.1 UN number Not applicable.
- 14.2 UN proper shipping name Not applicable.
- 14.3 Transport hazard class(es) Not applicable.
- 14.4 Packing group Not applicable.
- 14.5 Environmental hazards Environmentally hazardous and/or Marine Pollutant: No

- 14.6 Special precautions for user Not applicable.
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

#### **SECTION 15: REGULATORY INFORMATION**

Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312 311/312 Hazard Categories:

Fire Hazard – No, Pressure Hazard – No, Reactivity Hazard – No, Immediate Hazard – Yes, Delayed Hazard – No Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community RighttoKnow Act of 1986) Section 313 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103 This material does not contain any components with a CERCLA RQ

California Prop. 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

United States TSCA Inventory (TSCA) All components of this product are in compliance with the inventory listing

requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200

### **SECTION 16: OTHER INFORMATION**

NFPA Hazardous Classification

Health: 1 Flammability: 0 Instability: 0 Special Hazard: None

Revision Indicator: SDS Revision #4 / Issued July 9, 2019

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.