

ATL - NARROW



DESCRIPTION

The Atlas Tactical Ladder (ATL) narrow is a high strength aluminum collapsible bridging, ladder, litter system ideal for jump, maritime, and urban lean-to and hook and climb tactical access mission requirements. The ATL can be joined to reach heights of 15-18ft.

CAPABILITIES AND SPECIFICATIONS

PN: 14085 (ladder), 7 FT kit (14090) 15FT kit (14091)

Brand: Atlas

Material Construction: Aluminum

Weight: < 9 lbs / < 4.1 kg

Deployed Dimensions: 7 ft (83 in) / 2.1m (213 cm) rung to rung

Stowed Dimensions: 19 x 8.5 x 7.5 in / 48.3 x 22 x 19 cm

Typical Reach Height: 15 ft / 4.6 m

Load capacity: 400 lbs (181 kg) - 800 lbs (362 kg) (depending on configuration)

Deployment time: <5 seconds

Secondary positive joint locks can automatically engage on deployment

Joints manually lockable for noise control

Stow time: <10 seconds

Tool free joining of up to 2 full ATL Narrow segments to yield 15 ft / 4.6 m ladder

Compliant with relevant portions of NFPA 1931015, ANSI-ASCA14.2-2007

RECOMMENDED MISSION PROFILES

VBSS: Surface

Dive Operations: Boarding, Ladders

Rescue: High Angle, Airborne, Swift Water/Flood, Disaster Response, Maritime

Urban: Hook and Climb, RECCE/SNOT, EOD, Emergency Bailout, Industrial

Mountain: Alpine/Rock, Snow/Glacier, Adobe/Softwall

Airborne: Non-Standard Aircraft, Rotary Wing Aircraft, Fixed Wing Aircraft

CONFIGURATIONS



LADDER

COMPATIBLE ACCESSORIES

P/N: 14085



STOWED

COMPATIBLE ACCESSORIES

P/N: 14085



MSIG PACK

COMPATIBLE ACCESSORIES

P/N: 14085 (ATL Narrow)

P/N: 04218 (MSIG pack)

P/N: 07058 (Speed Clips)



JOIN/EXTENDED LADDER

COMPATIBLE ACCESSORIES

P/N: 14085 Qty: 2

P/N: 07299 (Joining Sections)



HOOK

COMPATIBLE ACCESSORIES

P/N: 14085 (ATL Narrow)

P/N: 07300 (Multi-Handle Hook)



DRAG/SKID PUCKS

COMPATIBLE ACCESSORIES

P/N: 14085 (ATL Narrow)

P/N: 07300 (Multi-Handle Hook)

P/N: 03933 (Skid Puck)

CAPABILITIES



LADDER



BRIDGE



HAHO/HALO