

ATL - Wide



DESCRIPTION

The Atlas Tactical Ladder (ATL) Wide is a high strength aluminum collapsible bridging, ladder, litter system ideal for jump, maritime, and urban lean-to and hook and climb tactical access mission requirements. The ATL can be joined to reach heights of 15-18ft.

CAPABILITIES AND SPECIFICATIONS

PN: 14086 (ladder)

Brand: Atlas

Material Construction: Aluminum

Weight: < 14.4 lbs / < 6.53 kg

Deployed Dimensions: 7 ft (83 in) / 2.1m (213 cm) rung to rung

Stowed Dimensions: 27.5 x 19 x 7.5 in / 70 x 48.2 x 19 cm

Typical Reach Height: 15 ft / 4.6 m

Load capacity: 400 lbs (181 kg) - 800 lbs (362 kg) (depending on configuration)

Deployment time: <5 seconds

Secondary positive joint locks can automatically engage on deployment

Joints manually lockable for noise control

Stow time: <10 seconds

Tool free joining of up to 2 full ATL Wide segments to yield 15 ft / 4.6 m ladder

Compliant with relevant portions of NFPA 1931015, ANSI-ASCA14.2-2007

RECOMMENDED MISSION PROFILES

VBSS: Surface

Urban: Vehicle Entry

CONFIGURATIONS



LADDER

COMPATIBLE ACCESSORIES

P/N: 14086



STOWED

COMPATIBLE ACCESSORIES

P/N: 14086



MSIG PACK

COMPATIBLE ACCESSORIES

P/N: 14086 (ATL Wide)

P/N: 04218 (MSIG pack)

P/N: 07058 (Speed Clips)



JOIN/EXTENDED LADDER

COMPATIBLE ACCESSORIES

P/N: 14086 Qty: 2

P/N: 07299 (Joining Sections)



HOOK

COMPATIBLE ACCESSORIES

P/N: 14086 (ATL Wide)

P/N: 07300 (Multi-Handle Hook)



DRAG/SKID PUCKS

COMPATIBLE ACCESSORIES

P/N: 01486 (ATL Wide)

P/N: 07300 (Multi-Handle Hook)

P/N: 03933 (Skid Puck)

CAPABILITIES



LADDER



BRIDGE